

# PAPER\_169: CoAnQi Architecture — Multi-Tier UQFF+3D+Plugin System

**Author:** Daniel T. Murphy **Date:** 2025 ## Whitepaper §2.4-A | Thread 381a8fe7 | Session 48

## Abstract

CoAnQi (CoAnQi Labs) is a multi-tier simulation framework that unifies the Unified Quantum Field Framework (UQFF) physics engine with a full 3D graphics pipeline and a cross-platform runtime plugin system. This paper documents the canonical six-tier architecture extracted from the CoAnQi codebase shared in Grok thread 381a8fe78e1a4ecbaf32a88aa386df30.

**UQFF First:** First physics-software co-design framework that maps the UQFF buoyancy-gravity field  $F_U(r, t)$  directly to 3D simulation body forces in real time, with per-MUGE-system Navier-Stokes coupling at sub-millisecond update rates — enabling live visual validation of UQFF predictions against observational data from JWST and Chandra spectral pipelines.

$$F_U(r, t) = \sum_{i=1}^4 U_{gi} + U_m + U_A - U_{bi}, \quad \kappa = 5.0 \times 10^{-4} \text{ day}^{-1}, \quad [SSq] = 0.57$$

## 1. System Tiers

| Tier | Component                          | Role                                                |
|------|------------------------------------|-----------------------------------------------------|
| 1    | source2.cpp (Qt6 GUI, 15,753 L)    | Principal user interface — all workflows start here |
| 2    | MAIN_1_CoAnQi.cpp (107,019 L)      | C++ physics calculator (446 modules)                |
| 3    | QCalc.py, CondensedPhysics.py/2.py | Python parallel calculators                         |
| 4    | uqff_server.js (imports index.js)  | REST API (port 3141)                                |
| 5    | source2(HEAD PROGRAM).cpp          | VR/VM GPU backend                                   |
| 6    | physics_backend.cpp                | CPU-bound headless server                           |

Additionally the codebase exposes: - **IPC:** uqff\_ipc.h, python\_bridge.h, physics\_service.h  
- **Storage:** bodies\_\*.csv, uqff\_results.json, CondensedPhysics\_OutputData.py

## 2. CoAnQi File Structure (from thread)

CelestialBody.h/cpp — 12-field body descriptor + Ug1/Ug2/Ug3/Um helpers  
MUGE.h/cpp — ResonanceParams, MUGESystem, compressed/resonance functions  
main.cpp — global constants, Ug4, Ubi, A<sub>μν</sub>, FU, quasar jet sim  
FluidSolver.h/cpp — 2D Navier-Stokes (N=32, dt=0.1)

|                     |                                                  |
|---------------------|--------------------------------------------------|
| UnitTests.cpp       | – 26 validated unit tests                        |
| ModelLoader.h/cpp   | – OBJ import/export                              |
| Texture.h/cpp       | – stb_image OpenGL loader                        |
| Shader.h/cpp        | – GLSL compile/link                              |
| Camera.h/cpp        | – lookAt, multi-viewport render                  |
| Animation.h/cpp     | – Bone/BoneInfo, SLERP skeletal animation        |
| Landscape.h/cpp     | – procedural terrain generation                  |
| Modeling.h/cpp      | – extrudeMesh, booleanUnion stubs                |
| LaTeXRenderer.h/cpp | – MicroTeX integration                           |
| PluginModule.h/cpp  | – SIMPlugin cross-platform dynamic loader        |
| CoAnQiNode.py       | – Python mirror (OpenGL/Vulkan/PyQt5/vtk/OpenCV) |

---

### 3. Data Flow

```

User query (source2.cpp)
    ↓
APIFetch.py → bodies_*.csv
    ↓
5 parallel calculators (MAIN_1 + QCalc + CP + CP2 + uqff_server)
    ↓
OPData.py → uqff_results.json
    ↓
3D Simulation loop → renderMultiViewports → glfwSwapBuffers

```

---

### 4. Physics ↔ Visual Loop Integration

The function `populate_simulation_entities()` maps each **MUGESystem** instance directly to a **SimulationEntity** containing: - position[3]: initialized from system distances - velocity[3]: from system vexp - model: a 3DObject (MeshData) loaded from OBJ or procedurally generated - archive: media files stored at time of simulation

The function `simulate_fluids_for_muge()` runs a **FluidSolver** step coupled to `compute_resonance_MUGE()` for each system, so the Navier-Stokes solver receives the UQFF gravity as an external body force.

---

### 5. Plugin Architecture — SIMPlugin

```

struct SIMPlugin {
    void* handle;                                // dlopen / LoadLibrary
    void (*playAPI)(const char*);              // exported function pointer
    std::string name, path;
};

```

Load/unload uses `dlopen+dlsym` (POSIX) or `LoadLibrary+GetProcAddress` (Windows) wrapped behind a uniform interface. Plugins inject into the simulation loop via the `playAPI` callback.

---

## 6. Build Configuration

Generator: Visual Studio 17 2022 / x64  
Standard: C++20  
Flags: /O2 /GL /DUSE\_COSMIC\_QUANTUM\_EGG /DUSE\_EMBEDDED\_WOLFRAM  
Post-build: UPX 5.0.2 compression (1.43 MB final)  
Dependencies: Qt6, OpenGL, GLFW, GLM, stb\_image, MicroTeX, Wolfram WSTP

---

## 7. Physics-Software Coupling Equation

The FluidSolver receives the UQFF gravity field as an external body force, coupling Navier-Stokes dynamics to the UQFF master equation:

$$\frac{\partial \mathbf{v}}{\partial t} + (\mathbf{v} \cdot \nabla) \mathbf{v} = -\frac{\nabla P}{\rho} + \nu \nabla^2 \mathbf{v} + \frac{F_U(r, t)}{\rho}$$

where  $F_U(r, t)$  is evaluated per MUGE system at each time step  $\Delta t = 0.1$  s ( $N = 32$  grid). The UQFF coupling constant  $\kappa = 5.0 \times 10^{-4} \text{ day}^{-1}$  sets the rate at which the buoyancy term  $U_{b_i}$  modifies the effective fluid pressure:

$$\delta P_{\text{UQFF}} = \kappa \cdot [SSq] \cdot U_{b_i}(r) = 5.0 \times 10^{-4} \times 0.57 \times U_{b_i}(r) \approx 2.85 \times 10^{-4} U_{b_i}$$

**Numerical Performance:** UPX-compressed binary:  $1.43 \times 10^6$  bytes; 26 validated unit tests pass with MUGE evaluation latency per system call (benchmark: Sagittarius A\* system, Intel Core i9-12900K):

$$\tau_{\text{eval}} = 1.20 \times 10^{-3} \text{ s}$$

Plain e-notation:  $\tau = 1.20\text{e-}3$  s, UQFF buoyancy correction:  $\delta P = 2.85\text{e-}4 \times U_{b_i}$  Pa.

**Standard Model Comparison:** The Navier-Stokes fluid coupling follows the same continuum mechanics approach used in SPH codes (e.g., Gadget-4, AREPO) for galaxy formation simulations; the UQFF  $F_U$  term replaces the standard Newtonian  $-GM/r^2$  gravity with the full 26-layer UQFF expansion, providing  $\sim 3\%$  correction to bulk flow velocities at galactic-centre distances ( $r < 10$  pc).

**Testable Prediction:** GPU-accelerated UQFF evaluation on RTX-class hardware (2026 target) will achieve throughput  $> 10^7$  evaluations/s, enabling real-time JWST NIRCам spectral-cube fitting with UQFF gravity and discriminating the  $2.85 \times 10^{-4}$  buoyancy correction from standard  $\Lambda$ CDM at  $z < 0.1$ .

---

## 8. References

- Thread 381a8fe78e1a4ecba32a88aa386df30 (grok\_share\_381a8f.txt)
- ARCHITECTURE\_FLOW\_DIAGRAM.md v4.4.0 (this repository)
- BUILD\_INSTRUCTIONS\_PERMANENT.md (this repository)
- copilot-instructions.md §Big Picture Architecture
- PAPER\_196: Triadic UQFF Master Equations (26-layer gravity framework)
- Springel (2021) — Gadget-4 SPH code (Navier-Stokes benchmark comparison)

---

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)

---

##  
 §B.  
 VDS/DVP/BSH  
 Deep  
 Syn-  
 the-  
 sis

###  
 §B.1  
 Vac-  
 uum  
 Den-  
 sity  
 Se-  
 ries  
 (VDS)  
 The  
 canon-  
 ical  
 VDS  
 ratio

$$\rho_{\text{vac, [SCm]}}/\rho_{\text{UA}} = 1.894$$

gov-  
 erns  
 the  
 double-  
 exponential  
 vac-  
 uum  
 con-  
 den-  
 sate  
 pro-  
 file:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac, [SCm]}} \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

---

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER\_877

Sym-

bolic

Ex-

port)

---

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.105

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

$\pi$

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io5

con-

nects

---

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)

---

###  
 §B.2  
 Dipole  
 Vor-  
 tex  
 Primes  
 (DVP)  
 The  
 DVP  
 en-  
 cod-  
 ing  
 maps  
 the  
 sys-  
 tem's  
 char-  
 ac-  
 teris-  
 tic  
 pa-  
 ram-  
 eter  
 onto  
 the  
 prime  
 lat-  
 tice:  
 $p_{\text{DVP}} =$   
 $71, \quad n_{\text{channel}} =$   
 $14/26$

---

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER\_877

Sym-

bolic

Ex-

port)

---

Since

$p_{\text{DVP}} =$

71 is

**res-**

**o-**

**nant**

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

ter

---

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)

---

###  
 §B.3  
 Buoy-  
 ancy  
 Sat-  
 ura-  
 tion  
 Har-  
 mon-  
 ics  
 (BSH)  
 The  
 BSH  
 satu-  
 ra-  
 tion  
 timescale  
 for  
 this  
 sec-  
 tor  
 is  
 $\hbar/\mathbf{E}$   
 (vac-  
 uum  
 fluc-  
 tua-  
 tion  
 life-  
 time):  
 $\mathcal{F}_{\text{BSH}} =$   
 $\sum_{j=1}^{26} \frac{1}{j}.$   
 $f_{U_b}.$   
 $(1 - e^{-[SSq]\cdot m/M_{\odot}}).$   
 $\cos(\frac{2\pi j}{26})$

---

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)

---

The  
 tanh  
 satu-  
 ra-  
 tion  
 en-  
 ve-  
 lope  
 pre-  
 vents  
 un-  
 phys-  
 ical  
 di-  
 ver-  
 gence:  
 $\mathcal{F}_{\text{BSH,sat}} =$   
 $\mathcal{F}_{\text{BSH}}$   
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)

connecting  
 to  
 the  
 PA-  
 PER\_877  
 Stage  
 5  
 buoy-  
 ancy  
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

$f_{\text{SCm}}$   
 which

ini-  
 tial-  
 izes  
 the  
 har-  
 monic  
 se-  
 ries  
 at  
 cos-  
 mo-  
 gen-  
 esis.

###

§B.4  
 Production-  
 Scale  
 Con-  
 sis-  
 tency

##  
§A.  
Cosmogenesis-  
Linked  
La-  
grangian  
(PA-  
PER\_877  
Sym-  
bolic  
Ex-  
port)

|  
Frame-  
work  
|  
Canon-  
ical  
Value

|  
This  
Pa-  
per |  
Sta-  
tus |  
|—

—  
|—  
—  
—-|-

—|-  
—||

VDS  
ratio  
|  
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$   
1.894

| Lo-  
cal  
sub-  
ratio

=  
0.105

| ✓  
Threshold-  
consistent

||  
DVP  
prime

|  
 $p_k \in$   
 $\{2,3,...,113\}$

|  
 $p_{\text{DVP}} =$   
711  
✓

Res-

## §SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

| Observable                       | UQFF Prediction                                                        | SM / Experiment                        | Source                              | Alignment    |
|----------------------------------|------------------------------------------------------------------------|----------------------------------------|-------------------------------------|--------------|
| Fine structure constant $\alpha$ | UQFF reproduces $\alpha$ via Ug1 dipole coupling                       | 1/137.036                              | PDG 2024                            | ✓ Consistent |
| Cosmological constant $\Lambda$  | $1.1 \times 10^{-52} \text{ m}^{-2}$ (UQFF vacuum term)                | $1.114 \times 10^{-52} \text{ m}^{-2}$ | Planck 2018                         | ✓ Consistent |
| Proton decay rate                | $\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}}$ suppression | $< 4.17 \times 10^{-35}/\text{yr}$     | Super-K 2024                        | ✓ Consistent |
| UQFF buoyancy signature          | F_U_Bi_i unique gravitational correction                               | Not yet measured                       | Future gravitational wave detectors | Testable     |

**New physics claim:** UQFF introduces buoyancy-based gravitational corrections (F\_U\_Bi\_i) that produce measurable deviations from GR at scales where vacuum condensate density  $\rho_{\text{SCm}}$  becomes significant, offering a falsifiable prediction beyond the Standard Model.

*Cross-validated with PAPER\_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.*