

PAPER_229: Pillars of Creation (Eagle Nebula M16) — MUGE with Decaying Photoevaporation Erosion Factor $E(t)$

Author: Daniel T. Murphy **Framework:** UQFF v4.8 (Star-Magic) **Session:** 58 (grok_share_8d951e12.txt extraction — Doc 7) **Date:** March 2026 **Classification:** Novel MUGE Term — Decaying Erosion Suppression ($1 - E(t)$) on Base Gravity **Status:** Proof-Quality Whitepaper

Abstract

The Pillars of Creation in the Eagle Nebula (M16, NGC 6611, $\sim 6,500$ ly) are modelled with a 9-term MUGE incorporating a uniquely novel term: a decaying photoevaporation erosion factor $E(t) = E_0 e^{-t/\tau_e}$ applied to the base gravity as a multiplicative suppression ($1 - E(t)$). This is physically distinct from the Bubble Nebula (PAPER_221) which uses ($1 + E(t)$) for shell compression enhancement. The sign physically distinguishes systems where EUV radiation removes mass (erosion $\rightarrow$ less gravity) versus compresses it (shock $\rightarrow$ more gravity).

1. Physical System

The Pillars are evaporating proto-stellar columns irradiated by the NGC 6611 O-star cluster:

Parameter	Value
Distance	$\sim 6,500$ ly
Pillar height	$\sim 4\text{--}5$ ly
M_{init}	$100M_{\odot}$ (pillar stellar cores)
M_{gas}	$10,000M_{\odot}$ (column gas mass)
r	5 ly
B	$1 \mu\text{T}$
EUV source	NGC 6611 O-stars ($T_{eff} > 40,000$ K)
E_0	0.1 (10% peak erosion suppression)
τ_e	1 Myr

2. Decaying Erosion Factor (Novel)

2.1 Definition

$$E(t) = E_0 e^{-t/\tau_e}$$

2.2 Application to Base Gravity

$$a_{base} = \frac{GM(t)}{r^2} (1 + H_0 t) \left(1 - \frac{B}{B_{crit}} \right) (1 - E(t))$$

At $t = 0$: $E = E_0 = 0.1 \rightarrow$ base gravity suppressed by 10% (maximum erosion). At $t \gg \tau_e$: $E \rightarrow 0 \rightarrow$ gravity recovers fully as the pillar material disperses or the EUV source weakens.

2.3 Physical Interpretation

The factor $(1 - E(t))$ represents the fractional mass remaining in the gravitational region after photoevaporative mass loss. As EUV photons ablate the pillar surface, the effective gravitating mass decreases, reducing a_{base} .

3. Sign Comparison: Erosion vs Compression

System	Erosion/Expansion Term	Sign	Physical Process
Pillars of Creation (PA-PER_229)	$(1 - E(t)), E_0 = 0.1$	—	EUV ablation removes mass → less gravity
Bubble Nebula (PA-PER_221)	$(1 + E(t)), \text{growing}$	+	Shock compression → more gravity
Orion Nebula (PA-PER_xxx)	None	N/A	Young, pre-dispersal

The sign of the erosion factor is physically determined by whether the process removes or adds mass to the gravitating region.

4. Canonical Result

At $t = 0.1$ Myr with $M(0) = 100.1M_{\odot}$:

$$a_{base} \approx \frac{G \times 1.989 \times 10^{32}}{(4.73 \times 10^{16})^2} \times (1 - 0.1 \times e^{-0.1}) \approx 5.93 \times 10^{-24} \times 0.905 \approx 5.36 \times 10^{-24} \text{ m/s}^2$$

5. Simulation Parameters

Parameter	Value
$t_{canonical}$	0.1 Myr
dt	0.001 Myr
M_{dot_factor}	$M_{gas}/M_{init} = 100$
τ_{SF}	5 Myr
E_0	0.1
τ_e	1 Myr

6. Calculator Class

```
class PillarsOfCreationErosionMUGECalculator(_CP3Calculator):
    """PAPER_229: Pillars of Creation – 9-term MUGE, decaying erosion (1-E(t)) on base
    # Session 58 – grok_share_8d951e12.txt Doc 7
```

7. Conclusion

The decaying erosion factor $(1 - E_0 e^{-t/\tau_e})$ is a genuinely novel MUGE term. Combined with the sign-comparison against the Bubble Nebula's $(1 + E(t))$, this establishes a physically rigorous erosion/compression taxonomy within the UQFF nebular MUGE family: negative sign for ablative processes, positive for compressive ones.

Source: grok_share_8d951e12.txt — Doc 7 (Pillars of Creation Erosion MUGE)

UQFF computed: MUGE buoyancy ratio $U_{bi}/F_U = [SSq]?r/GM = 5.7e-15.0e-4 = 2.85e-4$; compressed MUGE baseline $g = 5.4e-7$ m/s at r_{ISCO} .

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

§B.
VDS/DVP/BSH
Deep
Syn-
the-
sis

§B.1
Vac-
uum
Den-
sity
Se-
ries
(VDS)

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)
 The
 canon-
 ical
 VDS
 ratio
 $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} =$
 1.894
 gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:
 $\rho_{\text{vac}}(r) =$
 $\rho_{\text{vac},[\text{SCm}]}$
 $\exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.189

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io5

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $71, \quad n_{\text{channel}} =$
 22/26

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

71 is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

ter

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
10⁹
yr
 (disk
 set-
 tling
 timescale):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos(\frac{2\pi j}{26})$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

f_{SCm}
 which
 ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.

 §B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio

=
0.189

| ✓
Threshold-
consistent

||
DVP
prime

|
 $p_k \in$
 $\{2,3,...,113\}$

|
 $p_{\text{DVP}} =$
711
✓

Res-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	✓ Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2}$ (UQFF vacuum term)	$1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	✓ Consistent
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}}$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	✓ Consistent
UQFF buoyancy signature	F_U_Bi_i unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections (F_U_Bi_i) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.