

PAPER_242 — Rings of Relativity: Einstein Ring Lensing Amplification in the Full MUGE

Date: October 2025 ## GAL-CLUS-022058s — Static Einstein-Ring Lensing Factor in the Master Universal Gravity Equation

Author: Daniel T. Murphy

Framework: Unified Quantum Field Framework (UQFF) v4.10

Calculator Class: RingsOfRelativityEinsteinLensingMUGECalculator (CP3, Session 60)

Encoded By: Grok (xAI), October 2025 (C++ source); Python CP3 integration March 2026

Version: 1.0 | **Session:** 60 | **PAPER Number:** 242

Abstract

This paper presents the full Master Universal Gravity Equation (MUGE) for the GAL-CLUS-022058s gravitational lens system (“Rings of Relativity”). The key unique mathematical contribution is the **static Einstein ring lensing amplification factor** L_t , derived from the angular diameter distance ratio D_{LS}/D_S and the Schwarzschild radius of the galaxy cluster lens, applied as a multiplicative correction to the base gravitational field.

This is expressly **distinct** from the dynamic lensing modulation $L(t) = L_0 e^{-t/\tau} \cos(\omega t)$ already captured in CP3 class 81 (UQFFLensingModulationRingsCalculator, Session 53). The present paper captures the static, geometry-driven Einstein ring correction.

2. System Parameters

Parameter	Symbol	Value	Units
Lens mass	M	$10^{14} M_{\odot}$	kg
Einstein radius	r	3.086×10^{20}	m (~10 kpc)
Redshift of lens	z_{lens}	0.5	dimensionless
Angular distance ratio	$L_{\text{factor}} = D_{LS}/D_S$	0.67	dimensionless
Magnetic field	B	10^{-5}	T
Gas velocity	v_{gas}	10^5	m/s
Oscillatory amplitude	A_{osc}	10^{-12}	m/s ²

3. The Novel Lensing Amplification Term

3.1 Einstein Ring Lensing Factor

The static gravitational lensing amplification of the measured gravitational field along the line of sight through the Einstein ring geometry:

$$L_t = \frac{GM}{c^2 r} \cdot L_{\text{factor}}, \quad L_{\text{factor}} = \frac{D_{LS}}{D_S} = 0.67$$

$$\text{corr}_L = 1 + L_t$$

where: - GM/c^2r is the dimensionless Schwarzschild-radius-to-Einstein-radius ratio - D_{LS} = angular diameter distance from lens to source - D_S = angular diameter distance from observer to source - The factor D_{LS}/D_S encodes the lensing geometry in the single-lens single-source approximation

3.2 Friedmann Correction at $z = 0.5$

$$H(z = 0.5) = H_0 \sqrt{\Omega_m(1+z)^3 + \Omega_\Lambda} = H_0 \sqrt{0.3 \cdot (1.5)^3 + 0.7}$$

This mid-redshift Friedmann correction is distinct from $z = 0$ (local), $z = 3.5$ (HUDF), or $z = 0.01$ (nearby lenses) used in earlier classes.

4. Full MUGE: All Nine Terms

$$g_{\text{Rings}}(r, t) = \underbrace{T_1}_{\text{base+H+B+L}} + \underbrace{T_2}_{\text{UQFF}} + \underbrace{T_3}_{\Lambda} + \underbrace{T_4}_{\text{EM}} + \underbrace{T_q}_{\text{QM}} + \underbrace{T_{\text{fl}}}_{\text{fluid}} + \underbrace{T_{\text{osc}}}_{\text{2-mode}} + \underbrace{T_{\text{DM}}}_{\text{DM+pert2}} + \underbrace{T_{\text{wind}}}_{\text{stellar wind}}$$

Term 1 — Base gravity with $H(z)$, magnetic, Einstein lensing:

$$T_1 = \frac{GM}{r^2} (1 + H(z)t) (1 - B/B_{\text{crit}}) (1 + L_t)$$

Term 2 — UQFF unified field with time-reversal:

$$T_2 = (U_{g1} + U_{g4}) (1 + f_{TRZ})$$

Term 3 — Cosmological constant:

$$T_3 = \frac{\Lambda c^2}{3}$$

Term 4 — Electromagnetic with vacuum density ratio:

$$T_4 = \frac{qv_{\text{gas}}B}{m_p} \left(1 + \frac{\rho_{\text{UA}}}{\rho_{\text{SCm}}} \right) \cdot s_{\text{EM}}, \quad \frac{\rho_{\text{UA}}}{\rho_{\text{SCm}}} = \frac{7.09 \times 10^{-36}}{7.09 \times 10^{-37}} = 10$$

Term 5 — Quantum uncertainty:

$$T_q = \frac{\hbar}{\sqrt{\Delta x \Delta p}} \psi \frac{2\pi}{t_H}$$

Term 6 — Fluid (buoyancy-acceleration):

$$T_{\text{fl}} = \frac{\rho_{\text{fluid}} V g_{\text{base}}}{M}$$

Term 7 — Two-mode oscillation (standing wave + traveling wave):

$$T_{\text{osc}} = 2A \cos(kx) \cos(\omega t) + \frac{2\pi}{t_{\text{Gyr}}} A \cos(kx - \omega t)$$

The first mode is a **standing wave decomposition** ($2 \cos \cos$); the second mode is a **Gyr-scaled traveling wave**. Together they form a beating-mode pair unique to this system.

Term 8 – Dark matter with $\delta_2 = 3GM/r^3$ perturbation:

$$T_{\text{DM}} = \frac{(M + M_{\text{DM}})(\delta\rho/\rho + 3GM/r^3)}{M}$$

The second-order perturbation $3GM/r^3$ is a tidal-force density correction distinct from density-contrast $\delta\rho/\rho$.

Term 9 – Stellar wind feedback:

$$T_{\text{wind}} = \frac{\rho_{\text{wind}} v_{\text{wind}}^2}{\rho_{\text{fluid}}}$$

5. Distinction from Prior Art

Feature	Class 81 (Session 53)	This class (Session 60)
Lensing factor	$L(t) = L_0 e^{-t/\tau} \cos(\omega_{\text{lens}} t)$	$L_t = (GM/c^2 r) \cdot (D_{LS}/D_S)$
Physics	Dynamic lens transit alignment	Static Einstein ring geometry
Time dependence	Yes (decaying oscillation)	No (geometric constant)
Parameter	$L_0 = 0.15, \tau_{\text{lens}}, \omega_{\text{lens}}$	$L_{\text{factor}} = 0.67$ (distance ratio)
Oscillation	None	Two-mode standing + traveling wave
DM pert2	Not present	$3GM/r^3$ tidal correction
Wind term	Not present	$\rho_w v_w^2 / \rho_{\text{fl}}$

6. Numerical Verification

Using default parameters ($M = 1.989 \times 10^{44}$ kg, $r = 3.086 \times 10^{20}$ m, $z = 0.5$):

$$L_t = \frac{(6.6743 \times 10^{-11})(1.989 \times 10^{44})}{(2.998 \times 10^8)^2 (3.086 \times 10^{20})} \times 0.67 \approx 1.6 \times 10^{-3}$$

$$\text{corr}_L \approx 1.0016 \quad (\sim 0.16\% \text{ amplification})$$

$$H(z = 0.5) = H_0 \sqrt{0.3 \times 3.375 + 0.7} \approx 1.27 H_0$$

The lensing correction is small but non-zero and physically motivated by the Einstein ring geometry of GAL-CLUS-022058s ($\theta_E \approx 10''$, confirmed by HST imaging).

7. Integration Into UQFF Pipeline

- **CP3 class:** RingsOfRelativityEinsteinLensingMUGECalculator (112th calculator, Session 60)
 - **Aggregator:** v2.4.0 — registered in CP3_CALCULATORS
 - **Source:** Doc 8 C++ class RingsOfRelativity (Grok/xAI, October 2025)
 - **Complementary classes:**
 - Class 81 UQFFLensingModulationRingsCalculator — dynamic lens transit
 - Class 111 NGC3603FullMUGECavityPressureCalculator — companion new class (PAPER_243)
-

8. References

- Hubble Space Telescope imaging of GAL-CLUS-022058s (Infante et al. 2022)
 - Einstein (1936): Lens-star problem, Science 84, 506
 - Schneider, Ehlers & Falco (1992): Gravitational Lenses, Springer
 - Murphy, D.T. (2025): UQFF Manuscript — Doc 8 (Rings of Relativity MUGE, October 2025)
 - Grok (xAI): C++ class RingsOfRelativity, encoded October 2025
-

PAPER_242 | Session 60 | CP3 class 111 (RingsOfRelativityEinsteinLensingMUGECalculator) | UQFF v4.10

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

§B.
VDS/DVP/BSH
Deep
Syn-
the-
sis

§B.1
Vac-
uum
Den-
sity
Se-
ries
(VDS)

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)
 The
 canon-
 ical
 VDS
 ratio
 $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} =$
 1.894
 gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:
 $\rho_{\text{vac}}(r) =$
 $\rho_{\text{vac},[\text{SCm}]}$
 $\exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.109

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io6

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $5, \quad n_{\text{channel}} =$
 9/26

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

5 is

sub-

threshold

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

sub-

threshold

damp-

ing

from

the

DVP

lat-

tice,

pro-

duc-

ing

smooth

rather

than

reso-

nant

UQFF

cou-

pling

pro-

files.

The

DVP

frame-

work

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
 10^6
 $M_{\rm BH}/M_{\odot}$
 yr
 (quasi-
 normal
 mode
 ring-
 down):
 $\mathcal{F}_{\rm BSH} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos(\frac{2\pi j}{26})$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

f_{SCm}
 which
 ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.

 §B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio

=
0.109

| ✓
Threshold-
consistent

||
DVP
prime

|
 $p_k \in$
 $\{2,3,...,113\}$

|
 $p_{\text{DVP}} =$
512
Sub-
threshold