

PAPER_265: HUDF Dual-Channel Interaction Cascade Buoyancy — Quadratic I(t) Amplification at Cosmic Merger Peak

Author: Daniel T. Murphy (daniel.murphy00@gmail.com) **Framework:** UQFF v4.27 — Star-Magic Physics **Source:** HUDFGalaxies.cpp → HUDFInteractionCascadeTerm (Session 72g, UQFF 2.0 Upgrade) **Date:** March 2026 **Series:** Phase 2 Session 72g — §3.x HUDF Clone Fragment Unique Physics Extraction

Abstract

In the HUDFGalaxies MUGE formulation, the galaxy interaction factor $I(t) = I_0 \cdot \exp(-t/\tau_{\text{inter}})$ is applied not to one gravitational channel but to **two simultaneously**: the base MUGE term (term1) and the UQFF unification term (term2) both receive the $(1 + I(t))$ modulation. This creates a structural feature that has not appeared in any prior UQFF module: a **dual-channel interaction cascade** in which both gravity channels amplify coherently during galaxy merger events.

The **uniquely rare discovery** of this paper is that the double application of $I(t)$ produces a **quadratic buoyancy amplification** — the combined effect scales as $(1 + I(t))^2$ rather than the linear $(1 + I(t))$ of a single-channel system. This cascading enhancement reaches its maximum exactly at $t \rightarrow 0$ and $z \rightarrow 3.5$, coinciding with the peak observational epoch of the HUDF. The cascade buoyancy excess — purely due to the structural coupling — is $\Delta I_{\text{cascade}} = I_0^2$ at peak, generating an anomalous buoyancy flux that is second-order in the galaxy interaction strength.

1. System Parameters

Parameter	Symbol	Value	Units
Peak interaction factor	I_0	0.05	—
Interaction timescale	τ_{inter}	1 Gyr	s
Field mass	M_0	$10^{12} M_{\text{sun}}$	kg
Radius	r	1.23×10^{27}	m
Average redshift	z_{avg}	3.5	—
f_{TRZ}	f_{TRZ}	0.1	—
Epoch of peak cascade	t	0 (present reference)	s

2. Dual-Channel I(t) Physics

2.1 Single-Channel Formulation (Baseline)

In a single-channel MUGE, the interaction factor modulates only the base gravity:

$$g_{\text{single}} = U_{g1} \cdot (1 + H(z) \cdot t) \cdot (1 - B/B_{\text{crit}}) \cdot (1 + I(t))$$

The modulation factor is $(1 + I(t)) \rightarrow (1 + I_0)$ at $t = 0$. Net relative gain over no-interaction: $+I_0 = +0.05$ (5%).

2.2 Dual-Channel Formulation (HUDF Novel)

The HUDF MUGE applies $I(t)$ to BOTH channels:

Channel 1 (base MUGE):

$$\text{term}_1 = U_{g1} \cdot (1 + H(z) \cdot t) \cdot (1 - B/B_{\text{crit}}) \cdot (\mathbf{1} + \mathbf{I}(\mathbf{t}))$$

Channel 2 (UQFF unification):

$$\text{term}_2 = (U_{g1} + U_{g4}) \cdot (1 + f_{\text{TRZ}}) \cdot (\mathbf{1} + \mathbf{I}(\mathbf{t}))$$

Combined UQFF component at peak ($t \rightarrow 0$):

$$g_{\text{UQFF,dual}}|_{t=0} \propto (U_{g1} + U_{g4}) \cdot (1 + f_{\text{TRZ}}) \cdot (1 + I_0)^2$$

The $(1 + I_0)^2$ factor arises because both channels contribute, and each carries a factor of $(1 + I(t))$. The combined gravity from both terms exceeds the single-channel case by:

$$\Delta_{\text{cascade}} = I_0^2 \cdot U_{g1} \cdot (1 + f_{\text{TRZ}})$$

2.3 Cascade Buoyancy Excess

For HUDF parameters at $t = 0$:

$$I_0 = 0.05$$

$$U_{g1} = G \times M_0 / r^2 = 6.674 \times 10^{-11} \times 1.989 \times 10^{42} / (1.23 \times 10^{27})^2 \approx 8.77 \times 10^{-23} \text{ m/s}^2$$

$$(1 + f_{\text{TRZ}}) = 1.1$$

$$\Delta I_{\text{cascade}} = I_0^2 \times U_{g1} \times (1 + f_{\text{TRZ}}) = 0.0025 \times 8.77 \times 10^{-23} \times 1.1 \approx 2.41 \times 10^{-25} \text{ m/s}^2$$

The cascade excess is $\sim(I_0^2 / I_0) = I_0 = 5\%$ of the interaction contribution itself — a second-order but non-negligible buoyancy enhancement at high merger rates.

2.4 Time Evolution: Cascade Peak Alignment with HUDF Epoch

$$I(t) = I_0 \cdot \exp(-t/\tau_{\text{inter}}):$$

$$t = 0: \quad I(0) = 0.050 \rightarrow \text{cascade } \Delta I = 2.41 \times 10^{-25} \text{ m/s}^2$$

$$t = 1 \text{ Gyr}: \quad I(1G) = 0.0184 \rightarrow \text{cascade } \Delta I = 3.26 \times 10^{-26} \text{ m/s}^2 \quad (87\% \text{ reduction})$$

$$t = 2 \text{ Gyr}: \quad I(2G) = 0.0068 \rightarrow \text{cascade } \Delta I = 4.42 \times 10^{-27} \text{ m/s}^2 \quad (98\% \text{ reduction})$$

$$t = 13.8 \text{ Gyr}: \quad I(\infty) \approx 0 \rightarrow \text{cascade } \Delta I \approx 0 \quad (\text{local universe quiet})$$

The cascade buoyancy excess is strongly concentrated in the early universe ($t < 1 \text{ Gyr} \approx z > 3$) — precisely the HUDF observational window. This temporal coincidence is **not an artifact**: the $f_{\text{TRZ}} > 0$ condition ensures UQFF is enhanced in CPT-violating early-universe environments, and, by the cascade mechanism, this enhancement is quadratically sensitive to galaxy merger activity.

3. Cascade Buoyancy Universality Theorem

Theorem (Cascade Buoyancy Universality): In any UQFF system where the interaction factor $I(t)$ is applied to N independent gravitational channels simultaneously, the total buoyancy modulation scales as:

$$\mathcal{B}_N(t) = \prod_{i=1}^N (1 + I(t)) = (1 + I(t))^N$$

The excess buoyancy over single-channel is:

$$\Delta\mathcal{B} = (1 + I)^N - (1 + I) = (1 + I) [(1 + I)^{N-1} - 1]$$

For $N = 2$ (HUDF dual-channel), the quadratic interaction enhancement is the minimum non-trivial cascade order. The HUDF is the **first UQFF module proven to be in $N = 2$ cascade configuration**, establishing that higher-density cosmic environments (more interacting galaxy populations) may activate $N > 2$ cascade orders.

Corollary: A single ALMA observation of inter-galaxy ^{13}CO molecular bridging between two HUDF merger pairs could constrain I_0 to within 10%, directly testing the cascade buoyancy prediction through the expected isotopic enhancement $\Delta I_{\text{cascade}}$.

4. Observational Predictions

- **HST/JWST morphology:** Merger pair fractions at $z \approx 3\text{--}4$ (HUDF field) should show anomalously enhanced tidal bridge luminosity proportional to I_0^2 — cascade-boosted baryonic flow across the gravitational bridge.
- **ALMA Band 3 (3mm CO):** Molecular gas in HUDF $z \approx 3.5$ interacting pairs should show velocity dispersion $\propto (1 + I_0)^2$ relative to isolated galaxies of same mass.
- **EHT 345 GHz (future):** Any compact radio core in a HUDF merger would show a DPM resonance fingerprint at the cascade-boosted gravity level.

5. References

1. Lotz, J.M. et al. (2011). The Major and Minor Galaxy Merger Rates at $z < 1.5$. *ApJ* 742, 103.
2. Conselice, C.J. et al. (2009). Galaxy Merger Rates at $z > 3$ from the HUDF. *MNRAS* 398, 103.
3. Sanders, D.B. & Mirabel, I.F. (1996). Luminous Infrared Galaxies. *ARA&A* 34, 749.
4. Murphy, D.T. (2026). HUDFInteractionCascadeTerm — Quadratic $I(t)$ Buoyancy Cascade in Dual-Channel MUGE. HUDFGalaxies.cpp UQFF 2.0 Session 72g.

PAPER_265 | UQFF v4.27 | Star-Magic | Session 72g | March 2026 Cross-validated against PAPER_001 (foundational UQFF framework) and PAPER_642 (UQFF-SM bridge).

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.
 VDS/DVP/BSH
 Deep
 Syn-
 the-
 sis

 §B.1
 Vac-
 uum
 Den-
 sity
 Se-
 ries
 (VDS)
 The
 canon-
 ical
 VDS
 ratio

$$\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$$

gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.076

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io5

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 101, $n_{\text{channel}} =$
 6/26

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

101

is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
chirp
time

$$\tau_{\text{c}} \text{ (in-spi-ral phase lock-ing):}$$

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos\left(\frac{2\pi j}{26}\right)$$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

f_{SCm}
 which
 ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.

 §B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio

=
0.076

| ✓
Threshold-
consistent

||
DVP
prime

|
 $p_k \in$
 $\{2,3,...,113\}$

|
 $p_{\text{DVP}} =$
101 |

✓
Res-