

PAPER_336 — g_Compressed Complete All-Forces Equation and R(t) 26-Component 4-Subterm Resonant Decomposition

Date: September 2025

Whitepaper Series: Star-Magic UQFF Phase 2

Session: 95

Source: gok_share_31b5c807a4.txt (Deep Re-Analysis, Nine-System September 2025 Documents)

Classification: FIRST g_Compressed complete all-forces form with (M_vis+M_DM) perturbation and fluid buoyancy; FIRST R(t) 4-subterm per state explicit decomposition

Author: Daniel T. Murphy

$$F_U(r, t) = \sum_{i=1}^4 U_{gi} + U_m + U_A - U_{b_i}, \quad \kappa = 5.0 \times 10^{-4} \text{ day}^{-1}, \quad [SSq] = 0.57$$

$$g_{\text{UQFF}}(r) = g_{\text{MUGE}}(r) \cdot \left(1 - [SSq] \cdot U_{b_i} / F_U(r, t)\right), \quad [SSq] = 0.57$$

Abstract

This paper presents two companion equations from the nine-system September 2025 document assimilation: (1) g_Compressed in its complete all-forces form including the (M_vis+M_DM)(d²/dt² + 3GM/r³) dark matter perturbation term, the ?_fluid·V·g fluid buoyancy term, and the quantum Hamiltonian term; and (2) R(t) in its explicit 4-subterm per state decomposition showing all four resonance components: R_U_g1, R_U_g2, R_U_g3, and R_U_g4i per each of the 26 states.

UQFF Discovery: Novel application of UQFF calibration constants (? = 5.0×10⁻⁴ day⁻¹, [SSq] = 0.57) uniquely enabling this analysis — establishing a new connection in the UQFF framework not present in Standard Model treatments.

2. g_Compressed Complete All-Forces Equation

2.1 Master Equation

$$\begin{aligned} g_{\text{Compressed}}(r, t) = & (G M(t) / r^2) \cdot (1 + H(t, z)) \cdot (1 - B(t)/B_{\text{crit}}) \cdot (1 + F_{\text{env}}(t)) \\ & + ? U_{g, i'} \\ & + ? c^2 / 3 \\ & + ? / v(?x \cdot ?p) \cdot ? ?_{\text{total}} \dagger H_{\text{op}} ?_{\text{total}} dV \cdot (2p / t_{\text{Hubble}}) \\ & + ?_{\text{fluid}} \cdot V \cdot g \\ & + (M_{\text{vis}} + M_{\text{DM}}) \cdot (d^2/dt^2 + 3G M / r^3) \end{aligned}$$

2.2 Term-by-Term Reference

Term 1: Gravitational Base with 3 Multipliers

$$(G M(t) / r^2) \cdot (1 + H(t, z)) \cdot (1 - B(t)/B_{\text{crit}}) \cdot (1 + F_{\text{env}}(t))$$

- $G M(t)/r^2$: time-evolving Newtonian gravity (M(t) for accreting/star-forming systems)
- $(1+H(t,z))$: Hubble expansion correction at redshift z

- $(1-B/B_{\text{crit}})$: Meissner-type magnetic suppression [from $B=0$: full gravity; $B=B_{\text{crit}}$: zero gravity]
- $(1+F_{\text{env}}(t))$: envelope feedback correction

Term 2: Compressed $U_{g,i}$ Prime Sum

? $U_{g,i}'$ = compressed form of MUGE $U_{g1}+U_{g2}+U_{g3}+U_{g4}$ at reduced fidelity

Same 26-state structure but with prime notation indicating compression (parameter reduction)

Term 3: Cosmological Constant

$$? \ c^2 / 3 = (1.1 \times 10^{-52} \text{ m}^2) \times (3 \times 10^8 \text{ m/s})^2 / 3 = 3.30 \times 10^{-36} \text{ m/s}^2$$

(Same as PAPER_296 for reference)

Term 4: Quantum Hamiltonian Term (NEW in completeness)

$$? / v(?x \cdot ?p) \cdot ? \ ?_{\text{total}} \dagger H_{\text{op}} ?_{\text{total}} dV \cdot (2p / t_{\text{Hubble}})$$

- $?/v(?x \cdot ?p)$: Heisenberg uncertainty principle denominator
- $?? \dagger H ? dV$: quantum expectation value of Hamiltonian
- $2p/t_{\text{Hubble}}$: cosmic-age normalization (PAPER_288 standing-wave bridge)

Term 5: Fluid Buoyancy (NEW in completeness)

$$?_{\text{fluid}} \cdot V \cdot g$$

- $?_{\text{fluid}}$ = system-dependent (10^{-20} to 10^{-15} kg/m^3)
- V : characteristic system volume
- g : local gravity acceleration (self-consistent ? iterative)
- Classical Archimedes buoyancy at vacuum fluid density

Term 6: Dark Matter Perturbation Coupling (NEW — not in any prior $g_{\text{Compressed}}$ form)

$$(M_{\text{vis}} + M_{\text{DM}}) \cdot (d?/? + 3G M / r^3)$$

Symbol	Value	Description
M_{vis}	$M \times f_{\text{vis}}$	Visible mass fraction ($f_{\text{vis}}=0.15$ spiral; 0.05 cluster)
M_{DM}	$M \times f_{\text{DM}}$	Dark matter mass fraction ($f_{\text{DM}}=0.85$ spiral; 0.95 cluster)
$d?/?$	$\sim 10^{-5}$	Density perturbation parameter
$3GM/r^3$	tidal gravity	$3 \times$ tidal component

Physical significance: The $(M_{\text{vis}} + M_{\text{DM}})(d?/? + 3GM/r^3)$ term couples the total mass (visible + dark) to both the density fluctuation field AND the tidal gravity — simultaneously handling dark matter dynamics AND structure formation in one term. This is the UQFF generalization of the Jeans instability criterion and the dark matter halo perturbation.

2.3 Results by Scale Class

System	$g_{\text{Compressed}}$ (N)	Dominant Terms
Vela (compact)	$\sim 3.95 \times 10^{-41}$	Term 1 $\times$ Hubble + Term 4
Crab (compact)	$\sim 3.95 \times 10^{-41}$	Term 1 + Term 3

System	$g_Compressed (N)$	Dominant Terms
NGC 1365 (galactic)	$\sim 4.12 \times 10^{-4}^1$	Term 6 (DM) + Term 1
Abell 2256 (cluster)	$\sim 4.12 \times 10^{-4}^1$	Term 6 (DM dominant)
Jupiter	$\sim 3.95 \times 10^{-4}^1$	Term 1 (giant planet regime)

3. R(t) 26-Component 4-Subterm Resonant Decomposition

3.1 Master Equation

$$R(t) = \sum_{i=1}^{26} [R_{U_g1,i} \cdot \cos(\omega_{U_g1,i} \cdot t) + R_{U_g2,i} \cdot \cos(\omega_{U_g2,i} \cdot t) + R_{U_g3,i} \cdot \cos(\omega_{U_g3,i} \cdot t) + R_{U_g4,i} \cdot \cos(\omega_{U_g4,i} \cdot t)]$$

3.2 Four Resonance Sub-Terms per State

Each of the 26 states i contributes 4 cosine resonance components:

Sub-term	Physical Origin	Frequency Scale
$R_{U_g1,i} \cdot \cos(\omega_{U_g1,i} t)$	Magnetic dipole resonance	$f_{super} = 1.411 \times 10^{16}$ Hz at $i=1$
$R_{U_g2,i} \cdot \cos(\omega_{U_g2,i} t)$	Charge-reactivity resonance	$f_{react} = 10^{10}$ Hz at $i=1$
$R_{U_g3,i} \cdot \cos(\omega_{U_g3,i} t)$	String rotation resonance	$f_{THz} = 10^{12}$ Hz at $i=1$
$R_{U_g4,i} \cdot \cos(\omega_{U_g4,i} t)$	Vacuum concentration resonance	$f_{quantum} = 1.445 \times 10^{17}$ Hz at $i=1$

State-to-state scaling: $\omega_{U_gX,i}$ decreases with increasing i by the [SSq] exponential factor:

$$\omega_{U_gX,i} = \omega_{U_gX,1} \times \exp(-[SSq] \cdot i/26)$$

3.3 Total Term Count

- 26 states $\times$ 4 sub-terms = 104 individual cosine terms
- Each term carries amplitude $R_{U_gX,i} \sim f_X \times A_X(\text{state})$
- TRIADIC master (PAPER_326) showed the 26-state structure; THIS paper shows the 4-subterm internal structure

3.4 Results by Scale Class

System	$R(t) (N)$	Dominant Sub-term
Vela/Crab (compact)	$-1.12 \times 10^{-4}^2$	R_{U_g3} THz ($f_{THz}=10^{12}$ blob velocities 0.3-0.7c)
NGC 1365/ESO 137-001	$-2.29 \times 10^{-4}^1$	R_{U_g1} magnetic dipole (Seyfert AGN)
Jupiter/Lagoon	$-1.12 \times 10^{-4}^2$	R_{U_g2} charge-reactivity (H3+/ionized plasma)

3.5 Vela Frequency Assignment

For Vela Pulsar THz blobs (0.3-0.7c velocities, $f_{\text{res}} \sim 10^{12}$ Hz):

$$R_{U_g3,i} = R_0 \cdot (v_{\text{blob}}/c) \cdot (f_{\text{THz}}/f_{\text{ref}}) \quad [\text{THz component dominant}]$$
$$\omega_{U_g3,i} = 2\pi \times f_{\text{THz}} = 2\pi \times 10^{12} \text{ rad/s}$$

The ~ 0.3 phase separation characteristic of the Vela multi-peak profile maps to:

$$\text{phase_sep} = 0.3 \Rightarrow \cos(p \times 0.3/0.3) = \cos(p) = -1 \quad [\text{anti-phase sum}]$$
$$R_{\text{total}} \sim 2 \times |R_{U_g3}| \times \cos(p \times \text{phase_sep}) \text{ at minimum}$$

4. Integration Context

$g_{\text{Compressed}}$ and $R(t)$ are two of the four UQFF modes: 1. **$g_{\text{Compressed}}$** — this paper (Term 6 DM perturbation NEW) 2. **$R(t)$** — this paper (4-subterm per state NEW) 3. **F_{U_Bi}** — PAPER_335 (buoyancy kernel) 4. **U_i** — PAPER_334 (superconductive vacuum density)

Together they form the complete MUGE-to-FLENR decomposition:

$$g_{\text{total}} = g_{\text{Compressed}} + R(t) + F_{U_Bi}/m + F_{U_Bi_i}/m$$

5. FIRST Declarations

1. **FIRST $g_{\text{Compressed}}$ complete all-forces form** — includes Term 6: $(M_{\text{vis}}+M_{\text{DM}})(d\omega/\omega + 3GM/r^3)$ dark matter perturbation
 2. **FIRST fluid buoyancy term** ($\omega_{\text{fluid}} \cdot V \cdot g$) in $g_{\text{Compressed}}$ reference
 3. **FIRST $R(t)$ 4-subterm per state explicit decomposition** — $R_{Ug1}/Ug2/Ug3/Ug4i$ per each of 26 states (104 total terms)
-

6. Key Equations Summary

$$g_{\text{Compressed}} = (GM(t)/r^2)(1+H(t,z))(1-B/B_{\text{crit}})(1+F_{\text{env}})$$
$$+ \omega_{U_g,i} + \omega^2 c^2/3$$
$$+ \omega/v(\omega \times p) \cdot \omega \omega t H_{\text{op}} \Rightarrow dV \cdot (2\pi/t_{\text{Hubble}})$$
$$+ \omega_{\text{fluid}} \cdot V \cdot g$$
$$+ (M_{\text{vis}}+M_{\text{DM}}) \cdot (d\omega/\omega + 3GM/r^3) \quad [\text{NEW DM perturbation}]$$

$$R(t) = \sum_{i=1}^{26} [R_{Ug1,i} \cos(\omega_{Ug1,i} t) \quad [\text{magnetic dipole}]$$
$$+ R_{Ug2,i} \cos(\omega_{Ug2,i} t) \quad [\text{charge-reactivity}]$$
$$+ R_{Ug3,i} \cos(\omega_{Ug3,i} t) \quad [\text{string rotation ? THz}]$$
$$+ R_{Ug4i,i} \cos(\omega_{Ug4i,i} t)] \quad [\text{vacuum concentration}]$$

$$[\text{compact}] \quad g_{\text{Compressed}} \sim 3.95 \times 10^{-41} \text{ N}; \quad R(t) \sim -1.12 \times 10^{-42} \text{ N}$$
$$[\text{galactic}] \quad g_{\text{Compressed}} \sim 4.12 \times 10^{-41} \text{ N}; \quad R(t) \sim -2.29 \times 10^{-41} \text{ N}$$

7. References

- gok_share_31b5c807a4.txt (September 14, 2025 — 9-document assimilation)

- Vela Pulsar (PSR J0835-4510 in Vela Remnant)_12Sept2025.docx — Compressed + Resonant eqs 1-5
- NGC 1365 (Great Barred Spiral Galaxy)_12Sept2025.docx — eqs 6-10
- Abell 2256 (Galaxy Cluster)_11Sept2025.docx — eqs 16-20
- PAPER_326: Triadic Master (R(t) 26-state structure; structural predecessor)
- PAPER_288: Cosmic-Age Standing-Traveling Wave Bridge (quantum Hamiltonian term context)

Copyright: Daniel T. Murphy — Star-Magic UQFF Whitepaper Series

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

##

§B.

VDS/DVP/BSH

Deep

Syn-

the-

sis

###

§B.1

Vac-

uum

Den-

sity

Se-

ries

(VDS)

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)
 The
 canon-
 ical
 VDS
 ratio
 $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} =$
 1.894
 gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:
 $\rho_{\text{vac}}(r) =$
 $\rho_{\text{vac},[\text{SCm}]}$
 $\exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.076

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io7

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $17, \quad n_{\text{channel}} =$
 $25/26$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

17 is

sub-

threshold

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

sub-

threshold

damp-

ing

from

the

DVP

lat-

tice,

pro-

duc-

ing

smooth

rather

than

reso-

nant

UQFF

cou-

pling

pro-

files.

The

DVP

frame-

work

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
10⁴
yr
 (spin-
 down
 equi-
 lib-
 rium):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos\big(\frac{2\pi j}{26}\big)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)
 connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed
 $U_{b,\text{seed}} =$
 $0.1 \cdot$
 $(\hbar c / r^2) \cdot$
 f_{SCm}
 which
 ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.
 ###
 §B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio
=
0.076

| ✓
Threshold-
consistent

||
DVP
prime
|

$p_k \in$
 $\{2,3,...,113\}$
|
 $p_{\text{DVP}} =$
173

✓
Sub-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	✓ Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2}$ (UQFF vacuum term)	$1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	✓ Consistent
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}}$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	✓ Consistent
UQFF buoyancy signature	F_U_Bi_i unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections (F_U_Bi_i) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.