

PAPER_383 — Ug4i Transient Age-Dependent Decay Law

Author: Daniel T. Murphy **Date:** 2025

Source: grok_share_11254865.txt, lines ~2928–2932

Section: Ug4i (E_react) computation for SGR1745 in resonance MUGE context

Session: 104 (Complete Re-Analysis — standalone physics principle not formalized in any prior paper)

CP4 Class: Ug4iTransientAgeDecayLawCalculator (CP4 #34)

Abstract

This paper presents a UQFF analysis of Ug4i Transient Age-Dependent Decay Law, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

1. Overview

The UQFF term **Ug4i** represents vacuum energy concentration reactivity — the scalar field potential introduced when an astrophysical system undergoes energetic events (magnetar flares, burst activity, jet formation). It was mentioned in PAPER_371 (12-term resonance structure) and PAPER_376 (empirical validation via Ereact window), but never formalized as an independent **physical principle**.

This paper establishes the **Ug4i Transient Age-Dependent Decay Law** as a standalone UQFF theorem: compact objects have $Ug4i \rightarrow 0$ as they age, and Ug4i is only non-zero for **young or actively-bursting** systems.

2. The E_react Decay Formula

$$E_{react}(t) = 1046 \cdot e^{-0.0005 \cdot t}$$

Where: - E_{react} — vacuum reactivity energy [J] - 1046 — seed energy (magnetar flare energy: units consistent with k_η coupling) - 0.0005 — decay constant κ [s^{-1}] (validated against 10–100 day Chandra magnetar observations) - t — system age [s]

Note on units of κ : In daily parametrization $\kappa_{day} = 0.0005 \text{ day}^{-1}$ (as in PAPER_376). When t is given in seconds (as in C++ code), $\kappa \approx 0.0005/(86400) = 5.787 \times 10^{-9} \text{ s}^{-1}$. The expression above uses t in its parametric form consistent with the C++ implementation where the exponent dimensionally balances with the time parameter used.

3. Ug4i as a Function of E_react

The UQFF Ug4i term couples through the vacuum concentration field:

$$U_{g4i} = \frac{E_{react}(t) \cdot F_{vac}}{m_{eff} \cdot c^2 \cdot r^2}$$

When $E_{react} \rightarrow 0$:

$$U_{g4i} \rightarrow 0$$

This is confirmed by the SGR1745 unit test: at $t = 3.799 \times 10^{10}$ s, `compute_Ug4i()` returns $< \text{numerical precision} \rightarrow 0.0 \text{ m/s}^2$.

4. The Age Discriminator Theorem

Theorem (UQFF Ug4i Age Discriminator): For any astrophysical system described by the UQFF resonance model, the Ug4i term contributes **non-trivially** if and only if the system age satisfies:

$$t \ll t_{\text{threshold}} \quad \text{where} \quad t_{\text{threshold}} \approx \frac{1}{\kappa} \ln \left(\frac{E_0}{\epsilon} \right)$$

For $E_0 = 1046 \text{ J}$ and $\epsilon = 10^{-6} \text{ J}$ (computational floor):

$$t_{\text{threshold}} = \frac{1}{0.0005} \ln(1046/10^{-6}) \approx 2000 \times 13.9 = 2.78 \times 10^4 \text{ (parametric days)}$$

Physical interpretation: - **Young systems** (active jets, new magnetars, stellar formation): $E_{\text{react}} \sim 10^2 \text{ J} \rightarrow \text{Ug4i active} \rightarrow \text{vacuum field reaction drives transient physics}$ - **Ancient systems** (mature magnetars, evolved galaxies): $E_{\text{react}} \rightarrow 0 \rightarrow \text{Ug4i} = 0 \rightarrow \text{no vacuum reactivity contribution}$

5. System-by-System Classification

Using the canonical 7-system parameter registry (PAPER_385):

System	Age t (s)	E_react(t) (J)	Ug4i Status
SGR1745 Magnetar	3.799e10	≈ 0	INACTIVE
Sagittarius A*	3.786e14	≈ 0	INACTIVE
Tapestry (Star Formation)	3.156e13	≈ 0	INACTIVE
Westerlund 2 (Cluster)	3.156e13	≈ 0	INACTIVE
Pillars of Creation	3.156e13	≈ 0	INACTIVE
Rings of Relativity	3.156e14	≈ 0	INACTIVE
Student's Guide (Cosm.)	4.35e17	≈ 0	INACTIVE

Conclusion: For all 7 canonical systems, $E_{\text{react}} \rightarrow 0$. Ug4i is numerically zero across the standard UQFF validation suite.

When Ug4i IS active (hypothetical/new systems): - Newly-formed magnetar at $t < 10^5 \text{ s}$ (seconds after formation): $E_{\text{react}} \approx 1046 \text{ J}$ - Active flare state: pulse injection restarts $E_{\text{react}} \rightarrow E_0$ - Young quasar jets at $t \sim 10^3 \text{ yr}$: E_{react} non-negligible

6. Connection to PAPER_376 Empirical Validation

PAPER_376 cited the 10-100 day Chandra magnetar observation window as empirical validation. This paper provides the **physical mechanism**:

Time since event	$E_{\text{react}}(t)$	% of initial	Physical state
$t = 0$	1046 J	100%	Maximum Ug4i — burst onset
$t = 10$ days	$1046 \cdot e^{-0.005} \approx 996$ J	95%	Ug4i still significant
$t = 100$ days	$1046 \cdot e^{-0.05} \approx 995$ J	95%	Chandra 100-day cut-off
$t \rightarrow \infty$	0	0%	Ug4i = 0 — system quiescent

The 10-100 day window corresponds to $\kappa_{\text{day}} \cdot t \ll 1$, so Chandra observed systems with nearly full E_{react} , while our validation systems are at $t \gg 1/\kappa$.

7. Self-Expanding Framework Integration

The Ug4i decay law integrates naturally with the UQFF Self-Expanding Framework 2.0:

```
# Dynamic Ug4i term (registers as zero for ancient systems, non-zero for active systems)
def compute_Ug4i(t_seconds: float, E0: float = 1046.0, kappa: float = 0.0005) -> float:
    """
    Ug4i vacuum reactivity decay.
    t_seconds: system age in seconds (or parametric time units matching kappa)
    Returns: E_react → Ug4i contribution [m/s2 when properly coupled through F_vac/m_e]
    """
    import math
    return E0 * math.exp(-kappa * t_seconds)
```

The decay constant $\kappa = 0.0005$ is a UQFF calibrated constant (with [SSq] = 0.57 and $\kappa = 0.0005/\text{day}$ in the master calibration table).

8. Physical Significance

Ug4i represents the only **time-transient mechanism** in the UQFF resonance framework. All other 12 terms (aDPM, aTHz, afluid, etc.) are steady-state at fixed system parameters. **Ug4i alone carries information about system age and activity history.**

This makes it the UQFF equivalent of: - Radioactive decay (exponential $\rightarrow$ zero) - Magnetic field reconnection energy release - Stellar evolutionary stage discriminator

First Law Statement: A UQFF system is “thermodynamically young” if $E_{\text{react}} > E_0/e$, i.e., if $t < 1/\kappa$. All 7 canonical systems have far exceeded this threshold.

9. References Within Codebase

- PAPER_371: MUGE 12-Term Resonance — Term 6 structure
- PAPER_376: Formal Proof Set — empirical Ereact 10-100 day validation
- PAPER_382: 12-Term Spectral Ladder (SGR1745) — Ug4i=0 confirmed numerically
- UQFFResonanceFormalProofSetCalculator (CP4 #25): Ereact computation

Source: *grok_share_11254865.txt* lines ~2928-2932 + formal proof validation lines ~8250-8600 | Session 104 | First standalone formalization of Ug4i as UQFF system age discriminator

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

§B.
VDS/DVP/BSH
Deep
Syn-
the-
sis

§B.1
Vac-
uum
Den-
sity
Se-
ries
(VDS)
The
canon-
ical
VDS
ratio

$\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} =$
1.894
gov-
erns
the
double-
exponential
vac-
uum
con-
den-
sate
pro-
file:

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

$$\rho_{\text{vac}}(r) = \rho_{\text{vac, [SCm]}} \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.100

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io6

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $89, \quad n_{\text{channel}} =$
 $20/26$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

89 is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

ter

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
10⁴
yr
 (spin-
 down
 equi-
 lib-
 rium):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos(\frac{2\pi j}{26})$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH},\text{sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

f_{SCm}
 which
 ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.

 §B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio

=
0.100

| ✓
Threshold-
consistent

||
DVP
prime

|
 $p_k \in$
 $\{2,3,...,113\}$
|

$p_{\text{DVP}} =$
892
✓

Res-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	✓ Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2}$ (UQFF vacuum term)	$1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	✓ Consistent
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}}$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	✓ Consistent
UQFF buoyancy signature	F_U_Bi_i unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections (F_U_Bi_i) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.