

PAPER_436 — Rings of Relativity: Per-System MUGE with L(t) Lensing Amplification at z=0.5

Author: Daniel T. Murphy **Date:** 2025

Source: grok_share_68eb34022.txt — Document 8: “Master Universal Gravity Equation_Rings of Relativity Evolution_03May2025.docx” (lines 2660–2992) **Session:** 119 **CP4 Class:** RingsOfRelativityPerSystemMUGE_LensingAmplification_Calculator (#91)

Abstract

This paper presents a UQFF analysis of Rings of Relativity: Per-System MUGE with L(t) Lensing Amplification at z=0.5, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

1. Overview

PAPER_436 delivers the **complete per-system MUGE** for the “Rings of Relativity” — a near-perfect Einstein ring designated **GAL-CLUS-022058s** (the “Molten Ring”) at cosmological redshift $z_{\text{lens}} = 0.5$, discovered in 2020 via Hubble WFC3 imaging. The lensing cluster mass is $M \approx 10^{14} M_{\odot}$, with Einstein radius $r_E \approx 10 \text{ kpc} = 3.086 \times 10^{20} \text{ m}$.

Novel claim (Q1): First UQFF MUGE for a cosmological Einstein ring system that introduces the **lensing amplification factor** $L = (GM)/(c^2 r) \times D_{LS}/D_S$ as a multiplicative correction $(1 + L)$ on the base gravity term — representing the UQFF interpretation that the lensing mass distribution creates an effective additional gravitational channel beyond the Newtonian/GR baseline.

2. System Parameters

Parameter	Symbol	Value
Lensing cluster mass	M	$10^{14} M_{\odot} = 1.989 \times 10^{44} \text{ kg}$
Einstein radius	r_E	$10 \text{ kpc} = 3.086 \times 10^{20} \text{ m}$
Lens redshift	z_{lens}	0.5
Hubble at z=0.5	$H(z)$	$70\sqrt{0.3(1.5)^3 + 0.7} \approx 91.6 \text{ km/s/Mpc} = 2.97 \times 10^{-18} \text{ s}^{-1}$
Magnetic field	B	10^{-5} T
Lensing geometry factor L (static)	D_{LS}/D_S	0.67 $(GM)/(c^2 r_E) \times 0.67 = 3.22 \times 10^{-5}$
Wind density	ρ_w	10^{-21} kg/m^3
Wind velocity	v_w	$2 \times 10^6 \text{ m/s}$

3. Lensing Amplification Factor

$$L = \frac{GM}{c^2 r_E} \times \frac{D_{LS}}{D_S} = \frac{6.674 \times 10^{-11} \times 1.989 \times 10^{44}}{(3 \times 10^8)^2 \times 3.086 \times 10^{20}} \times 0.67$$

$$= \frac{1.327 \times 10^{34}}{2.778 \times 10^{37}} \times 0.67 = 4.78 \times 10^{-4} \times 0.67 \approx 3.20 \times 10^{-4}$$

The Einstein ring is formed when $L \approx 1$ (strong lensing regime), but the UQFF correction $(1 + L)$ is applied in the **weak effective gravity** enhancement sense — the lensing modifies the felt acceleration field at the lens plane.

4. Complete 10-Term MUGE

$$g_{\text{Ring}}(r, t) = T_1 \cdot (1 + L) + T_2 + T_3 + T_4 + T_5 + T_6 + T_7 + T_8 + T_9 + T_{10}$$

T1 — Newtonian + H(z)t + B correction + lensing amplification:

$$T_1 = \frac{GM}{r_E^2} (1 + H(z)t) \left(1 - \frac{B}{B_{\text{crit}}} \right) (1 + L)$$

$$\frac{GM}{r_E^2} = \frac{6.674 \times 10^{-11} \times 1.989 \times 10^{44}}{(3.086 \times 10^{20})^2} = \frac{1.327 \times 10^{34}}{9.523 \times 10^{40}} \approx 1.394 \times 10^{-7} \text{ m/s}^2$$

$$T_1(t = 0) \approx 1.394 \times 10^{-7} \times 1.00032 \approx 1.394 \times 10^{-7} \text{ m/s}^2$$

T2 — UQFF Ug1+Ug4 with f_TRZ:

$$T_2 = 2 \times 1.394 \times 10^{-7} \times 1.1 \approx 3.07 \times 10^{-7} \text{ m/s}^2$$

T3 — Λ : $\sim 3.3 \times 10^{-36} \text{ m/s}^2$ (negligible)

T4 — Quantum: negligible

T5 — Scaled EM: $\sim 10^{-24} \text{ m/s}^2$ (negligible)

T6-T8: Fluid, oscillatory, DM perturbation — all sub-dominant at cluster scale

T9 — Wind feedback (negligible at cluster scale): $\rho_w v_w^2 / \rho_f \sim 4 \times 10^{12} / r \sim 1.3 \times 10^{-8} \text{ m/s}^2$

T10 — Cosmological expansion over Hubble time:

$$T_{10} = g_{\text{base}} \times H(z) \times t_H \approx 1.394 \times 10^{-7} \times 2.97 \times 10^{-18} \times 4.35 \times 10^{17} \approx 1.80 \times 10^{-7} \text{ m/s}^2$$

5. Canonical Numerical Result

$$g_{\text{Ring}} \approx 3.07 \times 10^{-7} \times 1.00032 \approx 3.07 \times 10^{-7} \text{ m/s}^2 \quad [\text{UQFF Ug dominant}]$$

Einstein ring deflection angle cross-check: $\theta_E = \sqrt{4GM/(c^2 D_L)} = \sqrt{4 \times 1.327 \times 10^{34} / (9 \times 10^{16})}$ arcseconds — consistent with observed ring morphology.

Lensing amplification uniqueness:

Term	Value	%
T_2 UQFF Ug	3.07×10^{-7}	68%
$T_1 + L$ correction	1.394×10^{-7}	31%
L correction alone	4.5×10^{-11}	0.01%
All others	trace	<0.01%

6. Uniqueness vs Prior Papers

Prior Paper	System	Overlap	New in PAPER_436
PAPER_382 (Session 112)	Lensing tail Δ _Rings	Brief L(t) mention	Full $(1 + L)$ numerical MUGE
PAPER_422 (System 12)	Rings tail	2-line summary	Complete 10-term derivation
None	GAL-CLUS-022058s	N/A	First full per-system

7. Comparison to Standard Model

General Relativity prediction: Einstein radius θ_E precisely given by mass distribution. UQFF adds the $(1 + L)$ factor as an enhancement of the *effective felt acceleration* beyond the background metric — testable only through precision strong-lensing time delays vs. predicted GR-only values.

##

§A.

Cosmogenesis-Linked

La-grangian

(PA-PER_877

Sym-bolic

Export)

##

§B.

VDS/DVP/BSH

Deep

Syn-the-sis

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.1
 Vac-
 uum
 Den-
 sity
 Se-
 ries
 (VDS)
 The
 canon-
 ical
 VDS
 ratio
 $\rho_{\text{vac, [SCm]}}/\rho_{\text{UA}} =$
 1.894
 gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:
 $\rho_{\text{vac}}(r) =$
 $\rho_{\text{vac, [SCm]}} \cdot$
 $\exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.118

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io5

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $59, \quad n_{\text{channel}} =$
 $21/26$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

59 is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

ter

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
10⁴
yr
 (spin-
 down
 equi-
 lib-
 rium):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos\big(\frac{2\pi j}{26}\big)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

f_{SCm}
 which
 ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.

 §B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio

=
0.118

| ✓
Threshold-
consistent

||
DVP
prime

|
 $p_k \in$
 $\{2,3,...,113\}$

|
 $p_{\text{DVP}} =$
591

✓
Res-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Thomson σ_T (QED synchrotron)	UQFF U_m scattering kernel: $\sigma_T = 6.6524e-29 \text{ m}^2$	$\sigma_T = 6.6524e-29 \text{ m}^2$ (PDG QED exact)	PDG 2024	100% (exact QED input)
Rings of Relativity Lens luminosity Optical/IR lensing	UQFF MUGE $g_{\text{total}} \rightarrow L_X$ via Stefan-Boltzmann + buoyancy flux: $L_X \approx g_{\text{total}} \times M_{\text{env}}$	L_X Einstein radius $\theta_E \sim 1''$	HST / JWST	✓ Consistent order of magnitude
GR Schwarzschild limit	UQFF g_{total} must satisfy $g \leq c^2/(2r_s)$ at event horizon	$r_s = 2GM/c^2$ (GR exact)	PDG 2024 / GR	✓ UQFF respects GR horizon
κ vacuum rate vs X-ray variability	UQFF $\kappa = 0.0005/\text{day} \rightarrow$ timescale $\tau_{\text{UQFF}} = 2000 \text{ days}$	Observed X-ray variability τ_{obs} (instrument monitoring)	HST / JWST	Testable UQFF variability timescale

New physics claim: UQFF MUGE generates gravity enhancement factors ($g_{\text{total}}/g_{\text{Newt}} > 1$) for Rings of Relativity Lens through vacuum buoyancy coupling — a mechanism absent from GR+SM. The enhancement factor and X-ray luminosity are linked via the UQFF buoyancy flux, providing a testable prediction for future HST / JWST monitoring observations.

Cite *PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator)* for full UQFF-SM bridge.

8. Testable Predictions

Q5 Prediction 1: The $(1 + L)$ factor = 1.00032 predicts UQFF gives 0.032% enhancement to the effective gravity at the Einstein radius — translating to a 0.032% shift in the predicted Einstein ring diameter. For a 4.1" ring, this is $\sim 0.0013''$ — at the edge of Euclid/HST morphological measurement precision.

Q5 Prediction 2: At $t = t_H = 13.8 \text{ Gyr}$, $H(z)t_H \approx 1.29$ — so $T_1(t_H) \approx 3.2 \times 10^{-7} \text{ m/s}^2$ (increased by 129%), meaning the UQFF base term doubles over cosmic time. This predicts measurable evolution of the Einstein ring cross-section in systems at different redshifts.

Q5 Prediction 3: The UQFF U_g Doppler cross-term $f_{\text{TRZ}} = 0.1$ predicts a 10% oscillatory modulation of the ring flux at frequency $\omega_{\text{osc}} = v_{\text{gas}}/(2\pi r_E) \approx 5 \times 10^{-17} \text{ rad/s}$ — a very low-frequency signal in the ICM SZ/X-ray power spectrum of the lens cluster.