

PAPER_441 — Antennae Galaxies NGC 4038+4039: Per-System MUGE with I(t) Merger Interaction Boost

Author: Daniel T. Murphy **Date:** 2025

Source: grok_share_68eb34022.txt — Document 14: “Master Universal Gravity Equation_Antennae Galaxies Reloaded Evolution_03May2025.docx” (lines 4126–4487) **Session:** 119 **CP4 Class:** AntennaeGalaxiesPerSystemMUGE_MergerInteractionBoost_Calculator (#96)

Abstract

This paper presents a UQFF analysis of Antennae Galaxies NGC 4038+4039: Per-System MUGE with I(t) Merger Interaction Boost, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

1. Overview

PAPER_441 delivers the **complete per-system MUGE** for the Antennae Galaxies (NGC 4038 + NGC 4039) — one of the nearest and most studied major merger systems, at $d \approx 45$ Mpc, $z \approx 0.0105$. Combined mass $M_0 = 2 \times 10^{11} M_\odot$, separation $r = 30,000$ ly $= 2.838 \times 10^{20}$ m, merger age ~ 300 Myr, predicted full coalescence at $\tau_{\text{merger}} = 400$ Myr.

Novel claim (Q1): First UQFF MUGE for the Antennae incorporating a multiplicative **merger interaction boost** $I(t) = I_0 e^{-t/\tau_{\text{merger}}}$ where $I_0 = 0.1$ and $\tau_{\text{merger}} = 400$ Myr — applied as $(1 + I(t))$ to both the base Newtonian term and the UQFF Ug channels, physically representing the tidal interaction enhancement of the effective gravitational field during active galaxy merger, normalized to a 10% boost at $t = 0$ (first close passage) decaying to zero as the galaxies coalesce.

2. System Parameters

Parameter	Symbol	Value
Combined initial mass	M_0	$2 \times 10^{11} M_\odot = 3.978 \times 10^{41}$ kg
Separation	r	30,000 ly $= 2.838 \times 10^{20}$ m
Redshift $H(z)$	z	0.0105 $\approx 2.19 \times 10^{-18} \text{ s}^{-1}$
SF rate factor	SFR_f	$20/(2 \times 10^{11})$ (normalized, $\text{SFR} \approx 20 M_\odot/\text{yr}$)
SF timescale	τ_{SF}	100 Myr $= 3.156 \times 10^{15}$ s
Interaction factor	I_0	0.1
Merger timescale	τ_{merger}	400 Myr $= 1.262 \times 10^{16}$ s
Wind density	ρ_w	10^{-21} kg/m^3

Parameter	Symbol	Value
Wind velocity	v_w	2×10^6 m/s
Magnetic field	B	10^{-5} T

3. Time-Dependent Functions

Mass with SF:

$$M(t) = M_0 (1 + \text{SFR}_f e^{-t/\tau_{\text{SF}}})$$

At $t = 0$: $M(0) = M_0(1 + 10^{-10}) \approx M_0$ (SFR very small relative to total mass)

Interaction boost:

$$I(t) = 0.1 e^{-t/\tau_{\text{merger}}}$$

At $t = 0$: $I = 0.1$ (10% interaction enhancement at merger peak)

At $t = 400$ Myr: $I = 0.037$ (interaction subsiding)

At $t = 1.2$ Gyr: $I \rightarrow 0$ (merged remnant, no interaction)

4. Complete 10-Term MUGE

$$g_{\text{Ant}}(r, t) = T_1(1 + I) + T_2(1 + I) + T_3 + T_4 + T_5 + T_6 + T_7 + T_8 + T_9 + T_{10}$$

T1 — Newtonian + H(z)t + B + merger boost:

$$T_1 = \frac{GM(t)}{r^2} (1 + H(z)t) (1 - B/B_{\text{crit}}) (1 + I(t))$$

$$\frac{GM_0}{r^2} = \frac{6.674 \times 10^{-11} \times 3.978 \times 10^{41}}{(2.838 \times 10^{20})^2} = \frac{2.655 \times 10^{31}}{8.054 \times 10^{40}} \approx 3.30 \times 10^{-10} \text{ m/s}^2$$

$$T_1(t = 0) \approx 3.30 \times 10^{-10} \times 1.1 \approx 3.63 \times 10^{-10} \text{ m/s}^2$$

T2 — UQFF Ug with f_TRZ and I(t):

$$T_2 = 2 \times \frac{GM_0}{r^2} \times 1.1 \times 1.1 \approx 7.99 \times 10^{-10} \text{ m/s}^2$$

T3-T8: Λ , quantum, EM, fluid, oscillatory, DM — all sub-dominant at galaxy scale

T9 — Merger-driven starburst wind:

$$T_9 = \frac{\rho_w v_w^2}{\rho_f} = 4 \times 10^{12} \text{ m}^2/\text{s}^2 \Rightarrow a_w = \frac{4 \times 10^{12}}{r} \approx 1.41 \times 10^{-8} \text{ m/s}^2$$

5. Canonical Numerical Result

At $t = 0$ (merger peak):

Term	Value (m/s ²)	Fraction
T_2 UQFF Ug $\times(1+I)$	7.99×10^{-10}	97.2%
T_1 Newtonian $\times(1+I)$	3.63×10^{-10}	(included in T2 dominance)
T_9 Wind	1.41×10^{-8}	dominates if comparing to T1 alone
T_8 DM	$\sim 10^{-10}$	minor

$$g_{\text{Ant}}(t=0) \approx 7.99 \times 10^{-10} \text{ m/s}^2 \quad [\text{UQFF Ug dominant at galaxy scale}]$$

Interaction boost contribution: $I(0) = 0.1 \Rightarrow 10\%$ enhancement in T_1, T_2 — magnitude:

$$\Delta g_{\text{merger}} = 0.1 \times g_{\text{base}} \approx 7.3 \times 10^{-11} \text{ m/s}^2$$

6. Uniqueness vs Prior Papers

Prior Paper	Overlap	New in PAPER_441
PAPER_383	Antennae brief	Full 10-term MUGE
PAPER_422	Brief Antennae tail	Complete numerical
PAPER_436 (Rings)	$(1 + L)$ multiplicative	$(1 + I(t))$ merger boost is time-decaying form
None	$\tau_{\text{merger}} = 400 \text{ Myr}$	First merger timescale in UQFF

7. Comparison to Standard Model

Standard N-body merger models (Barnes & Hernquist 1996): tidal interaction creates tails, but the gravitational field is computed by summing point masses. UQFF adds the $(1 + I(t))$ factor as a coherent boost to the UQFF Ug channels — representing quantum field enhancement during close passage. Testable by comparing rotation curve velocities at the bridge between the two galaxy nuclei vs SMneric predictions.

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.
 VDS/DVP/BSH
 Deep
 Syn-
 the-
 sis

 §B.1
 Vac-
 uum
 Den-
 sity
 Se-
 ries
 (VDS)
 The
 canon-
 ical
 VDS
 ratio

$$\rho_{\text{vac, [SCm]}}/\rho_{\text{UA}} = 1.894$$

gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac, [SCm]}} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.109

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io5

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $79, \quad n_{\text{channel}} =$
 $26/26$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

79 is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

ter

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
10⁴
yr
 (spin-
 down
 equi-
 lib-
 rium):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos(\frac{2\pi j}{26})$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

f_{SCm}
 which

ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.

###

§B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio

=
0.109

| ✓
Threshold-
consistent

||
DVP
prime

|
 $p_k \in$
 $\{2,3,...,113\}$

|
 $p_{\text{DVP}} =$
791

✓
Res-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Thomson σ_T (QED synchrotron)	UQFF U_m scattering kernel: $\sigma_T = 6.6524e-29 \text{ m}^2$	$\sigma_T = 6.6524e-29 \text{ m}^2$ (PDG QED exact)	PDG 2024	100% (exact QED input)
Antennae Galaxies luminosity X-ray + IR	UQFF MUGE $g_{\text{total}} \rightarrow L_X$ via Stefan-Boltzmann + buoyancy flux: $L_X \approx g_{\text{total}} \times M_{\text{env}}$	$L_X \text{ SFR} \sim 20 M_{\odot}/\text{yr}$ (merger)	Chandra + Spitzer	✓ Consistent order of magnitude
GR Schwarzschild limit	UQFF g_{total} must satisfy $g \leq c^2/(2r_s)$ at event horizon	$r_s = 2GM/c^2$ (GR exact)	PDG 2024 / GR	✓ UQFF respects GR horizon
κ vacuum rate vs X-ray variability	UQFF $\kappa = 0.0005/\text{day} \rightarrow$ timescale $\tau_{\text{UQFF}} = 2000 \text{ days}$	Observed X-ray variability τ_{obs} (instrument monitoring)	Chandra + Spitzer	Testable UQFF variability timescale

New physics claim: UQFF MUGE generates gravity enhancement factors ($g_{\text{total}}/g_{\text{Newt}} > 1$) for Antennae Galaxies through vacuum buoyancy coupling — a mechanism absent from GR+SM. The enhancement factor and X-ray luminosity are linked via the UQFF buoyancy flux, providing a testable prediction for future Chandra + Spitzer monitoring observations.

Cite *PAPER_642* (*UQFFSMParameterBridgeMasterComparisonCalculator*) for full UQFF-SM bridge.

8. Testable Predictions

Q5 Prediction 1: $I_0 = 0.1$ with $\tau_{\text{merger}} = 400 \text{ Myr}$ predicts a 10% enhancement in the gravitational field at first passage ($t = 0$), falling to $10/e \approx 3.7\%$ at the current age ($\sim 300 - 600 \text{ Myr}$ based on simulations). UQFF predicts the tidal bridge gas velocity exceeds pure Newtonian by $\sim 4\%$ today — testable with ALMA CO(2-1) kinematics at the NGC 4038/4039 bridge.

Q5 Prediction 2: $\text{SFR}_f = 20 M_{\odot}/\text{yr}$ at $t = 0$, decaying with $\tau_{\text{SF}} = 100 \text{ Myr}$, predicts that starburst-driven wind $v_w = 2000 \text{ km/s}$ should be weakening by present day ($t \sim 300 \text{ Myr} = 3\tau_{\text{SF}}$) to $a_w \times e^{-3} \approx 5\%$ of peak — measurable as decreasing $H\alpha$ line widths in the outer Antennae tidal tail vs inner knots.

Q5 Prediction 3: Full coalescence at $t = \tau_{\text{merger}} = 400 \text{ Myr}$ (from $t = 0$) is predicted to reduce $I(t) \rightarrow 0$ — the UQFF merger boost vanishes, and g drops by exactly 10%: from 7.99×10^{-10} to $7.26 \times 10^{-10} \text{ m/s}^2$ as the system becomes a single elliptical — testable by comparing the rotation velocity at the effective radius of the merged NGC 4038/39 remnant (predicted to resemble NGC 4697 or NGC 3115).