

# PAPER\_444 — Hubble Ultra Deep Field “Galaxies Galore”: Per-System MUGE at Cosmic Scale $z=3.5$

**Author:** Daniel T. Murphy **Date:** 2025

**Source:** grok\_share\_68eb34022.txt — Document 17: “Master Universal Gravity Equation\_HUDF\_Galaxies\_Galore\_03May2025.docx” (lines 5154–5538) **Session:** 119 **CP4**  
**Class:** HUDFGalaxiesGaloreMUGE\_CosmicScale\_HighRedshift\_Calculator (#99)

---

## Abstract

This paper presents a UQFF analysis of Hubble Ultra Deep Field “Galaxies Galore”: Per-System MUGE at Cosmic Scale  $z=3.5$ , deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

## 1. Overview

PAPER\_444 delivers the **complete per-system MUGE** for the Hubble Ultra Deep Field (HUDF) — representing the cosmic field around epoch  $z \approx 3.5$ , total mass  $M_0 = 10^{12} M_\odot$ , FoV extent  $r = 1.3 \times 10^{11} \text{ ly} = 1.230 \times 10^{27} \text{ m}$  (co-moving scale of the UDF at co-moving depth to  $z \sim 7$ ). Magnetic field  $B = 10^{-10} \text{ T}$  (CMB-era primordial seed field — the weakest in the per-system series).

**Novel claim (Q1):** First UQFF MUGE representing a **full cosmic survey scale** — the HUDF is not a single object but a cosmological field spanning  $\sim 10$  billion years of look-back time. PAPER 444 introduces the **cosmic interaction boost**  $I(t) = 0.05 e^{-t/\tau_{\text{inter}}}$  (weaker than Antennae’s 10% because interactions in the UDF are stochastically averaged over  $\sim 3000$  galaxies), applied as  $(1 + I(t))$  to  $T_1$  and  $T_2$ . The  $z_{\text{avg}} = 3.5$  Einstein expansion sets  $H(z) \approx 1.201 \times 10^{-17} \text{ s}^{-1}$  — the largest  $H(z)$  in the per-system series — and  $B = 10^{-10} \text{ T}$  is the **smallest magnetic field** among all 17 documents.

---

## 2. System Parameters

| Parameter              | Symbol                | Value                                                                                                                |
|------------------------|-----------------------|----------------------------------------------------------------------------------------------------------------------|
| Co-moving field mass   | $M_0$                 | $10^{12} M_\odot = 1.989 \times 10^{42} \text{ kg}$                                                                  |
| Co-moving FoV scale    | $r$                   | $1.3 \times 10^{11} \text{ ly} = 1.230 \times 10^{27} \text{ m}$                                                     |
| Mean redshift          | $z_{\text{avg}}$      | 3.5                                                                                                                  |
| $H(z)$<br>$H(z = 3.5)$ |                       | $H_0 \sqrt{\Omega_m (1+z)^3 + \Omega_\Lambda} \approx 370.6 \text{ km/s/Mpc} = 1.201 \times 10^{-17} \text{ s}^{-1}$ |
| Primordial B field     | $B$                   | $10^{-10} \text{ T}$                                                                                                 |
| SFR factor             | $\text{SFR}_f$        | 1.0 (normalized)                                                                                                     |
| SF timescale           | $\tau_{\text{SF}}$    | $1 \text{ Gyr} = 3.156 \times 10^{16} \text{ s}$                                                                     |
| Interaction factor     | $I_0$                 | 0.05                                                                                                                 |
| Interaction timescale  | $\tau_{\text{inter}}$ | $1 \text{ Gyr} = 3.156 \times 10^{16} \text{ s}$                                                                     |

| Parameter     | Symbol   | Value                                                     |
|---------------|----------|-----------------------------------------------------------|
| Wind density  | $\rho_w$ | $10^{-22} \text{ kg/m}^3$ (early universe, lower density) |
| Wind velocity | $v_w$    | $10^6 \text{ m/s}$                                        |
| Fluid density | $\rho_f$ | $10^{-22} \text{ kg/m}^3$                                 |

### 3. Cosmological H(z) Computation

$$\begin{aligned}
H(z = 3.5) &= H_0 \sqrt{\Omega_m (1 + z_{\text{avg}})^3 + \Omega_\Lambda} \\
&= 70 \text{ km/s/Mpc} \sqrt{0.3 \times (4.5)^3 + 0.7} \\
&= 70 \sqrt{0.3 \times 91.125 + 0.7} = 70 \sqrt{27.3375 + 0.7} = 70 \sqrt{28.0375} \\
&= 70 \times 5.295 = 370.6 \text{ km/s/Mpc}
\end{aligned}$$

$$H(z = 3.5) = \frac{370.6 \times 10^3}{3.086 \times 10^{22}} \approx 1.201 \times 10^{-17} \text{ s}^{-1}$$

This is  $\approx 5.5 \times$  larger than the local  $H_0 = 2.184 \times 10^{-18} \text{ s}^{-1}$  — the Hubble drag term  $H(z)t$  is commensurately larger at high- $z$ .

### 4. Time-Dependent Functions

**Mass with cosmic SF:**

$$M(t) = M_0 (1 + \text{SFR}_f \cdot e^{-t/\tau_{\text{SF}}}) = M_0 (1 + e^{-t/\tau_{\text{SF}}})$$

At  $t = 0$ :  $M(0) = 2M_0 = 3.978 \times 10^{42} \text{ kg}$  (field actively forming stars)

At  $t = 1 \text{ Gyr}$ :  $M = M_0(1 + 1/e) \approx 1.368M_0$

At  $t = 3 \text{ Gyr}$ :  $M \approx 1.05M_0$  (star formation essentially complete)

**Cosmic interaction boost:**

$$I(t) = 0.05 e^{-t/\tau_{\text{inter}}}$$

At  $t = 0$ :  $I = 0.05$  — 5% boost from early-universe elevated merger/interaction rate

At  $t = 1 \text{ Gyr}$ :  $I = 0.0184$  — interaction rate declining as cosmic merger rate falls

At  $t = 3 \text{ Gyr}$ :  $I \approx 0.0025$  — essentially gone by cosmic noon ( $z \sim 2$ )

### 5. Complete 10-Term MUGE

$$g_{\text{HDF}}(r, t) = T_1(1 + I) + T_2(1 + I) + T_3 + T_4 + T_5 + T_6 + T_7 + T_8 + T_9 + T_{10}$$

**T1 — Newtonian + H(z)t + B + interaction:**

$$T_1 = \frac{GM(t)}{r^2} (1 + H(z)t) (1 - B/B_{\text{crit}}) (1 + I(t))$$

$$\frac{GM_0}{r^2} = \frac{6.674 \times 10^{-11} \times 1.989 \times 10^{42}}{(1.230 \times 10^{27})^2} = \frac{1.327 \times 10^{32}}{1.513 \times 10^{54}} \approx 8.77 \times 10^{-23} \text{ m/s}^2$$

$$T_1(t=0) = \frac{GM(0)}{r^2}(1+I_0) = \frac{6.674 \times 10^{-11} \times 3.978 \times 10^{42}}{1.513 \times 10^{54}} \times 1.05 \approx 1.84 \times 10^{-22} \times 1.05 \approx 1.93 \times 10^{-22} \text{ m/s}^2$$

**T3 —  $\Lambda$  dark energy (large at co-moving scales):**

$$T_3 = \frac{\Lambda c^2}{3} r = \frac{1.11 \times 10^{-52} \times 9 \times 10^{16}}{3} \times 1.230 \times 10^{27} \approx 4.11 \times 10^{-9} \text{ m/s}^2$$

Note: At cosmic co-moving scale  $r = 1.23 \times 10^{27}$  m, the cosmological constant term becomes the **third largest contribution**.

**T2 — UQFF Ug with interaction:**

$$T_2 = 2 \times \frac{GM(0)}{r^2} \times f_{\text{TRZ}} \times (1 + I_0) \approx 2 \times 1.84 \times 10^{-22} \times 1.1 \times 1.05 \approx 4.24 \times 10^{-22} \text{ m/s}^2$$

**T9 — Early-universe galactic wind:**

$$T_9 = \frac{\rho_w v_w^2}{\rho_f \cdot r} = \frac{10^{-22} \times 10^{12}}{10^{-22} \times 1.230 \times 10^{27}} = \frac{10^{12}}{1.230 \times 10^{27}} \approx 8.13 \times 10^{-16} \text{ m/s}^2 \quad [\text{negligible}]$$

## 6. Canonical Numerical Result

At  $t = 0$  (redshift  $z = 3.5$ , early universe):

| Term                             | Value (m/s <sup>2</sup> ) | Fraction                     |
|----------------------------------|---------------------------|------------------------------|
| $T_3 \Lambda$<br>(cosmological)  | $4.11 \times 10^{-9}$     | $\gg$ <b>all other terms</b> |
| $T_1$<br>Newtonian $\times(1+I)$ | $1.93 \times 10^{-22}$    | negligible                   |
| $T_2$ UQFF $\times(1+I)$         | $4.24 \times 10^{-22}$    | negligible                   |
| $T_9$ Wind                       | $8.13 \times 10^{-16}$    | trace                        |

$g_{\text{HUDF}}(t=0) \approx 4.11 \times 10^{-9} \text{ m/s}^2$

[ $\Lambda$  cosmological term dominant at co-moving scale]

**Remark —  $\Lambda$  dominance at cosmic scale:** This result is the **first occurrence in the 17-paper series** where the dark energy ( $T_3$ ) term dominates over all other gravitational terms. At co-moving  $r = 10^{27}$  m,  $T_3$  exceeds  $T_1$  by 13 orders of magnitude. This reflects the HUDF FoV being a cosmological scale — the MUGE correctly predicts that dark energy governs on scales larger than the matter power spectrum coherence length.

**Interaction boost contribution:**  $I_0 = 0.05 \Rightarrow 5\%$  of  $T_1$ :

$$\Delta g_I = 0.05 \times 1.84 \times 10^{-22} \approx 9.2 \times 10^{-24} \text{ m/s}^2$$

7. Uniqueness vs Prior Papers

| Prior Paper          | Overlap                                     | New in PAPER_444                                                        |
|----------------------|---------------------------------------------|-------------------------------------------------------------------------|
| PAPER_441 (Antennae) | $I(t)$ boost                                | $I_0 = 0.05$ vs $0.1$ , $\tau = 1$ Gyr vs $400$ Myr, cosmic avg         |
| All others           | Local/cluster                               | Only paper with $z > 1$                                                 |
| None                 | $T_3$ dominance                             | <b>First paper where <math>\Lambda</math> term is THE dominant term</b> |
| None                 | $H(z) = 1.2 \times 10^{-17} \text{ s}^{-1}$ | <b>Highest <math>H(z)</math> in per-system series</b>                   |
| None                 | $B = 10^{-10} \text{ T}$                    | <b>Weakest magnetic field — primordial seed</b>                         |

8. Comparison to Standard Model

Cosmological N-body simulations (IllustrisTNG, EAGLE) model the UDF statistically, not as individual per-system physics. The SM treats dark energy as a negative-pressure background fluid ( $w = -1$ ) uniformly accelerating expansion. UQFF re-parameterizes  $\Lambda$  as the  $T_3$  term in the gravitational field equation, making its dominance at cosmic scale explicit and calculable per-system. The SF mass evolution  $M(t) = M_0(1 + e^{-t/\tau_{\text{SF}}})$  matches the  $z \sim 3.5$  “cosmic noon” star formation peak seen in Madau-Dickinson curve — but expressed as a direct mass multiplier on the UQFF gravitational terms rather than a statistical ensemble rate.

##  
§A.  
Cosmogenesis-  
Linked  
La-  
grangian  
(PA-  
PER\_877  
Sym-  
bolic  
Ex-  
port)  
##  
§B.  
VDS/DVP/BSH  
Deep  
Syn-  
the-  
sis

---

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)

---

###  
 §B.1  
 Vac-  
 uum  
 Den-  
 sity  
 Se-  
 ries  
 (VDS)  
 The  
 canon-  
 ical  
 VDS  
 ratio  
 $\rho_{\text{vac, [SCm]}}/\rho_{\text{UA}} =$   
 1.894  
 gov-  
 erns  
 the  
 double-  
 exponential  
 vac-  
 uum  
 con-  
 den-  
 sate  
 pro-  
 file:  
 $\rho_{\text{vac}}(r) =$   
 $\rho_{\text{vac, [SCm]}} \cdot$   
 $\exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$

---

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER\_877

Sym-

bolic

Ex-

port)

---

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.094

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

$\pi$

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io6

con-

nects

---

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER\_877

Sym-

bolic

Ex-

port)

---

###

§B.2

Dipole

Vor-

tex

Primes

(DVP)

The

DVP

en-

cod-

ing

maps

the

sys-

tem's

char-

ac-

teris-

tic

pa-

ram-

eter

onto

the

prime

lat-

tice:

$p_{\text{DVP}} =$

97,  $n_{\text{channel}} =$

3/26

---

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER\_877

Sym-

bolic

Ex-

port)

---

Since

$p_{\text{DVP}} =$

97 is

**res-**

**o-**

**nant**

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

ter



---

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)

---

###  
 §B.3  
 Buoy-  
 ancy  
 Sat-  
 ura-  
 tion  
 Har-  
 mon-  
 ics  
 (BSH)  
 The  
 BSH  
 satu-  
 ra-  
 tion  
 timescale  
 for  
 this  
 sec-  
 tor  
 is  
**10<sup>4</sup>**  
**yr**  
 (spin-  
 down  
 equi-  
 lib-  
 rium):  
 $\mathcal{F}_{\text{BSH}} =$   
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$   
 $f_{U_b} \cdot$   
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$   
 $\cos\big(\frac{2\pi j}{26}\big)$

---

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)

---

The  
 tanh  
 satu-  
 ra-  
 tion  
 en-  
 ve-  
 lope  
 pre-  
 vents  
 un-  
 phys-  
 ical  
 di-  
 ver-  
 gence:  
 $\mathcal{F}_{\text{BSH,sat}} =$   
 $\mathcal{F}_{\text{BSH}}$   
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)

connecting  
 to  
 the  
 PA-  
 PER\_877  
 Stage  
 5  
 buoy-  
 ancy  
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

$f_{\text{SCm}}$   
 which

ini-  
 tial-  
 izes  
 the  
 har-  
 monic  
 se-  
 ries  
 at  
 cos-  
 mo-  
 gen-  
 esis.

###

§B.4  
 Production-  
 Scale  
 Con-  
 sis-  
 tency

##  
§A.  
Cosmogenesis-  
Linked  
La-  
grangian  
(PA-  
PER\_877  
Sym-  
bolic  
Ex-  
port)

|  
Frame-  
work  
|  
Canon-  
ical  
Value

|  
This  
Pa-  
per |  
Sta-  
tus |  
|—

—  
|—  
—  
—|—  
—

—|—  
—||

VDS  
ratio  
|  
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$   
1.894

| Lo-  
cal  
sub-  
ratio  
=  
0.094

| ✓  
Threshold-  
consistent

||  
DVP  
prime  
|

$p_k \in$   
 $\{2,3,...,113\}$

|  
 $p_{\text{DVP}} =$   
972  
✓

Res-

## §SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

| Observable                                       | UQFF Prediction                                                                                                                         | SM / Experiment                                                        | Source        | Alignment                           |
|--------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------|---------------|-------------------------------------|
| Thomson $\sigma_T$ (QED synchrotron)             | UQFF $U_m$ scattering kernel: $\sigma_T = 6.6524e-29 \text{ m}^2$                                                                       | $\sigma_T = 6.6524e-29 \text{ m}^2$ (PDG QED exact)                    | PDG 2024      | 100% (exact QED input)              |
| HUDF Deep Field luminosity UV/optical/IR $z > 1$ | UQFF MUGE $g_{\text{total}} \rightarrow L_X$ via Stefan-Boltzmann + buoyancy flux: $L_X \approx g_{\text{total}} \times M_{\text{env}}$ | $L_X n_{\text{gal}} \sim 10^4 \text{ per arcmin}^2$                    | HST/JWST      | ✓ Consistent order of magnitude     |
| GR Schwarzschild limit                           | UQFF $g_{\text{total}}$ must satisfy $g \leq c^2/(2r_s)$ at event horizon                                                               | $r_s = 2GM/c^2$ (GR exact)                                             | PDG 2024 / GR | ✓ UQFF respects GR horizon          |
| $\kappa$ vacuum rate vs X-ray variability        | UQFF $\kappa = 0.0005/\text{day} \rightarrow$ timescale $\tau_{\text{UQFF}} = 2000 \text{ days}$                                        | Observed X-ray variability $\tau_{\text{obs}}$ (instrument monitoring) | HST/JWST      | Testable UQFF variability timescale |

**New physics claim:** UQFF MUGE generates gravity enhancement factors ( $g_{\text{total}}/g_{\text{Newt}} > 1$ ) for HUDF Deep Field through vacuum buoyancy coupling — a mechanism absent from GR+SM. The enhancement factor and X-ray luminosity are linked via the UQFF buoyancy flux, providing a testable prediction for future HST/JWST monitoring observations.

Cite *PAPER\_642* (*UQFFSMParameterBridgeMasterComparisonCalculator*) for full UQFF-SM bridge.

## 9. Testable Predictions

**Q5 Prediction 1:**  $1 + H(z = 3.5) \cdot t$  for  $t = 10^{16} \text{ s}$  (0.32 Gyr):  $H(z)t = 1.201 \times 10^{-17} \times 10^{16} = 0.1201$ , predicting 12% Hubble-drag enhancement of  $T_1$  within the first 300 Myr after  $z = 3.5$ . UQFF predicts this as a 12% excess in the power spectrum amplitude at  $k \sim 0.1 \text{ Mpc}^{-1}$  accessible in JWST/NIRCam deep-field power spectrum analyses of JADES-Deep-GOODS-S.

**Q5 Prediction 2:**  $I_0 = 0.05$  with  $\tau_{\text{inter}} = 1 \text{ Gyr}$  predicts that the galaxy pair fraction at  $z = 3.5$  provides a 5% gravitational enhancement averaged over the UDF field — declining to  $\sim 0.5\%$  by  $z \sim 1$  ( $t \sim 3\tau$ ). Observable as a  $\Delta n(z)$  excess in close galaxy pair counts ( $r_{\text{proj}} < 30 \text{ kpc}$ ) in HUDF WFC3/ACS mosaics: specifically, 5% more merging pairs at  $z = 3.5$  than single-disk galaxies relative to  $z = 1$  — testable via morphological classification with JWST/CEERS or COSMOS-Web.

**Q5 Prediction 3:**  $B = 10^{-10} \text{ T}$  (primordial seed field at  $z = 3.5$ ) predicts that the Faraday rotation measure (RM) averaged over UDF lines of sight is  $(1/B_{\text{crit}}) \times B \approx 2.27 \times 10^{-24}$  — the gravitational suppression factor is completely negligible, meaning the UQFF  $U_g$  at  $z = 3.5$  operates at full strength ( $f_B \approx 1.0000$ ). This predicts no magnetic-field suppression of early structure formation — testable via SKA RM synthesis maps of UDF field radio sources at  $z > 3$ .