

PAPER_481 — 18-System UQFF Module Suite: F_U_Bi_i C++ Implementations for Astrophysical Systems (Oct 2025 Batch)

Author: Daniel T. Murphy **Date:** Oct 2025

Abstract

This paper documents the complete C++ module implementation suite for 18 astrophysical systems encoded in the UQFF framework (Unified Quantum Field Framework). Each module encapsulates the full $F_{U_{Bi_i}}$ Master Unified Field Equation with system-specific parameters stored in a `std::map<std::string, std::complex<double>>` dictionary, enabling runtime parameter updates, dynamic sub-term computation, and descriptive equation output. This batch extends the existing individual-system module collection (Abell 2256 v1, Centaurus A) to a comprehensive library covering TDEs, compact clusters, pulsars, interacting galaxies, AGN jets, symbiotic binaries, solar-system aurorae, and star-forming regions.

Source: `grok_share_bdfb3a05b06.txt` (~11,592 lines), Grok analysis of 18 × .docx attachments (Sept–Oct 2025), Session 126 extraction.

1. Unified Field Architecture

All 18 modules share the same computational skeleton:

$$F_{U_{Bi_i}} \approx \left(\int_0^{x_2} \mathcal{J}(r, t) dx \right) \approx \mathcal{J} \cdot x_2$$

where the integrand $\mathcal{J}$ sums all force contributions:

$$\mathcal{J} = -F_0 + \frac{m_e c^2}{r^2} \text{DPM}_{mom} \cos \theta + \frac{GM}{r^2} \text{DPM}_{grav} + \rho_{vac,UA} \text{DPM}_{stab} + k_{LENR} \left(\frac{\omega_{LENR}}{\omega_0} \right)^2 + k_{act} \cos(\omega)$$

with quadratic root approximation $x_2 \approx -1.35 \times 10^{172}$ (universal constant).

Sub-equation API (identical for all modules): - `computeF(t)` — full $F_{U_{Bi_i}}$ (integral approx) - `computeCompressed(t)` — integrand $\mathcal{J}$ - `computeResonant()` — DPM magnetic resonance - `computeBuoyancy()` — $U_{b1} = \beta_i V_{infl,UA} \rho_{vac,A} a_{univ}$ - `computeSuperconductive(t)` — $U_i = \lambda_i \frac{\rho_{vac,SCm}}{\rho_{vac,UA}} \omega_s \cos\left(\frac{t}{t_{scale}}\right) (1 + f_{TRZ})$ - `computeCompressedG(t)` — gravity analog $g(r, t)$ - `getEquationText()` — LaTeX-formatted description - `updateVariable / addToVariable / subtractFromVariable` — runtime parameter management

2. System Parameter Catalogue

2.1 Universal Constants (All Modules)

Constant	Value	Units
G	6.6743×10^{-11}	$\text{m}^3 \text{kg}^{-1} \text{s}^{-2}$
c	3×10^8	m/s
$\hbar$	1.0546×10^{-34}	$\text{J}\cdot\text{s}$
q	1.6×10^{-19}	C
m_e	9.11×10^{-31}	kg
μ_B	9.274×10^{-24}	J/T
$\rho_{vac,UA}$	7.09×10^{-36}	kg/m^3
k_{LENR}	10^{-10}	—
ω_{LENR}	$2\pi \times 1.25 \times 10^{12}$	rad/s
F_0	1.83×10^{71}	N
x_2	-1.35×10^{172}	—
F_ν	9.07×10^{-42}	N
E_{cm} (LEP ref)	3.0264×10^{-8}	J (189 GeV)

2.2 System-Specific Parameters

Object	ModuleType	M (kg)	r (m)	ω_0 (rad/s)	L_X (W)	t default (s)	$E_{cm,astro}$ (J)
ASASSN14JL	UFFModule	1.089×10^{37}	3.09×10^{18}	10^{-12}	10^{37}	9.504×10^6	1.24×10^{24}
CrabNebula	UFFModule	1.089×10^{31}	4.73×10^{16}	10^{-12}	10^{27}	3.06×10^{10}	1.24×10^{24}
ElGordooCluster	UFFModule	4.97×10^{45}	3.09×10^{22}	10^{-15}	2×10^{38}	2.21×10^{16}	1.24×10^{24}
ES0137Galaxy	UFFModule	2×10^{41}	6.17×10^{21}	10^{-15}	10^{34}	7.72×10^{14}	1.24×10^{24}
IC2163Galaxy	UFFModule	1.989×10^{40}	3.09×10^{20}	10^{-12}	10^{37}	1.26×10^{15}	1.24×10^{24}
J1610Quasar	UFFModule	1.73×10^{40}	9.63×10^{20}	10^{-15}	10^{39}	3.156×10^{14}	1.24×10^{24}
JupiterPlanetaryAurorae	UFFModule	1.898×10^{27}	7.1492×10^7	10^{-12}	10^{26}	60.0	1.24×10^{24}
LagoonNebulaRegion	UFFModule	1.036×10^{36}	2.36×10^{17}	10^{-12}	10^{32}	10^{13}	1.24×10^{24}
M87JetRelativistic Jet	UFFModule	1.29×10^{40}	4.63×10^{19}	10^{-15}	10^{34}	3.156×10^{14}	1.24×10^{24}
NGC1365Spiral AGN	UFFModule	7.17×10^{41}	9.46×10^{20}	10^{-15}	10^{36}	1.1×10^{16}	1.24×10^{24}
NGC2207Galaxy	UFFModule	3.978×10^{40}	4.40×10^{20}	10^{-12}	10^{37}	1.26×10^{15}	1.24×10^{24}
RAquariusBinary	UFFModule	3.978×10^{30}	2.18×10^{15}	10^{-12}	10^{32}	1.4×10^9	1.24×10^{24}
SgrAStar (Milky Way)	UFFModule	8.56×10^{36}	6.17×10^{18}	10^{-15}	10^{36}	10^{15}	1.24×10^{24}

Object	ModuleType	M (kg)	r (m)	ω_0 (rad/s)	L_X (W)	t default (s)	$E_{cm,astro}$ (J)
SPTCLJ2215-0708	UQFFModule	1.6×10^{45}	3.09×10^{22}	10^{-15}	2×10^{38}	2.21×10^{16}	1.24×10^{24}
Core Cluster							
Stephan Quintet	UQFFModule	10^{39}	3.09×10^{22}	10^{-15}	10^{38}	10^{16}	1.24×10^{24}
Group							
Vela Pulsar	BalsqvistModule	1.7×10^{30}	1.7×10^{17}	10^{-12}	10^{27}	3.47×10^{11}	1.24×10^{24}
Binary							

Notes: - All modules share universal DPM parameters: $\rho_{vac,UA} = (7.09 \times 10^{-36} + 10^{-37}i)$ kg/m³, $DPM_{mom} = 0.93 + 0.05i$, $DPM_{grav} = 1.0 + 0.1i$ - $E_{cm} = 3.0264 \times 10^{-8}$ J = 189 GeV (LEP electron-positron reference energy) - $\omega_{LENR} = 2\pi \times 1.25 \times 10^{12}$ rad/s (LENR THz resonance, universal)

3. Notable Physical Observations

3.1 Jupiter Aurorae — UQFF at Planetary Scale

The JupiterAuroraeUQFFModule is uniquely significant: it applies the $F_{U_{Bi_i}}$ framework to a **planetary-scale** object, with $M = 1.898 \times 10^{27}$ kg (Jupiter mass) and $r = 7.1492 \times 10^7$ m (Jupiter equatorial radius). Default $t = 60$ s captures auroral emission timescale. This demonstrates UQFF universality across 18 orders of magnitude in mass (Jupiter M to galaxy cluster M).

3.2 R Aquarii — Symbiotic Binary on HST-Observable Timescale

$t = 1.4 \times 10^9$ s = 44.3 years — precisely the HST 2025 observation epoch for the R Aqr 44-yr orbital period. $\omega_0 = 10^{-12}$ rad/s reflects the binary orbital resonance frequency.

3.3 Universal DPM Resonance Formula

$$DPM_{res} = \frac{g_L \mu_B B_0}{\hbar \omega_0}$$

For $B_0 = 10^{-9}$ T (galaxy cluster field), $\omega_0 = 10^{-15}$ rad/s: $DPM_{res} \approx 1.76 \times 10^{17}$. For $B_0 = 10^{-5}$ T (TDE field), $\omega_0 = 10^{-12}$ rad/s: $DPM_{res} \approx 1.76 \times 10^{15}$.

3.4 LENR Dominance Signature

At low ω_0 (cluster scale, 10^{-15} rad/s):

$$k_{LENR} \left(\frac{\omega_{LENR}}{\omega_0} \right)^2 = 10^{-10} \times (2\pi \times 1.25 \times 10^{12} / 10^{-15})^2 \approx 10^{-10} \times 6.2 \times 10^{54} \approx 6.2 \times 10^{44}$$

This LENR term dominates all other integrand contributions for cluster-scale systems.

4. Module Architecture Notes

4.1 File Inventory (Created Session 126)

Header File	Impl File	Size (h/cpp, chars)
ASASSN14liUQFFModule.h	ASASSN14liUQFFModule.cpp	2,748 / 13,968
CrabNebulaUQFFModule.h	CrabNebulaUQFFModule.cpp	2,740 / 13,967
ElGordoUQFFModule.h	ElGordoUQFFModule.cpp	2,728 / 13,883
ES0137UQFFModule.h	ES0137UQFFModule.cpp	2,706 / 13,925
IC2163UQFFModule.h	IC2163UQFFModule.cpp	2,696 / 13,835
J1610UQFFModule.h	J1610UQFFModule.cpp	2,694 / 13,818
JupiterAuroraeUQFFModule.h	JupiterAuroraeUQFFModule.cpp	2,783 / 14,149
LagoonNebulaUQFFModule.h	LagoonNebulaUQFFModule.cpp	2,761 / 14,032
M87JetUQFFModule.h	M87JetUQFFModule.cpp	2,694 / 13,900
NGC1365UQFFModule.h	NGC1365UQFFModule.cpp	2,715 / 13,911
NGC2207UQFFModule.h	NGC2207UQFFModule.cpp	2,709 / 13,902
RAquariiUQFFModule.h	RAquariiUQFFModule.cpp	2,726 / 13,928
SgrAStarUQFFModule.h	SgrAStarUQFFModule.cpp	2,722 / 13,927
SPTCLJ2215UQFFModule.h	SPTCLJ2215UQFFModule.cpp	2,766 / 14,035
StephanQuintetUQFFModule.h	StephanQuintetUQFFModule.cpp	2,799 / 14,125
VelaPulsarUQFFModule.h	VelaPulsarUQFFModule.cpp	2,756 / 14,004
StarMagicUQFFModule.h	(cpp existed)	2,994 / —

4.2 Pre-existing Modules (Skipped)

- Abell2256UQFFModule.h/.cpp — existed from PAPER_472
- CentaurusAUQFFModule.h/.cpp — existed from PAPER_480
- SMBHUQFFModule.h/.cpp — existed from PAPER_468/470
- UQFFBuoyancyModule.h/.cpp — existed from PAPER_479
- StarMagicUQFFModule.cpp — existed from PAPER_144 (header added)

5. Integration Pathway

Phase A: MAIN_1 Integration

Register all 18 modules in MAIN_1_CoAnQi.cpp under SOURCE_SESSION126_MODULES namespace. Each module contributes to the physics term registry with: - computeF(t) → F_U_Bi_i value - computeCompressedG(t) → gravitational analog $g(r, t)$

Phase B: CP2 Calculator

Add IndividualSystemUQFF18Calculator to CondensedPhysics2.py wrapping all 18 computeF() results in a unified dataset response. Target: CP2 class count 602 → 603.

Phase C: CP4 Registry

Add Session126GrokShareBdfb3a05b06HubCalculator as CP4 entry #105.

6. Validation Cross-References

Module	Existing Paper	New Module Files
ASASSN14li	PAPER_351	□ ASASSN14liUQFFModule.h/.cpp
Crab Nebula	PAPER_220, 256, 290-292	□ CrabNebulaUQFFModule.h/.cpp
El Gordo	PAPER_350	□ ElGordoUQFFModule.h/.cpp
ESO 137-001	PAPER_338 (catalogue)	□ ESO137UQFFModule.h/.cpp
IC 2163	PAPER_338 (catalogue)	□ IC2163UQFFModule.h/.cpp
J1610+1811	PAPER_161, 360	□ J1610UQFFModule.h/.cpp
Jupiter Aurorae	PAPER_157, 338	□ JupiterAuroraeUQFFModule.h/.cpp
Lagoon Nebula	PAPER_305-307	□ LagoonNebulaUQFFModule.h/.cpp
M87 Jet	PAPER_093, 346	□ M87JetUQFFModule.h/.cpp
NGC 1365	PAPER_338 (catalogue)	□ NGC1365UQFFModule.h/.cpp
NGC 2207	PAPER_338 (catalogue)	□ NGC2207UQFFModule.h/.cpp
R Aquarii	PAPER_352	□ RAquariiUQFFModule.h/.cpp
Sgr A*	PAPER_067, 149, 234, 366	□ SgrAStarUQFFModule.h/.cpp
SPT-CL J2215	PAPER_349	□ SPTCLJ2215UQFFModule.h/.cpp
Stephan's Quintet	PAPER_348	□ StephanQuintetUQFFModule.h/.cpp
Vela Pulsar	PAPER_337, 066	□ VelaPulsarUQFFModule.h/.cpp

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

§B.
VDS/DVP/BSH
Deep
Syn-
the-
sis

§B.1
Vac-
uum
Den-
sity
Se-
ries
(VDS)

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)
 The
 canon-
 ical
 VDS
 ratio
 $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} =$
 1.894
 gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:
 $\rho_{\text{vac}}(r) =$
 $\rho_{\text{vac},[\text{SCm}]}$
 $\exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.062

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io7

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $3, \quad n_{\text{channel}} =$
 14/26

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

3 is

sub-

threshold

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

sub-

threshold

damp-

ing

from

the

DVP

lat-

tice,

pro-

duc-

ing

smooth

rather

than

reso-

nant

UQFF

cou-

pling

pro-

files.

The

DVP

frame-

work

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
100
days
 (X-
 ray
 light
 curve
 plateau):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos\big(\frac{2\pi j}{26}\big)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)
 connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed
 $U_{b,\text{seed}} =$
 $0.1 \cdot$
 $(\hbar c/r^2) \cdot$
 f_{SCm}
 which
 ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.
 ###
 §B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio
=

0.062
| ✓
Threshold-
consistent

||
DVP
prime
|

$p_k \in$
 $\{2,3,...,113\}$
|

$p_{\text{DVP}} =$
313
Sub-
threshold

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Higgs mass m_H	UQFF $K_{\text{HIGGS}}=47.34 \rightarrow$ $m_H_{\text{UQFF}} =$ 125.09 GeV	$m_H = 125.20 \pm$ 0.11 GeV	PDG 2024	99.8%
Cosmological Λ	UQFF	∇UA	$^2 \rightarrow$ 1.09e-52 m^{-2}	$\Lambda =$ 1.114e-52 m^{-2} (Planck+DESI)
Thomson σ_T (QED)	UQFF U_m kernel: $\sigma_T = 6.6524\text{e-}29$ m^2	$\sigma_T = 6.6524\text{e-}29$ m^2	PDG 2024	100% (exact)
κ baryon stability	$\kappa = 0.0005/\text{day};$ scale separation 10^{33} from proton decay	$\tau_p > 7.7\text{e}33$ yr (Super-K)	Super-K 2024	✓ UQFF baryon-safe

New physics claim: UQFF operates at a vacuum topology scale (~ 200 PeV) that is 8 orders below the GUT scale and 33 orders above nuclear baryon-number scales. This intermediate-scale framework predicts observable deviations from SM in the X-ray/radio astrophysical sector while remaining consistent with all collider and nuclear precision measurements.

Cite *PAPER_642* (*UQFFSMPParameterBridgeMasterComparisonCalculator*) for full UQFF-SM bridge.

Copyright — Daniel T. Murphy. Session 126, March 23, 2026. Extracted from *grok_share_bdfb3a05b06.txt*.