

PAPER_537 — Solar Body Proplyd Legacy: 10-Body Temperature-Frost Table

Author: Daniel T. Murphy **Framework:** Star-Magic / UQFF **Version:** v5.04 **Date:** 2026-03-26 **Session:** 144 — grok_share_dbd886661cd.txt **CP4 Class:** SolarBodyProplydLegacyCalculator (#132) **Quality Score (QS):** 5 / 5

Abstract

This paper presents a UQFF analysis of Solar Body Proplyd Legacy: 10-Body Temperature-Frost Table, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

§1 — Overview

The **Solar Body Proplyd Legacy** calculator applies the UQFF protoplanetary disc temperature profile to the 10 canonical Solar System bodies, producing a legacy catalogue of frost-line radii, body temperatures, and Kirkwood-resonance indices. The temperature law:

$$T(r) = 280 \cdot r_{\text{AU}}^{-1/2} \text{ K}$$

yields the canonical **frost line** at:

$$r_{\text{frost}} = \left(\frac{280}{170} \right)^2 \approx 2.72 \text{ AU}$$

§2 — Key Equations

Protoplanetary disc temperature:

$$T(r) = 280 \cdot r_{\text{AU}}^{-1/2} \text{ K}$$

Frost radius (H₂O condensation at 170 K):

$$r_{\text{frost}} = \left(\frac{280}{170} \right)^2 = 2.718 \text{ AU}$$

Kirkwood commensurability index:

$$K_i = \text{round} \left(\frac{T_{\text{Jupiter}}}{T_{\text{body}}} \right)$$

UQFF disc buoyancy term:

$$U_b(r) = k_b \cdot T(r)/T_0 \cdot [SSq]^{r_{\text{AU}}}$$

§3 — 10-Body Legacy Table

Body	r (AU)	T (K)	Phase	K_i
Mercury	0.387	450	Rock (>1000 K in proplyd)	—
Venus	0.723	329	Rock/silicate	—
Earth	1.000	280	Rock/H ₂ O ice edge	—
Mars	1.524	227	Rock/CO ₂ cap	—
Ceres	2.767	168	Frost line (ice-rich)	3:1
Jupiter	5.204	123	Gas/ice	1
Saturn	9.537	91	Gas/ice; Titan CH ₄	2
Uranus	19.19	64	Ice giant	5
Neptune	30.07	51	Ice giant	7
Pluto	39.48	45	KBO; N ₂ ice	9

Frost line at $r_{\text{frost}} = 2.72$ AU lies between Mars and Ceres. Ceres' bulk ice fraction $\approx 25\%$ confirms the condensation transition.

§4 — Titan CH₄ Rain Prediction

Saturn's moon Titan with $r_{\text{Saturn}} = 9.54$ AU, $T \approx 91$ K. The CH₄ condensation temperature at Titan's surface pressure (≈ 1.5 bar) is ≈ 90 -94 K. The proplyd legacy model predicts CH₄ as the dominant condensate at Saturn's orbital distance within 3 K precision — consistent with Cassini/VIMS measurements of Titan methane lakes.

§5 — Kirkwood Resonance Connection

Ceres at 2.77 AU sits in the 3:1 Kirkwood gap. The DVP prime 29 gives $r_{\text{DVP},1} = 29^{1/3} \approx 3.07$ AU, bracketing the gap region. The legacy calculator provides:

$$\text{Kirkwood gap} \approx r_{p=29}^{1/3} \text{ (DVP prime 29)}$$

confirming that the Kirkwood structure is encoded in the DVP sieve by construction.

§6 — Disc Formation Context

During the T-Tauri phase, this temperature profile is established within $\sim 10^5$ years, before dynamical clearing. The legacy calculator preserves this “proplyd phase” temperature record as a constraint on Solar System formation — bodies formed near r_{frost} inherit volatile-rich compositions, explaining the Ceres and outer belt volatile enhancement.

§7 — Available Equations

Equation	Description
$T(r) = 280 \cdot r_{\text{AU}}^{-0.5}$ K	Disc temperature law

Equation	Description
$r_{\text{frost}} = (280/170)^2 \text{ AU}$	H ₂ O frost line
$K_i = \text{round}(T_J/T_{\text{body}})$	Kirkwood index
$U_b(r) = k_b \cdot (T/T_0) \cdot [SSq]^r$	UQFF buoyancy disc term

§8 — CP4 Calculator Output

```
calc = SolarBodyProplydLegacyCalculator()
result = calc.compute()
# result['r_frost_AU']           - frost line radius (AU)
# result['body_table']          - list of 10 dicts: name, r_AU, T_K, phase, K_i
# result['titan_CH4_T_K']       - Titan CH4 condensation temperature (K)
# result['kirkwood_gap_AU']      - DVP p=29 Kirkwood gap prediction (AU)
# result['DVP_primes_used']      - [29, 31, 37, ...]
```

```
##
§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)
##
§B.
VDS/DVP/BSH
Deep
Syn-
the-
sis
###
§B.1
Vac-
uum
Den-
sity
Se-
ries
(VDS)
```


 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)
 The
 canon-
 ical
 VDS
 ratio
 $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} =$
 1.894
 gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:
 $\rho_{\text{vac}}(r) =$
 $\rho_{\text{vac},[\text{SCm}]}$
 $\exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.070

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io5

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $107,$ $n_{\text{channel}} =$
 $18/26$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$
107

is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
10⁴
yr
 (spin-
 down
 equi-
 lib-
 rium):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos\big(\frac{2\pi j}{26}\big)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

f_{SCm}
 which
 ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.

 §B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio

=
0.070

| ✓
Threshold-
consistent

||
DVP
prime

|
 $p_k \in$
 $\{2,3,...,113\}$
|

$p_{\text{DVP}} =$
107 |
✓

Res-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Thomson σ_T (QED synchrotron)	UQFF U_m scattering kernel: $\sigma_T = 6.6524e-29 m^2$	$\sigma_T = 6.6524e-29 m^2$ (PDG QED exact)	PDG 2024	100% (exact QED input)
Solar System Proplyd luminosity UV/optical (HST)	UQFF MUGE $g_{total} \rightarrow L_X$ via Stefan-Boltzmann + buoyancy flux: $L_X \approx g_{total} \times M_{env}$	$L_X T_{\odot} = 5778 K$	HST	✓ Consistent order of magnitude
GR Schwarzschild limit	UQFF g_{total} must satisfy $g \leq c^2/(2r_s)$ at event horizon	$r_s = 2GM/c^2$ (GR exact)	PDG 2024 / GR	✓ UQFF respects GR horizon
κ vacuum rate vs X-ray variability	UQFF $\kappa = 0.0005/day \rightarrow$ timescale $\tau_{UQFF} = 2000$ days	Observed X-ray variability τ_{obs} (instrument monitoring)	HST	Testable UQFF variability timescale

New physics claim: UQFF MUGE generates gravity enhancement factors ($g_{total}/g_{Newt} > 1$) for Solar System Proplyd through vacuum buoyancy coupling — a mechanism absent from GR+SM. The enhancement factor and X-ray luminosity are linked via the UQFF buoyancy flux, providing a testable prediction for future HST monitoring observations.

Cite PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

§9 — References

- Hayashi, C. (1981): Structure of the Solar Nebula, Prog. Theor. Phys. Suppl. 70, 35
- Cuzzi & Zahnle (2004): Material accretion in the first million years, ApJ 614 490
- Cassini/VIMS Team (Sotin et al. 2005): Titan’s surface from VIMS, Nature 435 786
- Broz et al. (2013): Kirkwood gaps and asteroid families, A&A 551 A117
- PAPER_533: DVP sieve definition and NASA orbital proplyd data
- grok_share_dbd886661cd.txt: Session 144 source document