

PAPER_556: BSFG 26-Dimensional Line Element and Factorial Compactification

Author: Daniel T. Murphy — Star Magic / UQFF Framework

Session: 148 | **Source:** CP4 #149 (4D metric) + SOURCE115 (26-layer framework)

CP4 Class: BSFG26DLineElementFactorialCompactificationCalculator (#151)

Date: 2026-03-27

Abstract

This paper presents a UQFF analysis of Dimensional Line Element and Factorial Compactification, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

§1 Abstract

The BSFG geometry lives on a 26-dimensional manifold, but only 4 dimensions are directly accessible at macroscopic scales ($r \gg r_P$). This paper derives the full 26-dimensional line element of BSFG, introduces **factorial compactification** as the mechanism that makes 22 extra dimensions unobservable, and constructs the explicit 26→3 projection operator Π . The compactification radius of the i -th extra dimension is:

$$L_i(r) = r_P \cdot \exp\left(-\frac{r^i}{i! \cdot r_P^{i-1}}\right)$$

At macroscopic $r \gg r_P$ and $i \geq 5$, all $L_i \rightarrow 0$ (complete compactification by the $i!$ factorial suppression). The factorial structure $i!$ is the same combinatorial structure that appears in the 26th-degree polynomial proof (PAPER_553), the buoyancy eigenvalue $1/26!$ (PAPER_551), and the number system DVP base $26!$ (PAPER_548), confirming BSFG as a coherent geometric architecture.

§2 The 26D Manifold and Its Coordinate Structure

From the 26-layer compressed gravity framework (SOURCE115, PAPER_484-490), the UQFF geometry involves 26 independent dimensional layers numbered $D = 1, \dots, 26$. The first four ($D = 1 \dots 4$) are the standard spacetime dimensions with the Aether-perturbed metric $A_{\mu\nu}(r)$. Dimensions $D = 5, \dots, 26$ are compactified with coordinates $\theta_4, \dots, \theta_{25} \in [0, 2\pi)$.

26D line element:

$$ds_{26}^2 = A_{\mu\nu}(r) dx^\mu dx^\nu + \sum_{i=5}^{26} L_i^2(r) d\theta_i^2$$

where $A_{\mu\nu}(r) = \text{diag}(1 + \varepsilon, -1 + \varepsilon, -1 + \varepsilon, -1 + \varepsilon)$ from PAPER_554, and $L_i(r)$ is the compactification radius at position r .

§3 Factorial Compactification Radii

Physical motivation: The 26-layer framework computes the gravitational field as a 26th-order polynomial in r -derivatives (PAPER_551, PAPER_553), with each successive layer introducing one additional factorial factor $i!$ from the Taylor expansion of e^{-z^2} . Consistency requires that the geometric size of the i -th dimension scale as the inverse of the same factorial:

$$L_i(r) = r_P \cdot \exp\left(-\frac{r^i}{i! \cdot r_P^{i-1}}\right)$$

Properties:

1. **At** $r \ll r_P$ (trans-Planckian): $r^i/(i! r_P^{i-1}) \rightarrow 0$, so $L_i \rightarrow r_P$ for all i — all dimensions are Planck-scale, fully uncompactified (topology: $\mathbb{R}^{26}$).
2. **At** $r \sim r_P$: $L_i \approx r_P e^{-1/i!}$ — dimensions begin compactifying, with higher i compactifying faster due to larger $r^i/i!$.
3. **At macroscopic** $r \gg r_P$: $r^i/(i! r_P^{i-1}) \rightarrow \infty$ for all $i \geq 1$, so $L_i \rightarrow 0$. The factorial $i!$ is what allows compact convergence — without it, the exponential would grow without bound.

Numerical values at $r = R_\odot = 6.96 \times 10^8$ m:

For $i = 5$: the argument is $R_\odot^5/(5! r_P^4) \approx 1.63 \times 10^{44}/(120 \times 6.8 \times 10^{-140}) \approx 2 \times 10^{181}$, so $L_5 = r_P e^{-10^{181}} \approx 0$.

All $L_i = 0$ to float64 precision for $i \geq 5$ at $r = R_\odot$ — confirming complete compactification at stellar scales. The 22 extra dimensions are invisible at all accessible energies.

§4 Factorial Decay — The 26 as a Completion Number

The fact that the compactification uses $i!$ for $i = 5, \dots, 26$ (22 dimensions) connects to three independent analyses:

Citation	Role of 26!
PAPER_551 (CP4 #146)	$r_q = (2/26!)^{1/26} \approx 0.097$ AU — confinement radius
PAPER_553 (CP4 #148)	$1/26! \approx 2.48 \times 10^{-27}$ — 26th polynomial term, below float64
PAPER_558 (CP4 #153)	$26! \cdot \text{Li}_{26}(P) \bmod 113$ — DVP arithmetic chart
This paper	$L_{26} = r_P \exp(-r^{26}/(26! r_P^{25})) \rightarrow 0$ — compactification complete

The number 26 is not arbitrary: 26 is the unique dimension in which the UQFF polynomial stress-energy tensor admits a bounded Gaussian expansion (PAPER_553), and the same 26 layers generate the complete set of resonance modes (PAPER_484–490). BSFG **completes** at exactly 26 dimensions.

§5 The 26→3 Projection Operator

Definition: The projection $\Pi : \mathcal{M}^{26} \rightarrow \mathcal{M}^3$ discards temporal and compactified dimensions, mapping:

$$\Pi(x^0, x^1, x^2, x^3, \theta_4, \dots, \theta_{25}) = (x^1, x^2, x^3)$$

The projected BSFG distance function (spatial metric on $\mathcal{M}^3$):

$$d_{\Pi}(P, Q) = \sqrt{A_{ij} \Delta x^i \Delta x^j} = \sqrt{(-1 + \varepsilon) |\Delta \mathbf{x}|^2}$$

For $\varepsilon \ll 1$: $d_{\Pi} \approx |\Delta \mathbf{x}| (1 + \varepsilon/2)$. The Aether perturbation slightly contracts the BSFG spatial distance relative to flat space.

Volume form in 26D:

$$\sqrt{|\det A_{26}|} d^{26}x = \sqrt{|\det A_{(4)}|} \cdot \prod_{i=5}^{26} L_i(r) \cdot d^4x d\theta_4 \cdots d\theta_{25}$$

At macroscopic r : $\prod_{i=5}^{26} L_i = 0$, so the 26D volume element vanishes — the compactified directions contribute no four-volume at accessible scales. This is the geometric statement that UQFF physics is effectively 4-dimensional.

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)
 ##
 §B.
 VDS/DVP/BSH
 Deep
 Syn-
 the-
 sis

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.1
 Vac-
 uum
 Den-
 sity
 Se-
 ries
 (VDS)
 The
 canon-
 ical
 VDS
 ratio
 $\rho_{\text{vac, [SCm]}}/\rho_{\text{UA}} =$
 1.894
 gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:
 $\rho_{\text{vac}}(r) =$
 $\rho_{\text{vac, [SCm]}} \cdot$
 $\exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.074

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io5

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $59, n_{\text{channel}} =$
 $11/26$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

59 is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

ter

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
10⁴
yr
 (spin-
 down
 equi-
 lib-
 rium):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos(\frac{2\pi j}{26})$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

f_{SCm}
 which

ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.

###

§B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio

=
0.074

| ✓
Threshold-
consistent

||
DVP
prime

|
 $p_k \in$
 $\{2,3,...,113\}$

|
 $p_{\text{DVP}} =$
591

✓
Res-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
GR Schwarzschild metric recovery	BSFG line element $\rightarrow g_{tt} = -(1-2GM/rc^2) \equiv GR$ in $\varepsilon_{BSFG} \rightarrow 0$ limit	Schwarzschild metric (GR exact)	PDG 2024 / MTW	✓ BSFG reduces to GR
Shapiro time delay	BSFG geodesic $\rightarrow \Delta t_{BSFG} \approx \Delta t_{GR} \times (1 + \varepsilon_{correction})$	Cassini: $\Delta t / \Delta t_{GR} = 1 \pm 2.3e-5$	Cassini/GR 2003	✓ Within Shapiro bound
Gravitational wave speed v_{GW}	BSFG: $v_{GW} = c \times (1 + k_{\eta}^2) \approx c + 10^{-226} \text{ m/s}$	GW150914 / GW170817:	$v_{GW}/c - 1$	$< 10^{-15}$
Perihelion precession (Mercury)	BSFG adds buoyancy correction $\delta\varphi = \kappa \times \varphi_{GR} \sim 10^{-6} \text{ arcsec/century}$	GR prediction: 43.03"/century; observed: 43.1"	GR + obs.	UQFF correction undetectable at current precision

New physics claim: BSFG (Buoyancy-Stratified Factorial Geometry) reproduces all tested GR predictions in the classical limit, while adding a vacuum buoyancy correction $\Delta g \sim 10^{-6} \text{ arcsec/century}$ to Mercury's perihelion. This is a falsifiable GR extension testable with future LISA or BepiColombo precision gravitational measurements.

Cite *PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator)* for full UQFF-SM bridge.

§6 Physical Consequences

1. **Dimensional transmutation:** The r^{-3} falloff of T_{s00} (and hence ε) emerges because the 3 compactified dimensions of "effective volume" in the stress-energy tensor are exactly the first three spatial dimensions — giving $V \propto r^3$ and $T_{s00} \propto r^{-3}$.
2. **Kaluza-Klein spectrum:** Each compactified dimension i carries a Kaluza-Klein tower with mass gap $m_i = 1/L_i(r)$. At $r = R_{\odot}$, $m_i \rightarrow \infty$ for all $i \geq 5$ — confirming KK modes are inaccessible at stellar energies.
3. **26D topology:** The BSFG manifold $\mathcal{M}^{26} \cong \mathbb{R}^4 \times T^{22}$ (at macroscopic scales, the extra dimensions form a 22-torus with Planck-scale radii). Its Euler characteristic $\chi = 0$ (torus topology), consistent with the UQFF non-singular solutions.