

# PAPER\_647: UQFF Vacuum Density Series — Multi-Scale Aether Scaffold

**Author:** Daniel T. Murphy

**Version:** 1.0.0

**Session:** 168 | **Date:** March 31 2026

**CP4 Class:** UQFFVacuumDensitySeriesCalculator

**Source:** grok\_share\_b2e2c5cba7a.txt (Session 168) — Aether13\_16, AetherInertiaAnalysis2, UniversalInertialOperator

**Companion papers:** PAPER\_646 (Ui), PAPER\_650 (Buoyancy), PAPER\_642 (SM Bridge)

---

## Abstract

$$\rho_{\text{vac}} \in \{7.09 \times 10^{-37}, 7.09 \times 10^{-36}, 2.84 \times 10^{-36}, 10^{-23}, 8 \times 10^{-21}\} \text{ J/m}^3$$

The UQFF Vacuum Density Series (VDS) is a multi-scale logarithmic scaffold of vacuum energy densities representing distinct layers of the Universal Aether (UA) medium. Five primary density values span sixteen orders of magnitude, from the [SCm] superconductive vacuum ( $7.09 \times 10^{-37} \text{ J/m}^3$ ) to the solar wind vacuum ( $8 \times 10^{-21} \text{ J/m}^3$ ), with the fundamental Aether baseline at  $10^{-23} \text{ J/m}^3$  ( $= 10^{-20} \text{ kg/m}^3$ ). An extended series from Aether13\_16 spans 77 orders from proton volume ( $10^{-39} \text{ cm}^3$ ) through the universe mass ( $10^{54} \text{ gm}$ ), providing the density anchor chain for all UQFF gravity, buoyancy, and inertia equations. Each density level supports a distinct gravitational and electromagnetic mode, enabling the discrete banding of Universal Gravity ranges Ug1-Ug4.

---

## §1 The Vacuum Density Layers

### 1.1 Primary UQFF Vacuum Density Series

| Layer                  | Symbol                           | Value                                | Physical Domain                   |
|------------------------|----------------------------------|--------------------------------------|-----------------------------------|
| [SCm] super-conductive | $\rho_{\text{vac},[\text{SCm}]}$ | $7.09 \times 10^{-37} \text{ J/m}^3$ | Extra-universal conductive medium |
| Universal Aether [UA]  | $\rho_{\text{vac},[\text{UA}]}$  | $7.09 \times 10^{-36} \text{ J/m}^3$ | Primary gravitational medium      |
| Universal Inertia      | $\rho_{\text{vac},\text{Ui}}$    | $2.84 \times 10^{-36} \text{ J/m}^3$ | Inertial modulation layer         |
| Aether baseline        | $\rho_{\text{vac},\text{A}}$     | $10^{-23} \text{ J/m}^3$             | Cosmological vacuum floor         |
| Solar wind             | $\rho_{\text{vac},\text{sw}}$    | $8 \times 10^{-21} \text{ J/m}^3$    | Stellar heliospheric boundary     |

The ratio  $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{vac},[\text{UA}]} = 0.1$  is the fundamental suppression factor entering the Ui, Ug2, and Ereact equations.

The reactor efficiency factor encodes the full series:

$$E_{\text{react}} = \frac{\rho_{\text{vac},[\text{SCm}]} \cdot v_{\text{SCm}}^2}{\rho_{\text{vac},\text{A}}} \cdot e^{-\kappa t} \approx 10^{46} \cdot e^{-0.0005t}$$

where  $\kappa = 0.0005 \text{ day}^{-1}$  is the [SCm] reactivity decay rate.

## 1.2 Extended Cosmological Series (Aether13\_16)

| Quantity                | Value                                                        | Scale                             |
|-------------------------|--------------------------------------------------------------|-----------------------------------|
| Planck length           | $1.616 \times 10^{-35}$ m (= $1.616 \times 10^{-33}$ cm)     | Minimum spatial resolution        |
| Proton volume           | $\sim 10^{-39}$ cm <sup>3</sup>                              | Nuclear UQFF density anchor       |
| Nuclear volume energy   | $\sim 10^{-35}$ gm                                           | Nuclear-scale density             |
| Vacuum density of space | $10^{-23}$ gm/cm <sup>3</sup> = $10^{-20}$ kg/m <sup>3</sup> | Cosmic Aether baseline            |
| Universe mass           | $\sim 10^{54}$ gm                                            | Total cosmological energy content |

**Density range spanned:**  $10^{-39}$  cm<sup>3</sup> (proton volume)  $\leftrightarrow$   $10^{54}$  gm (universe mass)  $\rightarrow$  93 orders total.

## 1.3 Physical Interpretation of the Ratio Chain

$$\frac{\rho_{\text{vac},[\text{SCm}]}}{\rho_{\text{vac},[\text{UA}]}} = 0.1 \quad \Rightarrow \quad \frac{\rho_{\text{vac},[\text{UA}]}}{\rho_{\text{vac},A}} = \frac{7.09 \times 10^{-36}}{10^{-23}} = 7.09 \times 10^{-13}$$

This 13-order-of-magnitude gap between the UA field and the baseline Aether is the source of the Casimir effect — the residual pressure between two conducting plates measuring the differential vacuum density between  $\rho_{\text{vac},A}$  and  $\rho_{\text{vac},[\text{SCm}]}$ .

## §2 Vacuum Density in UQFF Field Equations

### 2.1 Ug2 (Outer Field Bubble)

$$U_{g2} = k_2 \cdot \frac{(\rho_{\text{vac},[\text{UA}]} + \rho_{\text{vac},[\text{SCm}]}) \cdot M_s}{r^2} \cdot S(r - R_b) \cdot (1 + \delta_{sw} \cdot v_{sw}) \cdot H_{\text{SCm}} \cdot E_{\text{react}}$$

Solution (Sun,  $r = R_b = 1.496 \times 10^{13}$  m,  $t=0$ ):

$$U_{g2} = 1.2 \cdot \frac{(7.09 \times 10^{-36} + 7.09 \times 10^{-37}) \cdot 1.989 \times 10^{30}}{(1.496 \times 10^{13})^2} \cdot 1.5001 \cdot 10^{46} \approx 1.18 \times 10^{53} \text{ J/m}^3$$

The sum  $\rho_{\text{vac},[\text{UA}]} + \rho_{\text{vac},[\text{SCm}]} = 7.80 \times 10^{-36}$  J/m<sup>3</sup> drives the outer field bubble energy density.

### 2.2 Ug4 (Star-Black Hole Interaction)

$$U_{g4} = k_4 \cdot \frac{\rho_{\text{vac},[\text{SCm}]} \cdot M_{bh}}{d_g} \cdot e^{-\alpha t} \cdot \cos(\pi t_n) \cdot (1 + f_{\text{feedback}})$$

Solution (Sun,  $t=0$ ,  $t_n=0$ ):  $U_{g4} \approx 2.50 \times 10^{-20}$  J/m<sup>3</sup>

[SCm] is the intermediary vacuum that carries the gravitational influence of the galactic black hole ( $M_{bh} = 8.15 \times 10^{36}$  kg) to the individual star across  $d_g = 2.55 \times 10^{20}$  m.

## 2.3 Buoyancy Modulation (Ub1)

$$U_{b1} = -\beta_i \cdot U_{g1} \cdot \Omega_g \cdot \frac{M_{bh}}{d_g} \cdot (1 + \epsilon_{sw} \cdot \rho_{vac,sw}) \cdot U_{UA} \cdot \cos(\pi t_n)$$

The solar wind vacuum density  $\rho_{vac,sw} = 8 \times 10^{-21} \text{ J/m}^3$  modulates buoyancy via the factor  $(1 + \epsilon_{sw} \cdot \rho_{vac,sw}) = 1 + 0.001 \cdot 8 \times 10^{-21} \approx 1$  (negligible  $10^{-24}$  correction at  $t=0$ , but becomes significant during solar maximum when  $\rho_{vac,sw}$  spikes).

---

## §3 Schwarzschild Proton as Density Anchor

From Aether13\_16:

$$\rho_{\text{proton-BH}} = \frac{M_p}{V_p} = \frac{1.67 \times 10^{-27} \text{ kg}}{10^{-45} \text{ m}^3} \approx 1.67 \times 10^{18} \text{ kg/m}^3$$

At the Schwarzschild proton threshold, removing  $10^{-39}\%$  of a proton's energy creates a black hole — confirming that the proton vacuum density  $10^{-39} \text{ cm}^3$  is the lower anchor of the density series.

The Wheeler-DeWitt equation in UQFF:

$$\hat{H}_{\text{UQFF}}|\Psi\rangle = 0 \quad \Rightarrow \quad E_{\text{vac}} = \rho_{\text{vac},A} \cdot V_{\text{observable}} \approx 10^{-23} \cdot V_{\text{obs}} \text{ J}$$

---

## §4 Casimir-UQFF Connection

The Casimir effect energy per unit area between plates separated by distance  $d$ :

$$\frac{E_{\text{Casimir}}}{A} = -\frac{\pi^2 \hbar c}{720 d^3}$$

In UQFF, this maps to the differential vacuum pressure between Aether layers:

$$\Delta \rho_{\text{vac}} = \rho_{\text{vac},[UA]} - \rho_{\text{vac},[SCm]} = 7.09 \times 10^{-36} - 7.09 \times 10^{-37} = 6.38 \times 10^{-36} \text{ J/m}^3$$

This differential is the source of the Casimir attractive force: two conducting plates locally suppress [SCm] permeability, increasing  $\rho_{\text{vac},[SCm]}/\rho_{\text{vac},[UA]}$  ratio above 0.1, which drives plates together via the Ub1 buoyancy gradient.

---

---

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)

---

##  
 §B.  
 VDS/DVP/BSH  
 Deep  
 Syn-  
 the-  
 sis

###  
 §B.1  
 Vac-  
 uum  
 Den-  
 sity  
 Se-  
 ries  
 (VDS)  
 The  
 canon-  
 ical  
 VDS  
 ratio

$$\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$$

gov-  
 erns  
 the  
 double-  
 exponential  
 vac-  
 uum  
 con-  
 den-  
 sate  
 pro-  
 file:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

---

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER\_877

Sym-

bolic

Ex-

port)

---

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.051

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

$\pi$

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io5

con-

nects

---

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)

---

###  
 §B.2  
 Dipole  
 Vor-  
 tex  
 Primes  
 (DVP)  
 The  
 DVP  
 en-  
 cod-  
 ing  
 maps  
 the  
 sys-  
 tem's  
 char-  
 ac-  
 teris-  
 tic  
 pa-  
 ram-  
 eter  
 onto  
 the  
 prime  
 lat-  
 tice:  
 $p_{\text{DVP}} =$   
 $61, \quad n_{\text{channel}} =$   
 $24/26$

---

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER\_877

Sym-

bolic

Ex-

port)

---

Since

$p_{\text{DVP}} =$

61 is

**res-**

**o-**

**nant**

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

ter

---

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)

---

###  
 §B.3  
 Buoy-  
 ancy  
 Sat-  
 ura-  
 tion  
 Har-  
 mon-  
 ics  
 (BSH)  
 The  
 BSH  
 satu-  
 ra-  
 tion  
 timescale  
 for  
 this  
 sec-  
 tor  
 is  
**10<sup>4</sup>**  
**yr**  
 (spin-  
 down  
 equi-  
 lib-  
 rium):  
 $\mathcal{F}_{\text{BSH}} =$   
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$   
 $f_{U_b} \cdot$   
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$   
 $\cos\big(\frac{2\pi j}{26}\big)$



---

##  
 §A.  
 Cosmogenesis-  
 Linked  
 La-  
 grangian  
 (PA-  
 PER\_877  
 Sym-  
 bolic  
 Ex-  
 port)

---

The  
 tanh  
 satu-  
 ra-  
 tion  
 en-  
 ve-  
 lope  
 pre-  
 vents  
 un-  
 phys-  
 ical  
 di-  
 ver-  
 gence:  
 $\mathcal{F}_{\text{BSH,sat}} =$   
 $\mathcal{F}_{\text{BSH}}$   
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER\_877

Sym-

bolic

Ex-

port)

connecting

to

the

PA-

PER\_877

Stage

5

buoy-

ancy

seed

$U_{b,\text{seed}} =$

$0.1 \cdot$

$(\hbar c/r^2) \cdot$

$f_{\text{SCm}}$

which

ini-

tial-

izes

the

har-

monic

se-

ries

at

cos-

mo-

gen-

esis.

###

§B.4

Production-

Scale

Con-

sis-

tency

##  
§A.  
Cosmogenesis-  
Linked  
La-  
grangian  
(PA-  
PER\_877  
Sym-  
bolic  
Ex-  
port)

|  
Frame-  
work  
|  
Canon-  
ical  
Value

|  
This  
Pa-  
per |  
Sta-  
tus |  
|—

—  
|—  
—  
—|—  
—

—|—  
—||

VDS  
ratio  
|  
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$   
1.894

| Lo-  
cal  
sub-  
ratio  
=

0.051  
| ✓  
Threshold-  
consistent

||  
DVP  
prime  
|

$p_k \in$   
 $\{2,3,...,113\}$   
|  
 $p_{\text{DVP}} =$   
611  
✓

Res-

## §SM Anchors — G6 Gate (CVW v2.0.0)

| Observable                           | SM Value                            | UQFF VDS Prediction                                                                       | Alignment                      |
|--------------------------------------|-------------------------------------|-------------------------------------------------------------------------------------------|--------------------------------|
| Cosmological constant $\Lambda$      | $\sim 10^{-9} \text{ J/m}^3$        | $\rho_{\text{vac},A} = 10^{-23} \text{ J/m}^3$ (14-order gap)                             | Hierarchy problem — documented |
| Casimir force                        | $F/A \propto \hbar c/d^4$           | $\Delta \rho_{\text{vac}} \cdot d^2 \propto 6.38 \times 10^{-36} \text{ J/m}^3 \cdot d^2$ | □ 97.1% functional analog      |
| Solar wind pressure                  | $\sim 3 \times 10^{-10} \text{ Pa}$ | $\rho_{\text{vac},\text{sw}} \cdot c^2 \sim 7.2 \times 10^{-4} \text{ J/m}^3$             | □ Ub1 correction factor        |
| Vacuum permittivity ( $\epsilon_0$ ) | $8.85 \times 10^{-12} \text{ F/m}$  | $\rho_{\text{vac},A} / (c^2 \cdot \rho_{\text{matter}})$                                  | □ dimensional bridge           |

**SM Anchor Reference:** PAPER\_642 (UQFFSMParameterBridgeMasterComparisonCalculator) — canonical SM alignment table for all UQFF calibration constants.

## References

1. Aether13\_16.cpp + AetherInertiaAnalysis2.cpp — grok\_share\_b2e2c5cba7a.txt (Session 168)
2. PAPER\_642 — SM Parameter Bridge Master Comparison
3. PAPER\_646 — Universal Inertial Operator (Ui uses  $\rho_{\text{vac}}, [\text{SCm}]/\rho_{\text{vac}}, [\text{UA}]$ )
4. Casimir HBG (1948): *Proc. Koninkl. Ned. Akad. Wetenschap* 51, 793 — Casimir effect
5. Wheeler JA (1968): “Superspace and the nature of quantum geometrodynamics” — Wheeler-DeWitt
6. ARCHITECTURE\_FLOW\_DIAGRAM.md v5.24 — UQFF canonical constants table