

PAPER_751: THz Q-Scope Earth Core Resonance Signals — Channels 1-50

Author: Daniel T. Murphy

Framework: Universal Quantum Field Superconductive Framework (UQFF)

Session: 181 | v5.39

Date: 2026

CP4 Class: #335 — THzQScopeEarthCoreSig1to50Calculator

Abstract

A THz Q-Scope instrument monitoring Earth's core resonance detects 50 discrete signal channels between 1.2-1.3 THz. The UQFF framework interprets these signals through the $[\{U_m:SM_m\}/[Ug1=UQFF_g+SM_g]^{(SCm)}]$ resonance operator, wherein a "THz hole" forms between two pseudo-monopole poles. This paper derives the peak power, effective voltage amplitude, and angular resonance frequency for the instrument's 1.246 Hz sampling window, and maps the 50-channel ensemble to the UQFF vacuum coupling hierarchy.

1. Introduction

Seismic and electromagnetic probes of Earth's deep interior reveal coherent oscillation modes at terahertz frequencies unexplained by standard core models. The THz Q-Scope instrument records 50 channels (dA = 6.205 A, ± 3.102 A dynamic range) at a display sampling frequency of 1.246 Hz. The actual resonance lies at 1.2-1.3 THz — 12 orders of magnitude above the displayed sampling clock.

Within UQFF, the Earth's conducting outer core acts as a pair of pseudo-monopole boundaries separated by a "THz hole" in the Ug1 magnetic-dipole vacuum field. The observable $[\{U_m:SM_m\}/[Ug1]^{(SCm)}]$ ratio governs which channels couple to the surface and which are attenuated below the superconductive threshold $H_{SCm} \approx 0.99$.

2. Master Resonance Equation

$$P_{THz}(f) = [\{U_m : SM_m\} / [Ug1(r,t) + SM_g]^{(SCm)}] \\ \times V_{eff}^2 / Z_{imp} \\ \times \sum_{k=1}^{50} \delta(f - f_k)$$

Where: - U_m = UQFF magnetic vacuum energy density - SM_m = Standard Model magnetic field contribution - $Ug1 = UQFF_g + SM_g$ (total gravity+EM coupling at core radius) - SCm = superconductive modifier $\approx H_{SCm} = 0.99$ - V_{eff} = RMS voltage amplitude = 0.35 V - Z_{imp} = instrument impedance = 50 Ω - f_k = individual channel centre frequency ($k = 1...50$) - $\delta(\cdot)$ = Dirac delta selector

Angular Frequency

$$\omega_{THz} = 2\pi \times f_{THz} = 2\pi \times 1.25 \times 10^{12} \approx 7.854 \times 10^{12} \text{ rad/s}$$

Peak Power

$$P_{\text{peak}} = V_{\text{eff}}^2 / Z_{\text{imp}} = (0.35)^2 / 50 = 0.00245 \text{ W} = 2.45 \text{ mW}$$

Effective Current

$$I_{\text{eff}} = V_{\text{eff}} / Z_{\text{imp}} = 0.35 / 50 = 7.0 \times 10^{-3} \text{ A}$$
$$\text{dA (full-scale)} = 6.205 \text{ A} \quad (\pm 3.102 \text{ A symmetric swing})$$

3. UQFF Vacuum Coupling Parameters

Parameter	Symbol	Value	Unit
Sampling frequency	f_{samp}	1.246	Hz
THz resonance	f_{THz}	1.25×10^{12}	Hz
Angular frequency	ω_{THz}	7.854×10^{12}	rad/s
Peak-to-peak voltage max	$V_{\text{pp_max}}$	1.00	V
Effective voltage	V_{eff}	0.35	V
Instrument impedance	Z_{imp}	50	Ω
Peak power	P_{peak}	2.45×10^{-3}	W
Full-scale current	dA	6.205	A
Channels	N_{ch}	50	—
UQFF vacuum density (UA)	ρ_{UA}	7.09×10^{-36}	kg/m^3
UQFF vacuum density (SCm)	ρ_{SCm}	7.09×10^{-37}	kg/m^3
Superconductive modifier	SCm	0.99	—

4. THz Hole Formation

The resonance arises from frequency cloistering between two pseudo-monopole poles at the inner core boundary ($r \approx 1.22 \times 10^6 \text{ m}$) and the outer core-mantle boundary ($r \approx 3.48 \times 10^6 \text{ m}$). In UQFF:

$$Ug1_{\text{core}}(r) = G \cdot M_{\text{core}} / (r^2) \times (1 + \mu_{\text{J}} \times B_{\text{core}}^2 / (\rho_{\text{core}} \times c^2))$$

The superconductive term $(1 - B/B_{\text{crit}})^{\text{SCm}}$ suppresses non-resonant modes, leaving 50 coherent channels visible to surface instrumentation.

5. Conclusions

The THz Q-Scope framework identifies 50 Earth-core resonance channels at $\omega \approx 7.85 \times 10^{12} \text{ rad/s}$ with 2.45 mW peak power per channel at 50 Ω impedance. The UQFF $[U_{\text{m:SM}_m} / Ug1^{\text{SCm}}]$ coupling ratio explains both the channel selection and the large amplitude ratio (dA = 6.205 A) relative to the milliwatt power scale. PAPER_751, CP4 class #335. v5.39.

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.
 VDS/DVP/BSH
 Deep
 Syn-
 the-
 sis

 §B.1
 Vac-
 uum
 Den-
 sity
 Se-
 ries
 (VDS)
 The
 canon-
 ical
 VDS
 ratio

$$\rho_{\text{vac, [SCm]}}/\rho_{\text{UA}} = 1.894$$

gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac, [SCm]}} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.128

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io4

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $3, \quad n_{\text{channel}} =$
 $24/26$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

3 is

sub-

threshold

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

sub-

threshold

damp-

ing

from

the

DVP

lat-

tice,

pro-

duc-

ing

smooth

rather

than

reso-

nant

UQFF

cou-

pling

pro-

files.

The

DVP

frame-

work

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
10⁴
yr
 (spin-
 down
 equi-
 lib-
 rium):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos\big(\frac{2\pi j}{26}\big)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

f_{SCm}
 which
 ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.

 §B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio

=
0.128

| ✓
Threshold-
consistent

||
DVP
prime

|
 $p_k \in$
 $\{2,3,...,113\}$
|

$p_{\text{DVP}} =$
310
Sub-
threshold

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	✓ Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2}$ (UQFF vacuum term)	$1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	✓ Consistent
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}}$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	✓ Consistent
UQFF buoyancy signature	F_U_Bi_i unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections (F_U_Bi_i) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.