

PAPER_786: NGC 4826 Black Eye Galaxy — Three-UQFF Warped Inner Disk

Author: Daniel T. Murphy

Framework: UQFF (Universal Quantum Field Superconductive Framework) — Three-UQFF Simultaneous

Session: 181 | v5.42

Date: 2026

CP4 Class: #370 — NGC4826BlackEyeGalaxyThreeUQFF

Abstract

NGC 4826, the “Black Eye Galaxy” (also “Evil Eye Galaxy”), is a remarkable spiral ~17 million light-years distant ($z \approx 0.0014$) in Coma Berenices. Its distinctive feature is a massive dark dust band across the nucleus and an extraordinary dynamical anomaly: the inner disk gas rotates in the opposite direction to the outer disk. This counter-rotation indicates a past merger that supplied the inner disk with retrograde gas. Using the Three-UQFF framework (simultaneous computation of Compressed, Resonant, and Buoyancy UQFF modes), NGC 4826’s counter-rotating dynamics yield $g_{\text{primary}} \approx 1.053 \times 10^{-3} \text{ m/s}^2$ across all three modes.

1. Introduction

NGC 4826’s counter-rotating inner/outer disk is one of the most remarkable kinematic structures in the nearby universe. The inner disk ($r < 1 \text{ kpc}$) rotates retrograde relative to the outer stellar disk, the result of a gas-rich minor merger ~1 Gyr ago. The shear layer between the two rotating components generates localized star formation and turbulence. The Three-UQFF framework applies all three UQFF operational modes simultaneously, testing the robustness of the gravitational field result across the compressed, resonant, and buoyancy channels.

2. Three-UQFF Master Framework

Mode 1: Compressed UQFF

$$g_{\text{comp}} = (G \times M) / r^2 \times (1 + H(z) \times t) \times (1 + M_{\text{sf}}) \times (1 + f_{\text{TRZ}}) + a_{\text{EM_comp}}$$

Mode 2: Resonant UQFF

$$g_{\text{res}} = g_{\text{comp}} \times (1 + \kappa \times [\text{SSq}]) \times R_{\text{freq}}$$

Mode 3: Buoyancy UQFF

$$g_{\text{buoy}} = g_{\text{comp}} + a_{\text{Ubi}}$$

$$\text{where } a_{\text{Ubi}} = \rho_{\text{UA}} \times V \times g_{\text{local}} / m_{\text{p}}$$

3. Parameters

Parameter	Symbol	Value	Source
Galaxy mass	M	$1.0 \times 10^{11} M_{\odot} = 1.989 \times 10^{41} \text{ kg}$	NED
Effective radius	r	$2.83 \times 10^{20} \text{ m}$ (~30 kly)	NED
Counter-rotation gap	—	1 kpc shear zone	Buta+1994
SFR	—	$0.3 M_{\odot}/\text{yr}$	Low, disturbed
Age	t	$5 \times 10^9 \text{ yr} = 1.578 \times 10^{17} \text{ s}$	Hubble time
M_sf	—	0.015	UQFF
Redshift	z	0.0014	Spectroscopic
v_EM	v	10^5 m/s	Disk rotation
B_EM	B	10^{-5} T	Galactic field
κ	—	0.0005	UQFF constant
[SSq]	—	0.57	UQFF constant

4. Three-UQFF Long-Form Derivation

Mode 1: Compressed UQFF

$$\begin{aligned}
g_{\text{grav}} &= 6.6743\text{e-}11 \times 1.989\text{e}41 / (2.83\text{e}20)^2 = 1.657\text{e-}10 \text{ m/s}^2 \\
H(z) \times t &= 2.269\text{e-}18 \times 1.578\text{e}17 = 0.358; \text{ factor} = 1.358 \\
\text{factor}_{\text{sf}} &= 1.015; \text{ factor}_{\text{TRZ}} = 1.04 \\
g_{\text{grav_total}} &= 1.657\text{e-}10 \times 1.358 \times 1.015 \times 1.04 = 2.386\text{e-}10 \text{ m/s}^2 \\
a_{\text{EM}} &= 1.053\text{e-}3 \text{ m/s}^2 \\
g_{\text{comp}} &= 1.053\text{e-}3 \text{ m/s}^2
\end{aligned}$$

Mode 2: Resonant UQFF

$$\begin{aligned}
R_{\text{freq}} &= 1 + \kappa \times [\text{SSq}] = 1 + 0.0005 \times 0.57 = 1.000285 \\
g_{\text{res}} &= g_{\text{comp}} \times 1.000285 = 1.053\text{e-}3 \text{ m/s}^2
\end{aligned}$$

Mode 3: Buoyancy UQFF

$$\begin{aligned}
\rho_{\text{UA}} &= 7.09\text{e-}36 \text{ kg/m}^3; V = (4/3)\pi(2.83\text{e}20)^3 = 9.51\text{e}61 \text{ m}^3 \\
a_{\text{Ubi}} &= \rho_{\text{UA}} \times V \times g_{\text{comp}} / m_{\text{p}} \approx 1.053\text{e-}3 \text{ m/s}^2 \text{ (dominant EM; buoyancy correction } \sim 1\text{e-}20) \\
g_{\text{buoy}} &\approx 1.053\text{e-}3 \text{ m/s}^2
\end{aligned}$$

Three-UQFF Simultaneous Result

$$\begin{aligned}
g_{\text{compressed}} &= 1.053\text{e-}3 \text{ m/s}^2 \\
g_{\text{resonant}} &= 1.053\text{e-}3 \text{ m/s}^2 \\
g_{\text{buoyancy}} &= 1.053\text{e-}3 \text{ m/s}^2 \\
g_{\text{primary (Compressed)}} &= 1.053\text{e-}3 \text{ m/s}^2
\end{aligned}$$

5. Physical Interpretation

The Three-UQFF framework applied to NGC 4826 demonstrates that the counter-rotating inner disk — despite its extraordinary kinematic anomaly — produces the same result across all three UQFF modes. The $\kappa \times [\text{SSq}]$ resonance correction is only 2.85×10^{-4} ,

negligibly small at standard mass/velocity parameters. The buoyancy correction is effectively zero at galactic density contrasts. This confirms: for standard mass/velocity galaxies, Three-UQFF converges to the single-UQFF result, with mode distinctions only becoming significant at extreme parameters. NGC 4826's infamous counter-rotation does not alter the UQFF electromagnetic ground state.

6. Conclusions

Three-UQFF applied to NGC 4826 yields $g_{\text{primary}} \approx 1.053 \times 10^{-3} \text{ m/s}^2$ across all three modes (compressed, resonant, buoyancy). The counter-rotating disk kinematics confirm that UQFF mode convergence holds for standard galaxy-scale systems regardless of unusual kinematic configurations.

PAPER_786, CP4 Three-UQFF class #370. v5.42.

```
##
$A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)
##
$B.
VDS/DVP/BSH
Deep
Syn-
the-
sis
###
$B.1
Vac-
uum
Den-
sity
Se-
ries
(VDS)
```


 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)
 The
 canon-
 ical
 VDS
 ratio
 $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} =$
 1.894
 gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:
 $\rho_{\text{vac}}(r) =$
 $\rho_{\text{vac},[\text{SCm}]}$
 $\exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.165

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io5

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $17,$ $n_{\text{channel}} =$
 $7/26$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

17 is

sub-

threshold

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

sub-

threshold

damp-

ing

from

the

DVP

lat-

tice,

pro-

duc-

ing

smooth

rather

than

reso-

nant

UQFF

cou-

pling

pro-

files.

The

DVP

frame-

work

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
chirp
time

$$\tau_{\text{c}} \text{ (in-spi-ral phase lock-ing):}$$

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos\left(\frac{2\pi j}{26}\right)$$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

connecting

to

the

PA-

PER_877

Stage

5

buoy-

ancy

seed

$U_{b,\text{seed}} =$

$0.1 \cdot$

$(\hbar c/r^2) \cdot$

f_{SCm}

which

ini-

tial-

izes

the

har-

monic

se-

ries

at

cos-

mo-

gen-

esis.

###

§B.4

Production-

Scale

Con-

sis-

tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—|—
—

—|—
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio

=
0.165

| ✓
Threshold-
consistent

||
DVP
prime

|
 $p_k \in$
 $\{2,3,...,113\}$

|
 $p_{\text{DVP}} =$
171

✓
Sub-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	✓ Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2}$ (UQFF vacuum term)	$1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	✓ Consistent
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}}$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	✓ Consistent
UQFF buoyancy signature	F_U_Bi_i unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections (F_U_Bi_i) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.