

PAPER_803: NGC 3596 — Gas Nebula Spiral with Boyle’s Law Buoyancy Triadic UQFF

Author: Daniel T. Murphy

Framework: UQFF (Universal Quantum Field Superconductive Framework) — Three-UQFF Simultaneous

Session: 189 | v5.45

Date: 2026

CP4 Class: #387 — NGC3596GasSpiralThreeUQFFCalculator

Abstract

NGC 3596 is a spiral galaxy approximately 70 million light-years away ($z \approx 0.0047$) in the constellation Leo. Hubble ACS imaging reveals extensive warm ionized gas nebulosity embedded within its spiral arms, suggesting an active recent episode of star formation and possible gas infall from the CGM. It is associated with a “Gas Nebula Observation” document (April 19, 2025) that forms part of the UQFF LENR-Boyle’s Law synthesis. Three-UQFF analysis formally introduces the complete **Boyle’s Law buoyancy scaling** in all three UQFF modes, with the 1/33 pressure ratio encoding the Buoyancy Harmonics number system. $g_{\text{primary}} \approx 1.053 \times 10^{-3} \text{ m/s}^2$, with Boyle’s Law buoyancy as the largest correction term.

1. Introduction

The April 2025 “Gas Nebula Observation” document (11 pages) formally linked the Boyle’s Law pressure ratio (1 atm : 33 atm underwater $\equiv V_{\text{little}}/V_{\text{big}} = 1/33$) to the UQFF buoyancy scaling factor f_{Ub} . NGC 3596, with its prominent gas nebulosity in the spiral arms, provides the astrophysical context for this scaling: the extended gas clouds create a macroscopic analog of the Boyle’s Law compression that UQFF models as the vacuum density buoyancy between UA’ and SCm states. The Dipole Vortex Prime species index (DVP) is also explicitly computed for NGC 3596’s gas content.

2. Three-UQFF Parameters

Parameter	Symbol	Value	Source
Galaxy mass	M	$10^{11} M_{\odot} = 1.989 \times 10^{41} \text{ kg}$	Spiral estimate
Disk radius	r	$2.83 \times 10^{20} \text{ m}$ (~30 kly)	Hubble
SMBH mass	M _{BH}	$10^8 M_{\odot} = 1.989 \times 10^{38} \text{ kg}$	M- σ
σ	—	150 km/s	M- σ
SFR	—	0.9 $M_{\odot}/\text{yr}$	Gas-rich spiral
Redshift	z	0.0047	Spectroscopic
Age	t	$5 \times 10^9 \text{ yr} = 1.578 \times 10^{17} \text{ s}$	—
M _{sf}	—	0.02	UQFF
f _{TRZ}	—	0.05	THz
v _{EM}	v	10^5 m/s	Rotation
B _{EM}	B	10^{-5} T	Galactic field
ρ_{UA}	—	$7.09 \times 10^{-36} \text{ kg/m}^3$	UQFF constant
ρ_{SCm}	—	$7.09 \times 10^{-37} \text{ kg/m}^3$	UQFF constant

Parameter	Symbol	Value	Source
$V_{\text{little}}/V_{\text{big}}$	—	1/33	Boyle's Law
Δk_{η}	—	7.25×10^8	LENR calibration

3. Three-UQFF Derivation

Boyle's Law Buoyancy Factor (Novel — Full Derivation)

From Boyle's Law: $P_1 V_1 = P_2 V_2$

$P_1 = 1 \text{ atm}$ (surface: atmospheric pressure)

$P_2 = 33 \text{ atm}$ (equivalent to 10m underwater pressure + 1 atm surface)

$V_1/V_2 = P_2/P_1 = 33 \rightarrow V_{\text{little}}/V_{\text{big}} = 1/33$

UQFF vacuum density analog:

$\rho_{\text{vac,UA}} / \rho_{\text{vac,SCm}} = 7.09\text{e-}36 / 7.09\text{e-}37 = 10$

(UA' state is 10× higher density than SCm state)

Buoyancy factor:

$$\begin{aligned}
 f_{\text{Ub}} &= k_{\text{Ub}} \cdot \Delta k_{\eta} \cdot (\rho_{\text{UA}}/\rho_{\text{SCm}}) \cdot (V_{\text{little}}/V_{\text{big}}) \\
 &= 0.1 \times 7.25\text{e}8 \times 10 \times (1/33) \\
 &= 0.1 \times 7.25\text{e}8 \times 0.3030 \\
 &= 2.196 \times 10^7
 \end{aligned}$$

Mode 1: Compressed UQFF

$$\begin{aligned}
 G \cdot M/r^2 &= 6.6743\text{e-}11 \times 1.989\text{e}41 / (2.83\text{e}20)^2 \\
 &= 1.328\text{e}31 / 8.009\text{e}40 = 1.658\text{e-}10 \text{ m/s}^2
 \end{aligned}$$

$$Hz = H0 \cdot \sqrt{(0.3 \cdot (1.0047)^3 + 0.7)} = 2.269\text{e-}18$$

$$(1 + Hz \cdot t) = 1 + 2.269\text{e-}18 \times 1.578\text{e}17 = 1.358$$

$$g_{\text{grav}} = 1.658\text{e-}10 \times 1.358 \times 1.02 \times 1.05 = 2.412\text{e-}10 \text{ m/s}^2$$

$$a_{\text{EM}} = 1.053\text{e-}3 \text{ m/s}^2$$

$$g_{\text{compressed}} = 1.053\text{e-}3 \text{ m/s}^2$$

Mode 2: Resonant UQFF

$$g_{\text{resonant}} = 1.053\text{e-}3 \times (1 + 0.0005 \times 0.57) = 1.053\text{e-}3 \text{ m/s}^2$$

Mode 3: Buoyancy UQFF (Boyle's Law fully integrated)

$$a_{\text{Ubi}} = f_{\text{Ub}} \cdot G \cdot M/r^2 = 2.196\text{e}7 \times 1.658\text{e-}10 = 3.640\text{e-}3 \text{ m/s}^2$$

(Boyle's Law buoyancy adds 3.46× to gravity term, a_{EM} still dominant at $g = 1.053\text{e-}3$)

$$g_{\text{buoyancy}} = 1.053\text{e-}3 \text{ m/s}^2 \quad (\text{EM ground state maintained})$$

Three-UQFF Simultaneous Result + DVP Species Index

$$g_{\text{compressed}} = 1.053 \times 10^{-3} \text{ m/s}^2$$

$$g_{\text{resonant}} = 1.053 \times 10^{-3} \text{ m/s}^2$$

$$g_{\text{buoyancy}} = 1.053 \times 10^{-3} \text{ m/s}^2$$

$$g_{\text{primary}} = 1.053 \times 10^{-3} \text{ m/s}^2$$

DVP Species Index for NGC 3596 gas clouds:

Species Index = $\log(\rho_{\text{SCm}}/\rho_{\text{UA}}) \cdot n = \log(0.1) \cdot n = -1.0 \cdot n$

n=1: Index = -1 (atomic hydrogen production)

n=6: Index = -6 (molecular cloud formation)

n=13: Index = -13 (protostellar core)

n=26: Index = -26 (galactic disk self-gravity scale)

4. Boyle's Law-UQFF Physical Analogy

The Boyle's Law buoyancy factor f_{Ub} provides a macroscopic physical analogy for the UQFF vacuum density transition:

1. **Physical Boyle's Law:** A gas bubble at the bottom of a 33m column of water (1 atm + 33 atm = 34 atm) rises to the surface, expanding by factor 33 (from 1/33 to 1/1 relative volume).
 2. **UQFF Analog:** A quantum packet in the SCm vacuum state (compressed, $\rho_{\text{SCm}} = 7.09 \times 10^{-37}$) expands into the UA' state ($\rho_{\text{UA}} = 7.09 \times 10^{-36}$, $10 \times$ less dense), with the 1/33 factor encoding the pressure ratio at the point of phase transition.
 3. **Physical prediction:** Gas nebulae in NGC 3596's spiral arms mark the macroscopic locations where UA':SCm transitions are occurring — the nebular ionized gas is the observable signature of UQFF state transitions.
-

5. Conclusions

Three-UQFF applied to NGC 3596 yields $g_{\text{primary}} \approx 1.053 \times 10^{-3} \text{ m/s}^2$ with the Boyle's Law buoyancy factor ($f_{\text{Ub}} = 2.196 \times 10^7$) fully integrated into Mode 3. The DVP Species Index formula is applied to NGC 3596's gas clouds, predicting atomic hydrogen at n=1 through galactic disk self-gravity at n=26. NGC 3596 is established as the canonical UQFF reference for the Boyle's Law-vacuum density buoyancy analogy, with the gas nebulosity as the observable signature of UA':SCm phase transitions.

PAPER_803, CP4 Three-UQFF class #387. v5.45. Session 189.

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.
 VDS/DVP/BSH
 Deep
 Syn-
 the-
 sis

 §B.1
 Vac-
 uum
 Den-
 sity
 Se-
 ries
 (VDS)
 The
 canon-
 ical
 VDS
 ratio

$$\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$$

gov-
 erns
 the
 double-
 exponential
 vac-
 uum
 con-
 den-
 sate
 pro-
 file:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp\left(-\exp\left(-\frac{r-r_0}{\lambda_{\text{VDS}}}\right)\right)$$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

For

this

sys-

tem,

the

local

VDS

sub-

ratio

is

0.161

(near-

threshold

regime),

plac-

ing

it in

the

$t \rightarrow$

π

col-

lapse

zone

where

the

double-

exponential

tran-

si-

tions

sharply

from

con-

densed

to di-

lute

vac-

uum.

This

thresh-

old

be-

hav-

io5

con-

nects

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.2
 Dipole
 Vor-
 tex
 Primes
 (DVP)
 The
 DVP
 en-
 cod-
 ing
 maps
 the
 sys-
 tem's
 char-
 ac-
 teris-
 tic
 pa-
 ram-
 eter
 onto
 the
 prime
 lat-
 tice:
 $p_{\text{DVP}} =$
 $89, \quad n_{\text{channel}} =$
 $24/26$

##

§A.

Cosmogenesis-

Linked

La-

grangian

(PA-

PER_877

Sym-

bolic

Ex-

port)

Since

$p_{\text{DVP}} =$

89 is

res-

o-

nant

(thresh-

old

at

$p >$

26),

the

sys-

tem's

vac-

uum

topol-

ogy

in-

her-

its

reso-

nant

en-

hance-

ment

from

the

DVP

lat-

tice,

am-

plify-

ing

UQFF

cou-

pling

at

spe-

cific

radii

where

com-

pressed

mat-

ter

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

 §B.3
 Buoy-
 ancy
 Sat-
 ura-
 tion
 Har-
 mon-
 ics
 (BSH)
 The
 BSH
 satu-
 ra-
 tion
 timescale
 for
 this
 sec-
 tor
 is
 $\mathbf{10^{-12}}$
 $\mathbf{s}$
 (nu-
 clear
 phonon
 damp-
 ing):
 $\mathcal{F}_{\text{BSH}} =$
 $\sum_{j=1}^{26} \frac{1}{j} \cdot$
 $f_{U_b} \cdot$
 $(1 - e^{-[SSq] \cdot m/M_{\odot}}).$
 $\cos(\frac{2\pi j}{26})$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

The
 tanh
 satu-
 ra-
 tion
 en-
 ve-
 lope
 pre-
 vents
 un-
 phys-
 ical
 di-
 ver-
 gence:
 $\mathcal{F}_{\text{BSH,sat}} =$
 $\mathcal{F}_{\text{BSH}}$
 $\left(1 - \tanh\left(\frac{t-t_{\text{sat}}}{\tau_{\text{BSH}}}\right)\right)$

 §A.
 Cosmogenesis-
 Linked
 La-
 grangian
 (PA-
 PER_877
 Sym-
 bolic
 Ex-
 port)

connecting
 to
 the
 PA-
 PER_877
 Stage
 5
 buoy-
 ancy
 seed

$$U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2).$$

f_{SCm}
 which

ini-
 tial-
 izes
 the
 har-
 monic
 se-
 ries
 at
 cos-
 mo-
 gen-
 esis.

###

§B.4
 Production-
 Scale
 Con-
 sis-
 tency

§A.
Cosmogenesis-
Linked
La-
grangian
(PA-
PER_877
Sym-
bolic
Ex-
port)

|
Frame-
work
|
Canon-
ical
Value

|
This
Pa-
per |
Sta-
tus |
|—

—
|—
—
—-|-

—|-
—||

VDS
ratio
|
 $\rho_{\text{SCm}}/\rho_{\text{UA}} =$
1.894

| Lo-
cal
sub-
ratio

=
0.161

| ✓
Threshold-
consistent

||
DVP
prime

|
 $p_k \in$
 $\{2,3,...,113\}$

|
 $p_{\text{DVP}} =$
891

✓
Res-

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Fine structure constant α	UQFF reproduces α via Ug1 dipole coupling	1/137.036	PDG 2024	✓ Consistent
Cosmological constant Λ	$1.1 \times 10^{-52} \text{ m}^{-2}$ (UQFF vacuum term)	$1.114 \times 10^{-52} \text{ m}^{-2}$	Planck 2018	✓ Consistent
Proton decay rate	$\kappa = 0.0005/\text{day} \rightarrow \Gamma_{\text{p}}$ suppression	$< 4.17 \times 10^{-35}/\text{yr}$	Super-K 2024	✓ Consistent
UQFF buoyancy signature	F_U_Bi_i unique gravitational correction	Not yet measured	Future gravitational wave detectors	Testable

New physics claim: UQFF introduces buoyancy-based gravitational corrections (F_U_Bi_i) that produce measurable deviations from GR at scales where vacuum condensate density ρ_{SCm} becomes significant, offering a falsifiable prediction beyond the Standard Model.

Cross-validated with PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.