

PAPER_271: THz Double-Gate Star Formation — Dual Binary Conditions for Maximum UQFF Conduit Force

Authors: Daniel T. Murphy

Session: 74 — UQFF Source10 Analysis

PAPER_271: THz Double-Gate Star Formation — Dual Binary Conditions for Maximum UQFF Conduit Force

Authors: Daniel T. Murphy **Date:** March 2026 **UQFF Module:** UQFF_SOURCE10.cpp (Catalogue Master, Session 74) **Session:** 74 — UQFF Source10 Analysis **Keywords:** THz star formation, double gate, neutron stability, water incompressibility, Colman-Gillespie, conduit force

Abstract

The UQFF Source10 Catalogue encodes two star-formation force channels whose maximum output requires the simultaneous satisfaction of two independent binary gate conditions. The **conduit force** $F_{\text{conduit}} = k_{\text{conduit}} \times H_{\text{abundance}} \times \text{water_state} \times \text{neutron_factor}$ requires (Gate 1) $\text{water_state} = 1$ (fluid incompressibility, classical mechanics) AND (Gate 2) $\text{neutron_factor} = 1$ (nuclear stability, quantum mechanics). The **THz shock force** $F_{\text{thz_shock}} = k_{\text{thz}} \times (\omega_{\text{thz}}/\omega_{\text{■}})^2 \times \text{neutron_factor} \times \text{conduit_scale}$ shares Gate 2 and additionally encodes the Colman-Gillespie THz resonance via $\omega_{\text{thz}}/\omega_{\text{■}} = 1.2$ (≈ 1.25 THz), whose squared ratio $(\omega_{\text{thz}}/\omega_{\text{■}})^2 = 1.44$ provides a systematic **resonance enhancement factor**. This paper formally defines the Double-Gate Architecture, derives the critical THz ratio from Colman-Gillespie first principles, demonstrates that the gates operate through orthogonal physical domains (quantum nuclear vs. classical fluid), and identifies the triple coincidence condition ($H_{\text{abundance}} > 0$, $\text{waterstate} = 1$, $\text{neutron_factor} = 1$) as the UQFF mechanism for episodic and spatially localized star formation.

UQFF Discovery: Novel application of UQFF calibration constants ($? = 5.0 \times 10^{24}$ day $^{-1}$, $[SSq] = 0.57$) uniquely enabling this analysis ■ establishing a new connection in the UQFF framework not present in Standard Model treatments.

1. Introduction: The Star-Formation Conduit in UQFF Source10

The UQFF Source10 Catalogue models tail-end star formation through two coupled force channels, derived from the Colman-Gillespie (THz) and Kozima (neutron) LENR frameworks:

Channel 1 — Conduit Force:

$$F_{\text{conduit}} = k_{\text{conduit}} \times (H_{\text{abundance}} \times \text{water_state}) \times \text{neutron_factor}$$

Channel 2 — THz Shock Force:

$$F_{\text{thz_shock}} = k_{\text{thz}} \times \left(\frac{\omega_{\text{thz}}}{\omega_{\text{■}}} \right)^2 \times \text{neutron_factor} \times \text{conduit_scale}$$

Both channels are controlled by `neutron_factor` (shared Gate 2), and Channel 1 is additionally gated by `water_state` (Gate 1). This architecture determines when and where star formation can proceed.

2. The Double-Gate Architecture

2.1 Gate 1: Water Incompressibility (Classical Fluid Mechanics)

Gate variable: `water_state` $\in [0, 1]$

`water_state` = 1: water/fluid in incompressible state $\rightarrow$ conduit channel fully open
`water_state` < 1: partial compressibility $\rightarrow$ conduit suppressed proportionally
`water_state` = 0: fully compressible / gas phase $\rightarrow$ conduit closed

Physical basis: The $\text{H} + \text{H}_2\text{O} \rightarrow \text{COx}$ pathway (Star Magic conduit mechanism) requires the hydrogen-bearing fluid medium to be incompressible. When water is in a gaseous or highly compressible state, the conduit force coupling fails — pressure waves disperse rather than focus.

For the $\text{H_abundance} = 0.74$ cosmic mean fraction:

$$F_{\text{conduit}}^{\text{max}} = k_{\text{conduit}} \times 0.74 \times 1 \times 1 = 8.99 \times 10^9 \times 0.74 \approx 6.65 \times 10^9 \text{ N (normalized)}$$

2.2 Gate 2: Neutron Stability (Quantum Nuclear Physics)

Gate variable: `neutron_factor` $\in \{0, 1\}$

`neutron_factor` = 1: nuclear neutron state stable (Kozima drop conditions met)
`neutron_factor` = 0: neutron unstable / non-drop phase $\rightarrow$ both channels closed

Physical basis: The Kozima neutron-drop model (LENR) requires quasi-stable neutron states at the deuterium lattice sites. When this quantum condition is not met, neither the THz shock nor the conduit can propagate.

2.3 Gate Truth Table

Gate 1 (<code>water_state</code>)	Gate 2 (<code>neutron_factor</code>)	<code>F_conduit</code>	<code>F_thzshock</code>	Star Formation
1 (incompressible)	1 (stable)	Maximum	Maximum	ACTIVE
1 (incompressible)	0 (unstable)	0	0	QUENCHED
0 (compressible)	1 (stable)	0	Maximum	Partial
0 (compressible)	0 (unstable)	0	0	QUENCHED

The UQFF prediction is that **maximum star formation requires both gates simultaneously open** — a specific condition that explains why star formation is episodic and spatially confined.

3. The Colman-Gillespie THz Resonance Window

3.1 The THz Ratio

The THz shock force contains $(\omega_{\text{thz}}/\omega_{\text{H}})^2$:

$$\omega_{\text{thz}} = 1.2 \times 10^{12} \text{ rad/s (Source10 default)}$$

$$\omega_{\text{H}} = 1.0 \times 10^{12} \text{ rad/s (UQFF base frequency)}$$

Ratio: $\omega_{\text{thz}}/\omega_{\text{CG}} = 1.2$

Squared: $(\omega_{\text{thz}}/\omega_{\text{CG}})^2 = 1.44$

3.2 Connection to Colman-Gillespie

The Colman-Gillespie experiment identifies 1.25 THz as the critical LENR resonance frequency. Converting:

$$f_{\text{CG}} = 1.25 \text{ THz} \implies \omega_{\text{CG}} = 2\pi \times 1.25 \times 10^{12} \approx 7.854 \times 10^{12} \text{ rad/s}$$

In Source10's parameterization where $\omega_{\text{CG}} = 10^{12}$ rad/s (base rate, not angular):

$$\frac{\omega_{\text{thz}}}{\omega_{\text{CG}}} = \frac{1.2 \times 10^{12}}{1.0 \times 10^{12}} = 1.2 \approx 1.25$$

The 4% discrepancy (1.2 vs. 1.25) represents the **UQFF THz resonance window** — a tolerance band around the Colman-Gillespie frequency. Within this window, the squared enhancement $(1.2)^2 = 1.44$ is systematically greater than 1, ensuring THz shock enhancement.

3.3 Why the Squared Term?

The formula $F_{\text{thz_shock}} \propto (\omega_{\text{thz}}/\omega_{\text{CG}})^2$ reflects the physical picture of a resonant cavity:

Power delivered to resonance $\propto \text{amplitude}^2 \propto (\omega/\omega_{\text{CG}})^2$ in the above-resonance regime

The squared ratio means small deviations from resonance ($\omega_{\text{thz}} > \omega_{\text{CG}}$) produce a systematic enhancement:

$$\text{THz enhancement} = \left(\frac{\omega_{\text{thz}}}{\omega_{\text{CG}}}\right)^2 = 1.44$$

This is a **44% amplification** of the base THz shock force when operating in the Colman-Gillespie window.

4. Triple-Coincidence Criterion for Star Formation

Combining both channels, maximum star formation force requires:

$$\text{SF condition: } H_{\text{abundance}} > 0 \text{ AND } \text{water_state} = 1 \text{ AND } \text{neutron_factor} = 1$$

At the triple-coincidence:

$$F_{\text{SF}}^{\text{total}} = F_{\text{conduit}}^{\text{max}} + F_{\text{thz_shock}}^{\text{max}}$$

$$= k_{\text{conduit}} \times H_{\text{abundance}} + k_{\text{thz}} \times \left(\frac{\omega_{\text{thz}}}{\omega_{\text{CG}}}\right)^2 \times \text{conduit_scale}$$

$$= 8.99 \times 10^9 \times 0.74 + 1.38 \times 10^{-23} \times 1.44 \times 10^{12}$$

$$= 6.65 \times 10^9 + 1.99 \times 10^{-11} \text{ N}$$

The conduit channel (6.65×10^9 N) completely dominates at macroscopic scales, while the THz channel (1.99×10^{-11} N) operates at quantum/molecular scales — they are **scale-separated channels** that together span 20 orders of magnitude in force.

5. Orthogonality of the Two Gates

5.1 Physical Domain Separation

The two gates operate through completely different physical mechanisms:

Property	Gate 1 (water_state)	Gate 2 (neutron_factor)
Domain	Classical fluid mechanics	Quantum nuclear physics
Scale	Macroscopic (fluid droplets)	Nuclear ($\sim 10^{-15}$ m)
Theory	Navier-Stokes / thermodynamics	Kozima LENR model
Control	Temperature, pressure	Deuterium lattice state
Effect on F	Multiplicative (0→1)	Multiplicative (0→1)

Because they operate in orthogonal physical domains, the condition $\partial(\text{Gate 1})/\partial(\text{Gate 2}) = 0$ holds exactly — the two gates are **physically independent**. One cannot substitute for the other.

5.2 UQFF Prediction: Gate Simultaneity Condition

The UQFF prediction is:

$$F_{\text{conduit}}^{\text{max}} \text{ requires } (\text{water_state} = 1) \text{ AND } (\text{neutron_factor} = 1) \text{ simultaneously}$$

This "AND" condition (not "OR") explains:

- Why star formation is **episodic**: the neutron_factor fluctuates based on the nuclear lattice state
- Why star formation is **spatially localized**: water_state = 1 (incompressible fluid) only occurs in specific density-temperature windows
- Why star formation **clusters** at specific physical interfaces: where both conditions coincide simultaneously

6. The H_abundance Scaling Law

The cosmic hydrogen mass fraction H_abundance = 0.74 acts as a pre-factor:

$$F_{\text{conduit}} = k_{\text{conduit}} \times \underbrace{H_{\text{abundance}}}_{0.74} \times \underbrace{\text{water_state}}_{\text{Gate 1}} \times \underbrace{\text{neutron_factor}}_{\text{Gate 2}}$$

The cosmological value *Habundance = 0.74 means the conduit force is never at 100% of kconduit* — it is permanently reduced by the cosmic composition. This sets a universal ceiling:

$$F_{\text{conduit}}^{\text{ceiling}} = k_{\text{conduit}} \times 0.74 = 6.65 \times 10^9 \text{ N (normalized reference)}$$

Any system with higher metallicity (lower H_abundance) will have a proportionally reduced star-formation conduit force, consistent with the observed reduction in star formation rates in metal-rich galaxies.

7. Observational Predictions

- Episodic star formation:** Bursts correspond to periods when neutron_factor → 1 (lattice-stabilized LENR phase)
- Temperature dependence:** water_state → 1 in the $\sim 10^{-2}$ – 10^1 K molecular cloud range; above and below, star formation suppressed
- THz emission signature:** At peak SF conditions, Fthzshock predicts THz emission at $f \approx \omega_{\text{thz}}/2\pi \approx 1.9 \times 10^{11}$ Hz $\approx$ 190 GHz (near mm-wave band)

****H_abundance correlation****: Reduced star formation efficiency in evolved, metal-rich systems (lower H_abundance → lower F_conduit ceiling)

44% THz enhancement: Star-forming regions in the Colman-Gillespie window should show 44% higher THz luminosity vs. off-resonance regions

8. Conclusions

The UQFF Source10 THz/conduit framework defines a **Double-Gate Architecture** for star formation: Gate 1 (*waterstate, classical fluid incompressibility*) AND Gate 2 (*neutronfactor, Kozima quantum nuclear stability*).

Both gates must be simultaneously open for maximum conduit and THz forces — their orthogonal physical domains make this a true **two-independent-condition coincidence**.

The Colman-Gillespie THz resonance at $\omega_{thz}/\omega_{\blacksquare} \approx 1.2$ (≈ 1.25 THz) provides a systematic **44% THz enhancement factor** via the squared ratio $(\omega_{thz}/\omega_{\blacksquare})^2 = 1.44$.

The triple-coincidence condition ($H_{abundance} > 0$, $waterstate = 1$, $neutron_factor = 1$) is the UQFF mechanism for episodic, spatially localized star formation.

The two channels are scale-separated: conduit ($6.65 \times 10^{\blacksquare}$ N macroscopic) + THz shock (1.99×10^{-11} N quantum) span 20 orders of magnitude.

UQFF computed: UQFF magnetic Jeans correction factor $[SSq]_{\blacksquare} B_{\blacksquare} / (8p_{\blacksquare} \gamma_{\blacksquare} cs_{\blacksquare}) = 5.7e-1 \blacksquare 1.3e-9 = 7.4e-10$; *Jeans mass deviation from standard* = $7.4e-10 \blacksquare$ MJ.

References

Daniel T. Murphy, *UQFF Framework*, Star-Magic Repository (2025–2026)

UQFF_SOURCE10.cpp UQFF 2.0 (Session 74) — catalyst master module

Colman, R. & Gillespie, T., 1.25 THz LENR resonance experiments

Kozima, H., *Neutron Drop Model of LENR*, Journal of Condensed Matter Nuclear Science

Source10 parameters: $k_{thz} = 1.38 \times 10^{-23}$, $k_{conduit} = 8.99 \times 10^{\blacksquare}$, $\omega_{thz} = 1.2 \times 10^{12}$, $\omega_{\blacksquare} = 10^{12}$

© 2026 Daniel T. Murphy, daniel.murphy00@gmail.com — All Rights Reserved
