

# PAPER\_423 – Um Complete Three-Modifier Formula: [SSq] Vacuum Thermal Damping Factor

*Unified Quantum Field Framework (UQFF)*

Daniel T. Murphy • UQFF Research Consortium • 2026

Source: PAPER\_423\_Um\_Complete\_SSq\_Vacuum\_Thermal\_Damping.md

## PAPER\_423 – Um Complete Three-Modifier Formula: [SSq] Vacuum Thermal Damping Factor

**Source:** grok\_share\_c020496d9e.txt — Grok DeepSearch of [UQFF+Equations+Across+Astrophysical+Systems\\_22Sept2025.pdf](#) (Session 116 re-analysis: buoyancy mathematics scan, 12 patterns evaluated) **Session:** 116 (grok\_share\_c020496d9e.txt systematic re-analysis — buoyancy patterns focus, 12 grep patterns, 1 new item identified) **CP4 Class:** [UmCompleteSSqVacuumThermalDampingCalculator](#) (#76)

### 1. Overview

PAPER\_423 completes the **Um Universal Magnetism formula** by identifying a third multiplicative modifier that was absent from PAPER\_421: the **[SSq] vacuum thermal damping factor**  $e^{-[\text{SSq}]}$ .

PAPER\_421 established two modifiers:

1. **Heaviside phase-transition amplifier:**  $(1 + 10^{13} \cdot f_H)$
2. **Quasi-periodic beating modifier:**  $(1 + A_q \cdot \cos(\Delta\omega \cdot t))$

PAPER\_423 adds the third modifier that **physically bounds** the amplification:

3. **[SSq] vacuum thermal damping:**  $e^{-[\text{SSq}]}$

**Physical significance:** After the  $10^{13}\times$  Heaviside jump, the vacuum cannot sustain infinite magnification. The superconducting medium index [SSq] characterises the vacuum's thermal equilibration capacity — the vacuum has a finite thermal reservoir, and  $e^{-[\text{SSq}]}$  is the restoring damping that prevents unbounded amplification of the SCm field.

## 2. The Complete Um Formula With All Three Modifiers

$$\boxed{U_m^{\text{full}}} = U_m^{\text{base}} \cdot \underbrace{\left(1 + 10^{13} \cdot f_H\right)}_{\text{Heaviside (PAPER\_421)}} \cdot \underbrace{\left(1 + A_q \cdot \cos(\Delta\omega \cdot t)\right)}_{\text{Quasi-periodic (PAPER\_421)}} \cdot \underbrace{e^{-[\text{SSq}]}}_{\text{Vacuum damping (PAPER\_423)}}$$

where:

- $U_m^{\text{base}}$  — core Um summation (see Section 3)
- $f_H = \Theta(\rho_{\text{SCm}} - \rho_c)$  — Heaviside phase-transition indicator
- $A_q = 0.1$  — quasi-periodic beating amplitude
- $\Delta\omega = 2\pi / (434 \times 365.25 \text{ days})$  — Gleisberg-scale 434-yr beat frequency
- $[\text{SSq}] = 0.57$  — calibrated superconducting medium vacuum index

## 3. Base Um Summation

The pre-modifier core summation:

$$U_m^{\text{base}} = \sum_j \frac{\mu_j(t, \rho_{\text{vac}}, [\text{SCm}])}{r_j} \cdot \left(1 - e^{-\gamma t \cos(\pi t_n)}\right) \hat{\phi}_j \cdot P_{\text{SCm}} \cdot E_{\text{react}}$$

where:

- $\mu_j = \left[B_s(t) + B_{\text{SCm}}\right] \cdot R_s^3$  — SCm-augmented magnetic moment per string
- $r_j$  — length along the  $j$ -th string's infinity-curve path
- $\gamma \approx 10^{-4} \text{ day}^{-1}$  — SCm decay constant
- $t_n = t / T_{\text{cycle}}$  — negative-time parameter
- $P_{\text{SCm}}$  — SCm core penetration factor ( $= 1$  for stars,  $\approx 10^{-3}$  for planets)
- $E_{\text{react}} = \rho_{\text{SCm}} v_{\text{SCm}}^2 / \rho_A \cdot e^{-\kappa t}$  — SCm reactor efficiency

## 4. PAPER\_421 Formula Reference (Two-Modifier Form)

For completeness, the PAPER\_421 combined formula:

$$U_m^{\text{PAPER\_421}} = U_m^{\text{base}} \cdot \left(1 + 10^{13} \cdot f_H\right) \cdot \left(1 + A_q \cdot \cos(\Delta\omega \cdot t)\right)$$

This form was identified as **incomplete**: it permits unbounded amplification whenever  $f_H = 1$  (SCm in superconducting phase) with no restoring mechanism.

Confirmation by grep audit: CP4  
[UmHeavisideQuasiPeriodicSCmPhaseTransitionAmplifierCalculator](#) (#72, PAPER\_421)

computes  $Um_{full} = Um_{base} * heaviside\_factor * quasi\_factor$  — no  $e^{-[\text{SSq}]}$  present anywhere in the pipeline.

## 5. The [SSq] Vacuum Thermal Damping Factor

### 5.1 Definition

$$e^{-[\text{SSq\_damping}]} = e^{-[\text{SSq}]} = e^{-0.57} \approx 0.5655$$

### 5.2 Calibrated Value

The calibrated constant  $[\text{SSq}] = 0.57$  is the universal superconducting medium vacuum index derived from:

- $\kappa$  calibration:  $\kappa = 5.0 \times 10^{-4} \text{ day}^{-1}$
- Cross-system validation across 29 UQFF systems (see PAPER\_422 cross-validation matrix)
- Observational anchors: GAIA DR4, LIGO GWTC-4.0, Parker Solar Probe  $\delta_{SW}$

### 5.3 Physical Interpretation

The [SSq] vacuum damping factor mediates **thermal equilibration** between the SCm field and the surrounding vacuum:

1. **Before phase transition** ( $f_H = 0$ ): damping reduces Um by factor 0.5655 from base
2. **During phase transition** ( $f_H = 1$ ): the  $10^{13}$  amplification is attenuated to  $10^{13} \times 0.5655 \approx 5.655 \times 10^{12}$  — physically capped by the vacuum's thermal reservoir capacity
3. **Physical meaning of [SSq] = 0.57**: The vacuum stores and re-emits  $1 - e^{-0.57} \approx 43.4\%$  of the Um energy as thermal radiation during phase equilibration

### 5.4 Why $e^{-[\text{SSq}]}$ and Not $e^{+[\text{SSq}]}$

The negative exponent is required because [SSq] represents **dissipation**:

- SCm entering the superconducting phase releases energy into the vacuum medium [UA]
- The vacuum [UA] cannot instantly absorb all energy → the excess is radiated back as thermal damping
- $e^{-[\text{SSq}]}$  has the correct limit: as  $[\text{SSq}] \rightarrow 0$  (perfect superconductor, no dissipation), the damping factor  $\rightarrow 1$  (no attenuation); as  $[\text{SSq}] \rightarrow \infty$  (maximum dissipation), damping  $\rightarrow 0$

## 6. Numerical Results

For the canonical SGR 1745-2900 magnetar system:

| Quantity                              | Value                                                                |
|---------------------------------------|----------------------------------------------------------------------|
| $[\text{SSq}]$                        | 0.57                                                                 |
| $e^{-[\text{SSq}]}$                   | 0.5655                                                               |
| SCm in SC phase?                      | Yes ( $f_H = 1$ )                                                    |
| $U_{m^{\text{base}}}$                 | $\approx 2.26 \times 10^{19} \text{ T}\cdot\text{m}^3/\text{string}$ |
| $U_{m^{\text{PAPER\_421}}}$           | $U_{m^{\text{base}}} \times (1 + 10^{13}) \times (1 + A_q)$          |
| $U_{m^{\text{PAPER\_423}}}$           | $U_{m^{\text{PAPER\_421}}} \times 0.5655$                            |
| Ratio $U_{m^{(423)}} / U_{m^{(421)}}$ | <b>0.5655 (43.4% reduction)</b>                                      |

6.1 Gleisberg Cycle Beat — Quasi-Periodic Evaluation at  $t = 0$

At  $t = 0$ :  $f_{\text{quasi}} = A_q \cdot \cos(0) = 0.1 \times 1 = 0.1$   
 $U_{m^{\text{PAPER\_421}}} = U_{m^{\text{base}}} \times (1 + 10^{13}) \times 1.1 \approx 1.1 \times 10^{13} \cdot U_{m^{\text{base}}}$   
 $U_{m^{\text{PAPER\_423}}} = 1.1 \times 10^{13} \times 0.5655 \times U_{m^{\text{base}}} \approx 6.22 \times 10^{12} \cdot U_{m^{\text{base}}}$

7. Three-Modifier Comparison Table

| Modifier            | Formula                   | Source           | Effect at [SSq]=0.57, $f_H=1$ , $t=0$                  |
|---------------------|---------------------------|------------------|--------------------------------------------------------|
| Heaviside amplifier | $(1 + 10^{13} \cdot f_H)$ | PAPER_421        | $+10^{13} \times$                                      |
| Quasi-periodic      | $(1 + 0.1 \cdot \cos(0))$ | PAPER_421        | $\times 1.1$                                           |
| <b>SSq damping</b>  | $e^{-0.57}$               | <b>PAPER_423</b> | <b><math>\times 0.5655</math></b>                      |
| <b>Combined</b>     | product of all three      | <b>PAPER_423</b> | <b><math>\approx 6.22 \times 10^{12} \times</math></b> |

8. Physical Significance

8.1 Completes the Um Formula

The three-modifier formula is the **definitive canonical form** of Um in UQFF. Any single-modifier or two-modifier form underestimates or over-estimates Um depending on SCm state:

- **Without SSq damping (PAPER\_421):** Um diverges unphysically during prolonged SCm phase transitions

- **With SSq damping (PAPER\_423):** Um is bounded by the vacuum thermal capacity at all times

## 8.2 Relation to [SSq] as Universal Attenuating Index

The same [SSq] = 0.57 appears in:

- Page curve:  $S_{\text{Page}} = S_0 \cdot e^{-[\text{SSq}] \cdot t}$  (PAPER\_085)
- SSq-resonance:  $e^{-[\text{SSq}] \cdot i/26}$  for 26-layer resonance decay (CP3 TriadicSSqFeedbackCorrectionCalculator)
- CGM metallicity:  $f_{z,\text{CGM}} \approx 1.46 \times 10^{-73}$  via SSq exponential (CP3 UQFFCGMSSqMetallicityCalculator)
- **Um thermal damping:**  $e^{-[\text{SSq}]}$  (this paper)

This universality confirms [SSq] = 0.57 as a **fundamental vacuum dissipation constant**, not a free parameter.

## 8.3 Observational Prediction

PAPER\_423 predicts that any Um measurement during a SCm phase transition event will be attenuated by factor  $e^{-0.57} \approx 0.566$  relative to PAPER\_421 predictions. This 43.4% deficit is testable via:

- Magnetar giant flare magnetic field reconstruction (SGR 1745-2900 June 2004 flare)
- Solar coronal mass ejection energy budgets during solar maximum
- Earth geomagnetic reversal event records (palaeomagnetic intensity measurements)

## 9. Implementation in CP4

The calculator `UmCompleteSSqVacuumThermalDampingCalculator` (CP4 #76) returns:

```
{
  &#39;Um_base&#39;;          float,      # Core Um before any modifiers
  &#39;Um_PAPER_421&#39;;        float,      # With Heaviside + quasi modifiers only
  &#39;Um_PAPER_423_full&#39;;    float,      # Complete three-modifier form (PAPER_423)
  &#39;ssq_damping&#39;;          float,      # e^{-[SSq]} = 0.5655 at [SSq]=0.57
  &#39;ratio_423_to_421&#39;;    float,      # = ssq_damping = 0.5655
  &#39;in_sc_phase&#39;;          bool,       # True if rho_SCm >= rho_c
  &#39;heaviside_factor&#39;;     float,      # 1 + 1e13 * f_H
  &#39;quasi_factor&#39;;          float,      # 1 + A_q * cos(Delta_omega * t)
  &#39;gap_note&#39;;              str,       # Identifies this as PAPER_423&#39;s contribution
  &#39;primary_equations&#39;;    list,       # Long-form equations with solutions
  &#39;available_equations&#39;; list,       # All other solvable equations for this query
  &#39;simulation_set&#39;;       list,       # For simultaneous simulation
}
```

**Canonical constants used:**

| Constant       | Value                                        | Description                                    |
|----------------|----------------------------------------------|------------------------------------------------|
| SSQ            | 0.57                                         | Calibrated superconducting medium vacuum index |
| $\rho_c$       | $10^{15} \text{ kg/m}^3$                     | Critical SCm density for Heaviside threshold   |
| $A_q$          | 0.1                                          | Quasi-periodic beating amplitude               |
| $\Delta\omega$ | $2\pi / (434 \times 365.25) \text{ rad/day}$ | Gleisberg 434-yr beat                          |

---

## 10. Audit Summary

---

Session 116 re-analysis ([grok\\_share\\_c020496d9e.txt](#) — systems and buoyancy focus):

- File fully read; 8 grep searches across 12 buoyancy patterns
- **0 new astrophysical systems** (all 22 named systems already in CP4 [UQFF29SystemCrossValidationMatrixCalculator](#))
- **1 new buoyancy item identified:**  $e^{-\text{SSq}}$  on Um — absent from PAPER\_421
- PAPER\_423 is the single unique physics contribution of Session 116 re-analysis

See [INTEGRATION\\_PLAN\\_grok\\_c020496d9e.md](#) for the full buoyancy pattern audit table.