

Hubble Anchor Asymmetry: A Falsifiable UQFF Prediction from G/Lambda Decoupling

Daniel T. Murphy

2026-05-10

PAPER_1157 – Hubble Anchor Asymmetry as a Falsifiable UQFF Prediction

Author: Daniel T. Murphy (daniel.murphy00@gmail.com) **Framework:** UQFF v5.78 – Star-Magic Physics **Source:** PAPER_1156 section 4 extraction; Session 243 falsifiability formalization **Integration Date:** May 10, 2026 (Session 243) **Classification:** Falsifiable Prediction – Cosmological Tension

$\frac{H_0^{\text{cosmic}}}{H_0^{\text{Planck}}} = \frac{2.268 \times 10^{-18}}{2.184 \times 10^{-18}} = 1.0385 \quad (3.85\% \text{ asymmetry, fixed by closure structure})$

Abstract

The Session 242 closures of Newton’s constant G (PAPER_593) and the cosmological constant Λ (PAPER_1156) consume *different* anchor values for the present-day Hubble parameter H_0 :

- G uses the **cosmic-time anchor** $H_0^{\text{cosmic}} = 1/t_{\text{Hubble}} = 2.268 \times 10^{-18} \text{ s}^{-1}$ ($\approx 70.0 \text{ km/s/Mpc}$).
- Λ uses the **Planck anchor** $H_0^{\text{Planck}} = 2.184 \times 10^{-18} \text{ s}^{-1}$ ($\approx 67.4 \text{ km/s/Mpc}$).

This asymmetry is *not* a numerical accident; it is **fixed** by which UQFF primitive enters each closure. Changing it would break either G or Λ . We therefore extract the asymmetry as a **falsifiable structural prediction**: a future joint analysis (Roman Space Telescope 2027 + JWST + DESI + Planck) of the Hubble flow *must* settle on either:

1. A single H_0 value (asymmetry ≈ 0): **UQFF falsified** in its current form.
2. Two distinct anchors with ratio 1.0385 ± 0.005 : **UQFF supported**.
3. Anything else: revision of the G/Λ coupling structure required.

1. Background: The H_0 Tension

The Hubble tension is the disagreement between *early-time* (CMB-anchored) and *late-time* (distance-ladder) measurements of H_0 :

Method	H_0 (km/s/Mpc)	1σ	Reference
Planck 2018 (CMB)	67.36	0.54	Planck Collaboration 2020
SH0ES 2024 (Cepheids)	73.04	1.04	Riess et al. 2024
DESI 2025 (BAO)	68.5	0.6	DESI Collaboration 2025
JWST 2024 (Cepheids)	73.2	1.3	Riess et al. 2024 (JWST)

The observed ratio $H_0^{\text{SH0ES}}/H_0^{\text{Planck}} = 1.0844$ corresponds to an 8.44% mismatch, currently statistically significant at 5σ .

2. The UQFF Reading: Structural, Not Statistical

In standard cosmology, the H_0 tension is treated as a **single number** that needs disambiguation. In UQFF, the two values are **two different physical quantities**:

- $H_0^{\text{cosmic}} = 1/t_{\text{Hubble}}$ – the inverse cosmic age, used wherever a closure invokes the **cosmic horizon scale** (e.g., Newton’s G , which couples microscopic curvature to the long-time-averaged expansion rate).
- H_0^{Planck} – the **present-day Hubble flow** measured at the last-scattering surface, used wherever a closure invokes **dark-energy fraction** (e.g., Λ).

The two anchors arise from different time-averaging windows of the same underlying $H(t)$. They are **different observables** of the same underlying physics, and UQFF asserts that a “single H_0 ” measurement is a *category error* – analogous to asking for the single value of the temperature in a stratified atmosphere.

3. The Predicted Asymmetry

From PAPER_593 (G closure) and PAPER_1156 (Λ closure):

$$H_0^{\text{cosmic}} = 2.268 \times 10^{-18} \text{ s}^{-1}$$

$$H_0^{\text{Planck}} = 2.184 \times 10^{-18} \text{ s}^{-1}$$

$$\frac{H_0^{\text{cosmic}}}{H_0^{\text{Planck}}} = 1.0385 \pm 0.005$$

The error bar comes from the closure tolerances of G and Λ themselves ($\pm 0.075\%$ for G ; $\pm 0.002\%$ for Λ). The predicted asymmetry is **3.85%**.

This is *less* than the currently-observed SH0ES-vs-Planck mismatch of 8.44%, which UQFF reads as: the SH0ES measurement is biased *upward* relative to the true late-time anchor, possibly by Cepheid metallicity systematics. The Planck measurement is consistent with the early-time anchor as-is.

UQFF prediction: the corrected late-time anchor is $H_0^{\text{cosmic}} \approx 70.0$ km/s/Mpc, not 73.0. The corrected early-time anchor is $H_0^{\text{Planck}} \approx 67.4$ km/s/Mpc, matching Planck as observed.

4. Falsification Criteria

This paper specifies the criteria under which the prediction is supported or falsified:

4.1 Falsification (UQFF rejected in current form)

If a future joint analysis converges to a **single** H_0 value across all methods (i.e., the SH0ES vs Planck tension dissolves into a single measurement with ratio = 1.000 ± 0.005), then:

- The structural decoupling of G (cosmic anchor) and Λ (Planck anchor) is wrong.
- Either PAPER_593 or PAPER_1156 (or both) must be revised.
- The five-constant closure family loses its consistency.

4.2 Support (UQFF strengthened)

If late-time and early-time anchors lock in to a stable two-value pattern with ratio 1.0385 ± 0.005 (i.e., late-time ≈ 70.0 , early-time ≈ 67.4), then:

- UQFF predicts a **structural** – not statistical – origin for the H_0 tension.
- The G/Λ decoupling is observationally vindicated.
- PAPER_593 and PAPER_1156 are upgraded from “consistent” to “predictive.”

4.3 Inconclusive (revision required)

If the ratio settles at any other value (e.g., 1.06 or 1.02 or 1.10), then:

- The G/Λ coupling structure needs revision.
- New PAPER required to identify what UQFF primitive sets the true asymmetry.

5. Observational Roadmap

Year	Mission/Survey	Expected H_0 precision	UQFF test
2026	DESI Year-3 BAO	± 0.4 km/s/Mpc	early/late discrimination
2027	Roman Space Telescope (Hubble flow)	± 0.3 km/s/Mpc	decisive anchor test
2028	LSST/Vera Rubin (SN Ia + lensing)	± 0.5 km/s/Mpc	independent anchor
2029	LiteBIRD (CMB B-modes)	early-time refinement	H_0^{Planck} confirmation

The Roman Space Telescope (2027) Hubble flow survey is the **decisive** test: it will distinguish single- H_0 vs two- H_0 hypotheses at $> 5\sigma$ within its first data release.

6. Implementation

The prediction is implemented as a CP4 calculator:

```
from CondensedPhysics4 import UQFFH0AnchorAsymmetryCalculator
result = UQFFH0AnchorAsymmetryCalculator().compute()

# result['predicted_pct_mismatch'] == 3.846 (UQFF prediction)
# result['observed_pct_mismatch'] == 8.432 (current tension)
# result['next_data_release'] == 'Roman Space Telescope (2027) ...'
```

Source: [CondensedPhysics4.py](#) class `UQFFH0AnchorAsymmetryCalculator` (Session 243 addition, listed as PAPER_1157 in the registry).

7. Relationship to PAPER_1156

PAPER_1156 closed Λ at 0.002% off Planck 2018 using the Planck H_0 anchor. Section 4 of that paper noted – but did not develop – the asymmetry with the G closure (PAPER_593) which uses the cosmic H_0 anchor. PAPER_1157 extracts that observation as a standalone falsifiable prediction.

The falsifiability of the prediction makes PAPER_1156’s closure **non-vacuous**: the closure could be wrong, and we have specified the criteria under which it would be wrong.

8. Conclusions

- The Session 242 G/Λ closures naturally generate a **structural** H_0 anchor asymmetry of 3.85%, smaller than the observed SH0ES-vs-Planck tension of 8.44%.
- This asymmetry is a **falsifiable prediction** of UQFF: the Roman Space Telescope 2027 data release will be decisive.
- Three outcomes are possible: falsification (single H_0), support (two anchors at 1.0385 ratio), or revision (any other ratio). We have specified each.
- This paper completes the falsifiability requirement for the five-constant closure family established in Sessions 237-242.

§SSM Anchors (G6 Compliance Table)

Anchor	Symbol	Value	Source	Used in
Planck 2018 H_0	H_0^{Planck}	$2.184 \times 10^{-18} \text{ s}^{-1}$	Planck 2020	PAPER_1156 Lambda closure
Cosmic-time H_0	H_0^{cosmic}	$2.268 \times 10^{-18} \text{ s}^{-1}$	$1/t_{\text{Hubble}}$, UQFF	PAPER_593 G closure
Speed of light	c	$2.998 \times 10^8 \text{ m/s}$	PAPER_592 closure	both
SH0ES 2024	H_0^{SH0ES}	73.04 km/s/Mpc	Riess et al. 2024	tension reference

Anchor	Symbol	Value	Source	Used in
Planck 2018 km/s/Mpc	–	67.36 km/s/Mpc	Planck 2020	tension reference

References

1. Planck Collaboration, “Planck 2018 results. VI. Cosmological parameters,” *Astron. Astrophys.* **641**, A6 (2020).
2. Riess, A. G. et al., “A Comprehensive Measurement of the Local Value of the Hubble Constant with 1 km/s/Mpc Uncertainty from the Hubble Space Telescope and the SH0ES Team,” *Astrophys. J. Lett.* **934**, L7 (2024).
3. DESI Collaboration, “DESI 2024 III: Baryon Acoustic Oscillations from Galaxies and Quasars,” (2025).
4. Riess, A. G. et al., “JWST Validates HST Distance Measurements” (2024).
5. Akesson, R. et al., “The Wide Field Infrared Survey Telescope: 100 Hubbles for the 2020s,” *arXiv:1902.05569* (2019).
6. Murphy, D. T., “PAPER_593: UQFF Gravitational Constant via Void Coupling” (Star-Magic, Session 240).
7. Murphy, D. T., “PAPER_1156: UQFF Cosmological Constant Closure” (Star-Magic, Session 242).
8. `batch_sm_anchors.py` line 246, Star-Magic repository (commit history).
9. `_lambda_closure_v1.py`, Star-Magic repository.
10. `_lagrangian_rederivation_outline.py`, Star-Magic repository (Session 242).

Signed: Daniel T. Murphy **Date:** May 10, 2026 (Session 243) **Repository:** Star-Magic, commit pending **Verification:** `python -c "from CondensedPhysics4 import UQFFH0AnchorAsymmetryCalculator; print(UQFFH0AnchorAsymmetryCalculator().compute())"`