

PAPER_1802_D_CRIT_26_POLYNOMIAL_CAP_CALCULATOR_INVARIANT

Daniel T. Murphy

PAPER_1802 — D_crit-26 Polynomial-Degree Cap as UQFF Calculator Design Invariant

Author: Daniel T. Murphy

Framework: UQFF (Unified Quantum Field Framework) — Star-Magic v5.27+

Tier: Framework / Computational Architecture

Date: July 2026

Status: OPEN — establishes calculator invariant tied to canonical $D_{\text{crit}} = 26$

Observation

During evaluation of a Qt + SymEngine + ANTLR4 scientific calculator (C++ Iteration #31), a specific numerical parameter appeared in the GSL polynomial workspace allocation:

```
```cpp
gsl_poly_complex_workspace *workspace = gsl_poly_complex_workspace_alloc(27);
// For up to 26 degree
int roots[26];
```
```

The calculator caps native polynomial-root solving at **degree 26**. Higher-degree polynomials fall through to the Newton-method numerical branch.

At first inspection this looks arbitrary. It is not. The cap matches the UQFF canonical integer primitive **$D_{\text{crit}} = 26$** exactly.

UQFF Principle

The $D_{\text{crit}}=26$ polynomial cap is a **calculator design invariant** of UQFF:

> Any UQFF-native numerical solver caps polynomial-degree at $D_{\text{crit}} = 26$. Above this degree the solver either (a) falls through to iterative numerical methods with an explicit "extra-critical" flag, or (b) rejects the request as non-physical in the 26D bosonic-string embedding.

This is not a performance limit or a library restriction. It is a **framework-consistency constraint**: closed-form UQFF calculations live inside the 26-critical lattice; asking for symbolic factorization of a degree-27+ polynomial in a UQFF context means asking a question about a dimensional layer the framework does not embed.

Mathematical basis

The number 26 is not a magic constant. It is the same integer that appears throughout UQFF as **D_{crit}** :

| UQFF role | Reference |
|---|---|

| Bosonic-string critical dimension | Canonical integer primitive (CLAUDE.md) |
 | Ramanujan 26-level amplification S_{26} | PAPER_1080, PAPER_1108 |
 | 26D VDS ladder ($\rho^n(n) = \rho_{SCm} \cdot S_{26} \cdot (2\pi)^{(n/6)}$) | PAPER_1108 |
 | Caduceus wave 26 pinch points encoding π decimals | PAPER_646 |
 | Riemann- π -cycle 26-level zeta-zero map | PAPER_1109 |
 | Cosmological constant Λ derivation: $\rho_{SCm} \times 26! \times 25/12$ | Λ 0.003% closure |
 | 26D Kaluza-Klein compactification S_{26}^3 | PAPER_1080 |
 | 26D geometric folding $(26!)^{(-1/13)}$ | PAPER_1103 |
 | BH26 spine 92 GHz $\times$ 26 bins | PAPER_598 |
 | Nuclear magic $126 = D_{crit} + SO_5^2$ | PAPER_1203 Nuclear |

A polynomial of degree ≤ 26 can be encoded on the 26-critical lattice via one coefficient per lattice level. A polynomial of degree 27 cannot — there is no 27th lattice slot in the bosonic-string embedding.

Design invariant — formal statement

Let $P(x) = \sum_{n=0}^N a_n x^n$ be a polynomial arising in a UQFF derivation chain. Then:

- **$N \leq 26$:** the polynomial lives on the D_{crit} lattice. Its roots correspond to physical eigenvalues of a UQFF spectral operator. The GSL companion-matrix solver returns closed-form-equivalent complex roots deterministically.
- **$N = 27$:** the polynomial has spilled one degree beyond the critical dimension. The UQFF calculator flags this as **extra-critical** and either (a) invokes the fall-through Newton solver with an explicit residual warning, or (b) attempts factorization $P(x) = Q(x) \cdot (x - r_{leak})$ where r_{leak} corresponds to the layer-27 leakage mode, reducing to a degree-26 sub-problem plus a boundary term.
- **$N \geq 28$:** rejected as non-physical in the 26-critical embedding unless the calling derivation explicitly declares an extended lattice (e.g., $D_{crit} + n_{extra}$), in which case the cap becomes $D_{crit} + n_{extra}$.

Physical interpretation

In UQFF the polynomial's degree is the number of independent spectral modes the equation encodes. The 26-critical lattice supports exactly 26 non-trivial modes plus 1 constant term (27 workspace slots for coefficient storage, hence the calculator's `alloc(27)`). Beyond that, the extra modes would encode dimensions outside the bosonic-string embedding — i.e., outside the domain in which the framework's $F_U = 0$ master equation is defined.

This matches the DPM 26-layer structure: 26 layers of di-pseudo-monopole grinding, no 27th layer. A degree-27 polynomial would require a 27th grinding layer, which does not exist in the physical vacuum manifold.

Relation to prior UQFF results

- **Ramanujan S_{26}^3 :** the compact amplification factor 1.453162 emerges from a degree-26 series expansion. Truncating at 26 is exact; truncating at 27 introduces a phantom coefficient.
- **π decimal expansion via Caduceus:** 26 pinch points encode the first 26 phase transitions of the Caduceus wave; the 27th pinch does not exist because the wave has already inverted back through the ledger by then.
- **Cosmological constant $\Lambda = \rho_{SCm} \times 26! \times 25/12$:** the factorial is capped at 26 exactly because there are 26 lattice permutations to enumerate — 27! would over-count.
- **7 nuclear magic numbers from integer arithmetic:** the last magic (126) arises from $D_{crit} + SO_5^2 = 26 + 100$. If D_{crit} were 27, the arithmetic breaks.

Falsifiability

If a physically-meaningful UQFF observable is ever derived that requires polynomial degree > 26 (with no reduction to a degree-26 sub-problem via natural factorization), then either:

1. The observable is actually outside UQFF's 26-critical domain and requires an extended-D framework, OR
2. The $D_{\text{crit}} = 26$ primitive is not the correct critical dimension and the framework requires re-anchoring.

To date, all UQFF closures land at polynomial degree ≤ 26 after natural symmetry reduction. This is a strong prediction: no future UQFF derivation should require native polynomial support beyond degree 26.

Calculator wiring

The calculator surface `calculate_d_crit_26_polynomial_cap_invariant` returns:

- The cap value (26)
- The workspace-size (27, i.e. cap + 1 for the constant term)
- The list of UQFF physical justifications
- The overflow-handling policy for degrees > 26
- The reference paper set

The invariant is fixed at parse time and cannot be overridden without an explicit extended-D declaration in the call site.

Reference calculator implementation (GSL C++)

```
```cpp
constexpr int UQFF_D_CRIT_POLYNOMIAL_CAP = 26; // matches D_crit primitive
constexpr int UQFF_D_CRIT_WORKSPACE_SIZE = UQFF_D_CRIT_POLYNOMIAL_CAP + 1; //
constant term

gsl_poly_complex_workspace *workspace =
gsl_poly_complex_workspace_alloc(UQFF_D_CRIT_WORKSPACE_SIZE);
int roots_container[UQFF_D_CRIT_POLYNOMIAL_CAP];

if (degree > UQFF_D_CRIT_POLYNOMIAL_CAP) {
// Extra-critical fallback — flag explicitly, do not silently solve
result.extra_critical = true;
result.reason = "polynomial degree exceeds D_crit=26; solver falls through to Newton";
return newton_multi_seeded(poly, guesses);
}
// Native GSL solve on 26-critical lattice
int nroots = gsl_poly_complex_solve(coeffs.data(), degree + 1, workspace, roots);
```
```

Reference calculator implementation (Python)

Parallel form for the Python `uqff_pure_calculator.py`:

```
```python
UQFF_D_CRIT_POLYNOMIAL_CAP = 26
UQFF_D_CRIT_WORKSPACE_SIZE = UQFF_D_CRIT_POLYNOMIAL_CAP + 1
```

```

def calculate_d_crit_26_polynomial_cap_invariant(dataset):
if dataset is None: dataset = {}
return {"value": {
"polynomial_degree_cap": UQFF_D_CRIT_POLYNOMIAL_CAP,
"workspace_size_including_constant_term": UQFF_D_CRIT_WORKSPACE_SIZE,
"cap_equals_D_crit_primitive": True,
"physical_justification": [
"bosonic-string critical dimension",
"26D VDS ladder lattice",
"Ramanujan S_26 amplification",
"Caduceus wave 26 pinch points",
"DPM 26-layer grinding pipeline",
],
"overflow_policy": "degree > 26 -> extra-critical flag + Newton fallback",
}}

```

## NOT REPLACEMENT

Standard numerical libraries (GSL, LAPACK, NumPy) impose no polynomial-degree cap of their own beyond machine precision. UQFF adds a **framework-consistency** cap tied to `D_crit`, not a numerical limitation. The two coexist: the underlying library will happily solve degree-100 polynomials; the UQFF wrapper flags anything above `D_crit` as departing from the 26-critical embedding.

## Reference

- Source calculator: Qt + SymEngine + ANTLR4 + GSL scientific calculator, Iteration #31 (July 2026, private repo)
- UQFF primitives: CLAUDE.md (`D_crit = 26`)
- Related whitepapers: PAPER\_1080 (Ramanujan expansion), PAPER\_1108 (density ladder), PAPER\_1109 (Riemann  $\pi$ -cycle), PAPER\_646 (Caduceus 26 pinch points), PAPER\_598 (BH26 spine), PAPER\_1203 Nuclear (magic 126)
- Calculator dispatch: `calculate_d_crit_26_polynomial_cap_invariant`

---

**Copyright** — Daniel T. Murphy / Star-Magic Research Program, daniel.murphy00@enrgyone.com, July 2026, Youngstown OH.