

PAPER290: Crab SNR DPM Vacuum Dilution — $a_{DPM}(t) \propto r(t)^{-3}$ in Expanding Pulsar Wind Nebula

Authors: Daniel T. Murphy

Series: UQFF Whitepaper Series — Session 82

PAPER290: Crab SNR DPM Vacuum Dilution — $a_{DPM}(t) \propto r(t)^{-3}$ in Expanding Pulsar Wind Nebula

Authors: Daniel T. Murphy **Series:** UQFF Whitepaper Series — Session 82 **Module:** CRABRESONANCEUQFF_MODULE.cpp (24th C++ module — FIRST UQFF Pulsar Wind Nebula module)
Date: March 2026

Abstract

This paper establishes the first UQFF module in which the Dirac-Plasmotic Momentum (DPM) vacuum seed acceleration is explicitly time-dependent, evolving as the inverse cube of the expanding Supernova Remnant (SNR) radius. The Crab Nebula (M1, SN 1054 CE, ~2 kpc) is the reference system: a pulsar-wind nebula whose shock-driven filaments expand at $v_{exp} = 1.5 \times 10^4$ m/s. We derive the DPM dilution law, compute the current gravity signal, and show that the DPM vacuum coupling diminishes by a factor $D = 6.69$ over the 971-year life of the nebula.

1. System Parameters

Parameter	Symbol	Value	Notes
Remnant mass	M	9.149×10^{30} kg	4.6 M_{sun}
Initial radius	r_0	5.2×10^{17} m	~1.7 pc current
Expansion velocity	v_{exp}	1.5×10^4 m/s	Crab shock front
DPM frequency	f_{DPM}	1×10^{12} Hz	THz resonance
Plasmotic vacuum energy	E_{vac}	7.09×10^{-3} J/m ³	UQFF universal
Current proxy	I_{curr}	1×10^{21} A	Pulsar wind current
Vortical area	A_{vort}	3.142×10^8 m ²	PWN proxy
$\omega_1 - \omega_2$	$\Delta\omega$	2×10^{-3} rad/s	Differential spin
Age at current epoch	t_{age}	3.064×10^{10} s	971 years

2. Core Physics: Dynamic Volume Dilution

2.1 DPM Force (time-independent)

$$F_{\text{DPM}} = I_{\text{curr}} \times A_{\text{vort}} \times (\omega_1 - \omega_2) = 1 \times 10^{21} \times 3.142 \times 10^8 \times 2 \times 10^{-3} = 6.284 \times 10^{26} \text{ N}$$

2.2 Dynamic System Volume

The SNR expands as a sphere of radius $r(t) = r_0 + v_{\text{exp}} \cdot t$:

$$V_{\text{sys}}(t) = \frac{4}{3}\pi (r_0 + v_{\text{exp}} \cdot t)^3$$

This is the **FIRST UQFF module** where V_{sys} is a function of time rather than a fixed system volume.

2.3 DPM Seed Acceleration (time-dependent)

$$a_{\text{DPM}}(t) = \frac{F_{\text{DPM}} \cdot f_{\text{DPM}} \cdot E_{\text{vac}}}{V_{\text{sys}}(t)} \propto \frac{1}{r(t)^3}$$

2.4 Numerical Evaluation

At $t = 0$ (SN 1054 CE explosion):

$$V_0 = \frac{4}{3}\pi (5.2 \times 10^{16})^3 = 5.889 \times 10^{50} \text{ m}^3$$

$$a_{\text{DPM}}(t=0) = \frac{6.284 \times 10^{26} \times 10^{12} \times 7.09 \times 10^{-36}}{3 \times 10^8 \times 5.889 \times 10^{50}} = 2.521 \times 10^{-56} \text{ m/s}^2$$

At $t = 971 \text{ yr} = 3.064 \times 10^{10} \text{ s}$ (current epoch):

$$r(971 \text{ yr}) = 5.2 \times 10^{16} + 1.5 \times 10^6 \times 3.064 \times 10^{10} = 9.796 \times 10^{16} \text{ m}$$

$$V(971 \text{ yr}) = \frac{4}{3}\pi (9.796 \times 10^{16})^3 = 3.936 \times 10^{51} \text{ m}^3$$

$$a_{\text{DPM}}(971 \text{ yr}) = \frac{6.284 \times 10^{26} \times 10^{12} \times 7.09 \times 10^{-36}}{3 \times 10^8 \times 3.936 \times 10^{51}} = 3.772 \times 10^{-57} \text{ m/s}^2$$

3. DPM Dilution Law

$$D = \frac{a_{\text{DPM}}(t=0)}{a_{\text{DPM}}(971 \text{ yr})} = \frac{V(971 \text{ yr})}{V_0} = \left(\frac{r(971 \text{ yr})}{r_0} \right)^3 = \left(\frac{9.796}{5.2} \right)^3 = (1.884)^3 = 6.69$$

Epoch	$r(t)$ [m]	$V_{\text{sys}}(t)$ [m ³]	$a_{\text{DPM}}(t)$ [m/s ²]
$t = 0$ (SN 1054 CE)	5.200×10^{16}	5.889×10^0	2.521×10^{-56}
$t = 100 \text{ yr}$	6.674×10^{16}	1.242×10^1	1.194×10^{-56}
$t = 500 \text{ yr}$	8.566×10^{16}	2.629×10^1	5.641×10^{-56}
$t = 971 \text{ yr}$ (now)	9.796×10^{16}	3.936×10^1	3.772×10^{-57}
$t = 2000 \text{ yr}$	1.154×10^{17}	6.432×10^1	2.308×10^{-56}
$t = 10000 \text{ yr}$	1.520×10^{17}	1.470×10^2	1.009×10^{-56}

Dilution factor over 971 years: $D = 6.69$

4. THz Cascade Amplification (Crab-Specific)

The Crab-specific expansion velocity yields a dramatically enhanced THz amplification factor:

$$\Gamma_{\text{THz}} = \frac{10 \cdot f_{\text{THz}} \cdot v_{\text{exp}}}{c} = \frac{10 \times 10^{12} \times 1.5 \times 10^6}{3 \times 10^8} = 5.0 \times 10^{10}$$

Comparison with RSC module (Session 81):

$$\begin{aligned} \text{RSC } v_{\text{exp}} &= 1 \times 10^3 \text{ m/s} \rightarrow \Gamma = 3.33 \times 10^{\blacksquare} \\ \text{Crab } v_{\text{exp}} &= 1.5 \times 10^{\blacksquare} \text{ m/s} \rightarrow \Gamma = 5.0 \times 10^{10} \text{ (1500} \times \text{ larger)} \end{aligned}$$

This makes the Crab the highest Γ_{THz} value among all current UQFF modules. The SNR shock expansion directly amplifies the THz cascade chain by over three orders of magnitude relative to neutron star scale systems.

5. Full $g_{\text{Crab}}(t, B)$ Equation

The complete UQFF gravity formula is:

$$g_{\{\text{Crab}\}}(t, B) = \left[\sum_i a_i(t) \right] \times \left(1 - \frac{B}{B_{\{\text{crit}\}}} \right) \times (1 + f_{\{\text{TRZ}\}})$$

where the sum includes: $a_{\text{DPM}}(t)$, a_{THz} , a_{ether} , a_{ug4i} , a_{quantum} , a_{fluid} , a_{osc} , a_{exp} .

At $t = 971 \text{ yr}$, $B = 1 \times 10^{\blacksquare} \text{ T}$:

$$\text{SCm} = 1 - 10^{\blacksquare}/10^{11} \approx 1.000 \text{ (no quench)}$$

$$g_{\text{Crab}} \approx \text{dominated by } a_{\text{THz}} = \Gamma_{\text{THz}} \times a_{\text{DPM}} = 5.0 \times 10^{10} \times 3.772 \times 10^{\blacksquare\blacksquare} = 1.886 \times 10^{\blacksquare\blacksquare} \text{ m/s}^2$$

6. Astrophysical Significance

Discovery: This is the first UQFF derivation showing that the DPM vacuum coupling leaves a measurable time-signature as an SNR expands. The gravity signal decreases monotonically as $r(t)^{-3}$, encoding the full expansion history since SN 1054. Observational correlates include:

Hubble Space Telescope (HST): Crab optical wisp proper motion $\sim 0.015 \text{ arcsec/yr}$ confirms $v_{\text{exp}} \approx 1500 \text{ km/s}$ at the shock front (consistent with $v_{\text{exp}} = 1.5 \times 10^{\blacksquare} \text{ m/s}$)

Chandra X-ray Observatory: Ring/jet variability on 1–3 year timescales provides empirical window into the DPM vacuum coupling variation as $V_{\text{sys}}(t)$ changes

PAPER_290 Prediction: At the same observing epoch, a radio-quiet SNR of identical age but lower v_{exp} would show a higher a_{DPM} — the dilution is purely geometric ($V(t)$ scaling)

7. Relationship to Prior UQFF Papers

****PAPER_287 (Session 81 RSC):**** Established fixed-volume DPM ($V_{\text{sys}} = \text{constant} = 4.189 \times 10^{12} \text{ m}^3$)

****PAPER_290 (This paper):**** FIRST dynamic $V_{\text{sys}}(t)$ — the DPM signal evolves as $V(t)^{\blacksquare^1}$

The V_{sys} in RSC ($4.189 \times 10^{12} \text{ m}^3$, neutron star $\sim r = 10^{\blacksquare} \text{ m}$) is 12 orders of magnitude smaller than the Crab $V^{\blacksquare}$ ($5.889 \times 10^{\blacksquare^0} \text{ m}^3$), explaining why RSC a_{DPM} ($3.545 \times 10^{-1} \blacksquare \text{ m/s}^2$) is 38 orders of magnitude larger than Crab a_{DPM} ($3.772 \times 10^{\blacksquare\blacksquare} \text{ m/s}^2$)

8. Wolfram KB Registration

$$\text{CRAB_UQFF: } a_{\text{DPM}}(t) = F_{\text{DPM}} \cdot f_{\text{DPM}} \cdot E_{\text{vac}} / (c \cdot (4/3) \cdot \pi \cdot (r_0 + v_{\text{exp}} \cdot t)^3)$$

F_DPM=6.284e26 N; a_DPM(0)=2.521e-56 m/s^2; a_DPM(971yr)=3.772e-57 m/s^2; D=6.69x
Gamma_THz=10*f_THz*v_exp/c=5.0e10 (1500x RSC) [PAPER_290 SNR DPM Dilution]