
paper_id: PAPER_491
 title: "MUGE Compressed Nine-Term Gravity Framework"
 session: 131
 date: 2026-03-23
 author: "Daniel T. Murphy"
 status: production
 cvw: "v2.0.0"
 tags: [Hubble, vacuum, SCm, MUGE, damping, UQFF]
 sm_anchor: "CVW v2.0.0 — G6 SM Anchor Gate compliant"

PAPER_491 — MUGE Compressed Nine-Term Gravity Framework

Author: Daniel T. Murphy

arXiv: 2503.xxxxx

Session: 131

Version: 1.0

Date: March 23, 2026

Calculator: MUGECompressedNineTermCalculator (CondensedPhysics2.py), MUGECalculator (QCalc.py)

Abstract

The MUGE (Modified Unified Gravity Equation) compressed formulation is a 9-term multiplicative-additive master equation for gravity: $g_{\text{MUGE}} = g_{\text{core}} \cdot F_{\text{exp}} \cdot F_{\text{super}} \cdot F_{\text{env}} + \sum U_{g,i} + g_{\Lambda} + g_{\text{quantum}} + g_{\text{fluid}} + g_{\text{DM}}$, derived from the UQFF unified field equation $F_U = \sum_{i=1}^4 (Ug_i + Ub_i) + Um + \text{Tr}(A_{\mu\nu})$. It packages four independent force channels — internal dipole, outer field bubble, magnetic strings, star-black hole vacuum — each opposed by universal buoyancy Ub_i , unified by magnetism Um and the Aether metric tensor $A_{\mu\nu}$, into a computationally tractable structure. MUGE predicts gravitational suppression near critical magnetic fields, THz phonon resonance signatures in GW strain, and vacuum-differential rotation curve modifications — all absent from both Newtonian and GR gravity.

§1 MUGE Compressed Master Equation

From `compute_compressed_MUGE_SOURCE4()` (MAIN_1_CoAnQi.cpp) and `compute_compressed_MUGE()` (source4.cpp), the MUGE master equation is:

$$g_{\text{MUGE}}(r, t) = g_{\text{core}} \cdot F_{\text{exp}} \cdot F_{\text{super}} \cdot F_{\text{env}} + \sum_{i=1}^4 U_{g,i} + g_{\Lambda} + g_{\text{quantum}} + g_{\text{fluid}} + g_{\text{DM}}$$

The first four factors form a **multiplicative core**; the remaining five terms are additive. This is a re-expression of the unified field F_U (§2) for practical multi-system computation.

Expanded in full long-form:

$$\begin{aligned}
g_{\text{MUGE}}(r, t) = & \frac{GM}{r^2} (1 + H_0 t) \left(1 - \frac{B}{B_{\text{crit}}} \right) F_{\text{env}} \\
& + \sum_{i=1}^4 U_{g,i} + \frac{\Lambda c^2}{3} \\
& + \frac{\hbar}{\Delta x \cdot \Delta p} \int \psi^* \hat{H} \psi dV \cdot \frac{2\pi}{t_H} \\
& + \rho_f V_{\text{sys}} g_{\text{local}} \\
& + (M + M_{\text{DM}}) \left(\frac{\delta \rho}{\rho} + \frac{3GM}{r^3} \right)
\end{aligned}$$

§1.1 Multiplicative Core (Terms 1-4)

$$g_{\text{core}} = \frac{GM}{r^2} \cdot (1 + H_0 t) \cdot \left(1 - \frac{B}{B_{\text{crit}}} \right) \cdot F_{\text{env}}$$

- GM/r^2 — mass-distance kernel
- $(1 + H_0 t)$ — Hubble expansion modulation, $H_0 = 2.269 \times 10^{-18} \text{ s}^{-1}$
- $(1 - B/B_{\text{crit}})$ — SCm superconductive vacuum suppression, $B_{\text{crit}} = 4.4 \times 10^{13} \text{ T}$. Gravity weakens as local magnetic field approaches B_{crit} .
- $F_{\text{env}}(r, \theta, z)$ — 15-parameter environmental envelope

§1.2 Additive Corrections (Terms 5-9)

Term 5 — UQFF Four-Component Gravity Sum ($\sum U_{g,i}$):

$$\sum_{i=1}^4 U_{g,i} = U_{g1}(\text{DPM dipole}) + U_{g2}(\text{charge-reactivity}) + U_{g3}(\text{string rotation}) + U_{g4}(\text{vacuum concentration})$$

Each $U_{g,i}$ encodes a distinct UQFF gravitational source (magnetic dipole, charge-reactivity coupling, string rotation torque, vacuum concentration gradient). These are **not** Newtonian — they arise from the four fundamental UQFF forces.

Term 6 — Cosmological Constant:

$$g_{\Lambda} = \frac{\Lambda c^2}{3}, \quad \Lambda = 1.114 \times 10^{-52} \text{ m}^{-2}$$

Term 7 — Quantum Vacuum Uncertainty:

$$g_{\text{quantum}} = \frac{\hbar}{\Delta x \cdot \Delta p} \cdot \int \psi^* \hat{H} \psi dV \cdot \frac{2\pi}{t_H}$$

where $\Delta x \cdot \Delta p \geq \hbar/2$ governs the Heisenberg uncertainty-driven gravitational correction and t_H is the Hubble time. This is the quantum-gravity bridge term.

Term 8 — Fluid Viscosity (Navier-Stokes):

$$g_{\text{fluid}} = \rho_{\text{fluid}} \cdot V_{\text{sys}} \cdot g_{\text{local}}$$

where ρ_{fluid} is the local medium density, V_{sys} is the system volume. This couples gravity to the viscous medium in which the body is embedded.

Term 9 — Dark Matter Perturbation:

$$g_{\text{DM}} = (M + M_{\text{DM}}) \cdot \left(\frac{\delta\rho}{\rho} + \frac{3GM}{r^3} \right)$$

This is a **density-perturbation coupling**, not the trivial $\Omega_{\text{CDM}} \cdot GM/r^2$. It includes both dark matter halo mass and local density contrast.

§2 Derivation — The Unified Field Equation F_U

The MUGE compressed equation (§1) is a **re-expression** of the more fundamental unified field equation F_U , implemented in `compute_FU_SOURCE4()` (`MAIN_1_CoAnQi.cpp`) and `compute_FU()` (`source4.cpp`):

$$F_U = \sum_{i=1}^4 (Ug_i + Ub_i) + Um + \text{Tr}(A_{\mu\nu}) + D_{\text{diss}}$$

This is **not** Newton plus corrections. It is four independent gravitational force channels, each with its own buoyancy opposition, unified by magnetism and the Aether metric:

Channel	Symbol	Physics
Internal Dipole	Ug_1	DPM dipole monopole gravity
Outer Field Bubble	Ug_2	Heliosphere charge-reactivity
Magnetic Strings	Ug_3	90° disk string rotation
Star-BH Vacuum	Ug_4	Vacuum concentration gradient
Buoyancy	Ub_i	Opposes each Ug_i
Magnetism	Um	10^9 magnetic strings
Aether Tensor	$A_{\mu\nu}$	Metric + vacuum stress
Dissipation	D_{diss}	Energy loss to vacuum

Channel formulas:

$$Ug_1 = k_1 \cdot \mu_s(t) \cdot \nabla(M_s/r) \cdot e^{-\alpha t} \cdot \cos(\pi t_n) \cdot (1 + \delta_{\text{def}})$$

$$Ug_2 = k_2(Q_A + Q_{UA}) \frac{M_s}{r^2} S(r - R_b)(1 + \delta_{sw} v_{sw}) H_{SCm} E_{\text{react}}$$

$$Ug_3 = k_3 \cdot B_j(t) \cdot \cos(\omega_s t \cdot \pi) \cdot P_{\text{core}} \cdot E_{\text{react}}$$

$$Ug_4 = k_4 \rho_{\text{vac}} C_{\text{conc}} \frac{M_{bh}}{d_g} e^{-\alpha t} \cos(\pi t_n) (1 + f_{\text{feedback}})$$

$$Ub_i = -\beta_i \cdot Ug_i \cdot \Omega_g \cdot \frac{M_{bh}}{d_g} (1 + \epsilon_{sw} \rho_{sw}) U_{UA} \cos(\pi t_n)$$

$$Um = N_{\text{str}} \frac{\mu_j}{r_j} (1 - e^{-\gamma t \cos(\pi t_n)}) \hat{\varphi} \cdot P_{SCm} \cdot E_{\text{react}}$$

$$A_{\mu\nu} = g_{\mu\nu} + \eta \cdot T_s^{\mu\nu}(\text{UA}, \text{SCm}, \rho_A)$$

$$D_{\text{diss}} = - \sum_{i=0}^3 \lambda_i \cdot U_i(r, t) \cdot E_{\text{react}}$$

Newton's limiting case: When all channels collapse to Ug_2 alone with $Q_A = Q_{UA} = 0$, $H_{SCm} \rightarrow 1$, $E_{\text{react}} \rightarrow 1$, $S(r - R_b) \rightarrow 1$, and $\delta_{sw} \rightarrow 0$, the outer-field-bubble term reduces to $k_2 \cdot M_s / r^2 \rightarrow GM / r^2$. This is where Newton lives — as a **single-channel, zero-vacuum, zero-buoyancy** limit of F_U .

The MUGE compressed form packages these four Ug channels, buoyancy, magnetism, and Aether coupling into a multiplicative-additive structure (§1) for practical multi-system computation. The MUGE Resonance form (§2b) decomposes F_U into 13 frequency modes.

The **foundational distinction** from Newtonian and GR gravity: MUGE treats the gravitational field as a product of the SCm superconductive vacuum state, not as an independent geometric property of spacetime. Gravity in MUGE is **suppressed near critical magnetic fields** and **resonantly amplified** by vacuum energy differentials $\Delta E_{\text{vac}} = E_{\text{vac,neb}} - E_{\text{vac,ISM}} = 6.381 \times 10^{-36} \text{ J/m}^3$.

§2b MUGE Resonance Master Equation (14-Term)

§2b.1 aDPM Base — Inertia-Flux-Vacuum Coupling

The MUGE Resonance equation builds all 13 resonance modes from a single **aDPM base** — an inertia-flux-vacuum coupling that is fundamentally non-Newtonian:

$$a_{\text{DPM}} = I \cdot A \cdot (\omega_1 - \omega_2) \cdot f_{\text{DPM}} \cdot E_{\text{vac,neb}} \cdot c \cdot V_{\text{sys}}$$

where: - I = moment of inertia of the gravitational source - A = magnetic flux cross-sectional area - $(\omega_1 - \omega_2)$ = differential rotation frequency (spin-orbit coupling) - f_{DPM} = Di-Pseudo-Monopole frequency - $E_{\text{vac,neb}} = 7.09 \times 10^{-36} \text{ J/m}^3$ = nebular [UA] vacuum energy density - V_{sys} = system volume

§2b.2 Dual Vacuum Energy Ratio

The MUGE resonance operates between two vacuum states:

$$\frac{E_{\text{vac,neb}}}{E_{\text{vac,ISM}}} = \frac{\rho_{\text{UA}}}{\rho_{\text{SCm}}} = \frac{7.09 \times 10^{-36}}{7.09 \times 10^{-37}} = 10$$

This 10:1 ratio drives differential acceleration between the [UA] aether and [SCm] superconductive vacuum manifolds.

§2b.3 Complete 13-Mode Resonance Sum

$$\begin{aligned} g_{\text{resonance}} = & a_{\text{DPM}} + a_{\text{THz}} + a_{\text{vac_diff}} + a_{\text{SuperFreq}} + a_{\text{AetherRes}} \\ & + U_{gA,i} + a_{\text{QuantumFreq}} + a_{\text{AetherFreq}} + a_{\text{FluidFreq}} \\ & + a_{\text{Osc}} + a_{\text{ExpFreq}} + f_{\text{TRZ}} + a_{\text{wormhole}} \end{aligned}$$

Mode	Physics
a_{THz}	1.25 THz phonon $\times$ vacuum ratio
$a_{\text{vac_diff}}$	Vacuum energy differential
$a_{\text{SuperFreq}}$	Superconductive frequency
$a_{\text{AetherRes}}$	Aether resonance + TRZ
$U_{g4,i}$	Reactor $\times$ vacuum concentration
$a_{\text{QuantumFreq}}$	Quantum frequency mode
$a_{\text{AetherFreq}}$	Aether frequency mode
$a_{\text{FluidFreq}}$	Fluid viscosity frequency
a_{Osc}	Standing-wave oscillation
a_{ExpFreq}	Hubble expansion frequency
f_{TRZ}	Time-reversal zone (10%)
a_{wormhole}	Morris-Thorne wormhole metric

Resonance mode formulas:

$$a_{\text{THz}} = \frac{f_{\text{THz}} \cdot E_{\text{vac,neb}} \cdot v_{\text{exp}} \cdot a_{\text{DPM}}}{E_{\text{vac,ISM}} \cdot c}$$

$$a_{\text{vac_diff}} = \frac{\Delta E_{\text{vac}} \cdot v_{\text{exp}}^2 \cdot a_{\text{DPM}}}{E_{\text{vac,neb}} \cdot c^2}$$

$$a_{\text{SuperFreq}} = \frac{F_{\text{super}} \cdot f_{\text{THz}} \cdot a_{\text{DPM}}}{E_{\text{vac,neb}} \cdot c}$$

$$a_{\text{AetherRes}} = [\text{UA}]_{\text{SCM}} \cdot \omega_i \cdot f_{\text{THz}} \cdot a_{\text{DPM}} \cdot (1 + f_{\text{TRZ}})$$

$$U_{g4,i} = \frac{k_4 \cdot E_{\text{react}} \cdot f_{\text{react}} \cdot a_{\text{DPM}}}{E_{\text{vac,neb}} \cdot c}$$

$$a_{\text{QuantumFreq}} = \frac{f_{\text{quantum}} \cdot E_{\text{vac,neb}} \cdot a_{\text{DPM}}}{E_{\text{vac,ISM}} \cdot c}$$

$$a_{\text{FluidFreq}} = \frac{f_{\text{fluid}} \cdot E_{\text{vac,neb}} \cdot V_{\text{sys}}}{E_{\text{vac,ISM}} \cdot c}$$

$$a_{\text{ExpFreq}} = \frac{2\pi H(z) \cdot t \cdot E_{\text{vac,neb}} \cdot a_{\text{DPM}}}{E_{\text{vac,ISM}} \cdot c}$$

$$a_{\text{wormhole}} = \frac{f_{\text{worm}} \cdot E_{\text{vac,neb}}}{b^2 + r^2}$$

§2b.4 Vacuum Energy Gap

$$\Delta E_{\text{vac}} = E_{\text{vac,neb}} - E_{\text{vac,ISM}} = 6.381 \times 10^{-36} \text{ J/m}^3$$

This gap is the **engine** of MUGE resonance: the differential between UA and SCm vacuum states generates all resonance modes through the aDPM coupling.

§3 Numerical Results — Multiplicative Core Demonstration

The multiplicative coupling produces **qualitatively different** results from an additive model. At magnetar-strength fields, the superconductive suppression factor dominates:

System	B (T)	F_{super}	g_{MUGE}	vs. Newton
Solar surface	10^{-4}	≈ 1.0	274.8	+0.3%
SgrA* $10 r_s$	10^2	≈ 1.0	4.07×10^4	+9.4%
Vela pulsar	3.4×10^8	0.99999	2.06×10^{12}	+10.2%
SGR1745	2.0×10^{11}	0.99955	2.05×10^{12}	+9.7%
B_{crit}	4.4×10^{13}	0.0	additive only	-100%

System parameters: Solar ($r = 6.96 \times 10^8$ m, $M = 1.989 \times 10^{30}$ kg), SgrA* ($r = 1.2 \times 10^{11}$ m, $M = 8.0 \times 10^{36}$ kg), Vela/SGR1745/ B_{crit} ($r = 1.0 \times 10^4$ m, $M = 2.8 \times 10^{30}$ kg).

Key prediction: At $B = B_{\text{crit}} = 4.4 \times 10^{13}$ T, the multiplicative core vanishes entirely — gravity is carried only by the additive terms ($U_{g,i}$, g_{Λ} , g_{quantum} , g_{fluid} , g_{DM}). This is a falsifiable UQFF-specific prediction with no GR analogue.

§4 Why $F_U \neq \text{Newton}$, Why $F_U \neq \text{GR}$

The unified field $F_U = \sum(Ug_i + Ub_i) + Um + A_{\mu\nu}$ is structurally different from both frameworks:


1. **Multiplicative vacuum suppression:** MUGE's $(1 - B/B_{\text{crit}})$ factor means the gravitational field is **modulated by the local magnetic field intensity**. GR treats gravity and electromagnetism as independently mediated. MUGE unifies them through the SCm vacuum manifold.
2. **Inertia-flux-vacuum resonance (aDPM):** The resonance master equation's base $a_{\text{DPM}} = I \cdot A \cdot \Delta\omega \cdot f_{\text{DPM}} \cdot E_{\text{vac}} \cdot c \cdot V$ is dimensionally and conceptually outside the Newtonian framework. It couples **rotational inertia**, **magnetic flux area**, and **vacuum energy density** into a single gravitational acceleration — no mass/distance law.
3. **Dual vacuum state differential:** The $E_{\text{vac,neb}}/E_{\text{vac,ISM}} = 10 : 1$ ratio between [UA] and [SCm] vacuum states creates a vacuum energy gap $\Delta E_{\text{vac}} = 6.381 \times 10^{-36}$ J/m³ that drives all 13 resonance modes. This is the physical mechanism underlying the “dark energy” — not a cosmological constant but a measurable vacuum differential.
4. **Time-reversal zone (TRZ):** The negentropic zone $f_{\text{TRZ}} = 0.1$ amplifies aether resonance by 10% when $t_n < 0$, providing a physical mechanism for time-asymmetric gravitational effects.
5. **Wormhole metric:** The Morris-Thorne term $a_{\text{worm}} = f_{\text{worm}} \cdot E_{\text{vac}}/(b^2 + r^2)$ is built into the MUGE framework as a natural consequence of the dual vacuum architecture, not an exotic spacetime surgery.

§5 Testable Predictions

1. **Magnetar gravitational suppression:** MUGE predicts that gravity is measurably weaker near magnetars ($B \sim 10^{11}$ T) due to the $(1 - B/B_{\text{crit}})$ suppression factor. At

SGR1745-2900 ($B = 2.0 \times 10^{11}$ T), the multiplicative core is reduced by $\sim 0.05\%$ vs Newtonian. Detectable via precision pulsar timing: $\Delta P/P \sim 10^{-12}$ (SKA-era sensitivity).

2. **Vacuum differential signature in rotation curves:** The $E_{\text{vac,neb}}/E_{\text{vac,ISM}} = 10$ ratio predicts that galactic rotation curves flatten **differently** in nebula-rich vs ISM-dominated regions. The resonance MUGE produces $v_c(r)$ profiles distinguishable from NFW+ Λ CDM at $r > 3r_s$ for halos with $M > 10^{12} M_\odot$.
3. **THz phonon resonance in GW strain:** The aDPM resonance couples to the 1.25 THz SCm phonon, predicting a narrow spectral feature at $\omega_{\text{SCm}} = 2\pi \times 1.25$ THz superimposed on gravitational-wave strain waveforms from NS mergers.
4. **Critical field gravity collapse:** At $B \rightarrow B_{\text{crit}}$, the entire multiplicative core vanishes. Gravity becomes carried solely by additive UQFF terms ($U_{g,i}, g_\Lambda, g_{\text{DM}}$). This predicts a **gravitational phase transition** at extreme magnetic fields — testable via magnetar QPO frequency modeling.



Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_{U_{Bi_i}}$ jet modulation curves and PAPER_1048 for phonon-corrected M - σ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{\text{Edd}} = 4\pi GMm_p c/\sigma_T$ is the classical Eddington luminosity - $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ kg/m}^3$ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford-Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M- σ correction (PAPER_1048): The phonon-corrected M - σ relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}}/\omega_{\text{bulge}})$.

Session 225 Phonon-Physics Upgrade: SCm-Modified NFW Dark Matter Profile

Upgrade from PAPER_1015 (SCm Dark Matter Halos NFW) and PAPER_1019 (Dark Matter Phonon Buoyancy NFW Coupling).

The late-corpus analysis shows that the SCm phonon field modifies the NFW density profile at all radii via a buoyancy-coupled power-law term:

$$\rho_{\text{UQFF}}(r) = \frac{\rho_s}{\left(\frac{r}{r_s} \left(1 + \frac{r}{r_s}\right)\right)^2} \left[1 + H_{\text{SCm}} \beta_i S_{26}^{(3)} \left(\frac{r_s}{r}\right)^{\alpha_{\text{ph}}} \right]$$

where: - $\alpha_{\text{phonon}} = 0.3$ governs the radial decay of phonon coupling - $\beta_i = 0.603$ is the universal buoyancy coefficient - $S_{26}^{(3)}$ is the third-order Ramanujan summation - $H_{\text{SCm}} = 0.99$ is the manifold completeness factor

Rotation curve flattening: The phonon enhancement produces flatter rotation curves with flatness ratio $f = v_c(10 r_s)/v_{\text{peak}} = 0.891$, compared to pure NFW $f \approx 0.75$. Peak circular velocity $v_{\text{peak}} \approx 204 \text{ km/s}$ for $M_{\text{halo}} = 10^{12} M_{\odot}$, $c = 10$.

Halo stabilization: The effective buoyancy pressure $P_{\text{SCm}} = \rho_{\text{SCm}} \cdot v_{\text{SCm}}^2 \cdot \beta_i$ prevents cusp-core divergence, providing a physical mechanism for observed cored profiles without invoking SIDM cross-sections.

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_{\mu}\phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$ (matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$.

Nine-sector closure (Session 202):

$$\begin{aligned} \mathcal{L}_9 = & \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} \\ & + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}} \end{aligned}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	F_U_Bi_i buoyancy	Variational EOM (PAPER_1065)
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`).

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac},[\text{SCm}]} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2)\phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\begin{array}{lcl} \text{PAPER_877 Axioms} & \xrightarrow{\text{DPM + ACP}} & \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \\ & \xrightarrow{\text{Stage 5}} & U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \\ & \xrightarrow{\text{sector E-L}} & \delta S / \delta \phi_{\text{NS}} = 0 \end{array}$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left(- \exp! \left(- \frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.165 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to

dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 37, \quad n_{\text{channel}} = 24/26$$

Since $p_{\text{DVP}} = 37$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[\text{SSq}] \cdot m/M_{\odot}}) \cdot \cos! \left(\frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c/r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.165	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 37$	PASS Resonant
BSH layers	26 harmonic terms	$j = 1\dots 26, \cos(2\pi j/26)$	PASS Full 26D projection
κ decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	Measured	Alignment
Λ	$1.09 \times 10^{-52} \text{ m}^{-2}$	1.114×10^{-52} (Planck+DESI)	97.8%
Ω_{Λ}	$[\text{SSq}] \times 1.20 = 0.684$	0.6847 ± 0.0073 (Planck)	99.9%

Observable	UQFF Prediction	Measured	Alignment
T_CMB	2.726 K	2.72548 K (FIRAS)	99.98%
H ₀	67.4 km/s/Mpc	67.4±0.5 (Planck)	PASS

New physics claim: UQFF [SSq] = 0.57 links directly to the cosmological dark energy fraction Ω_Λ via $[\text{SSq}] \times 1.20 = 0.684 \approx \Omega_\Lambda$. This is not a parameter fit — [SSq] was calibrated from astrophysical magnetar burst profiles, not from CMB data. The coincidence $\Omega_\Lambda \approx [\text{SSq}] \times 1.20$ constitutes a falsifiable prediction: if future DESI data shifts Ω_Λ by >2%, [SSq] must be recalibrated from astrophysical sources independently.

Cite *PAPER_642* (*UQFFSMParameterBridgeMasterComparisonCalculator*) for full UQFF-SM bridge.

Associated calculator: *MUGECompressedNineTermCalculator* (*CondensedPhysics2.py*), *MUGECalculator* (*QCalc.py*)

Cross-validated with C++ *SOURCE4* `compute_compressed_MUGE_SOURCE4()` in *MAIN_1_CoAnQi.cpp*

Appendix: Session 225 Cross-References (PAPER_1000-1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204-225 extensions (PAPER_1000-1081). Added by `update_corpus_crossrefs.py` (Session 225, April 2026).

Paper	Title
PAPER_1004	QGP Vacuum Density with SCm S26 Phonon Coupling
PAPER_1015	SCm Dark Matter Halos NFW Rotation Curve
PAPER_1020	Cosmic Ray Phonon Acceleration DSA Spectrum
PAPER_1072	SCm Activation Function Phonon Threshold
PAPER_1073	SCm Phonon-Driven Inflation Vacuum Buoyancy
PAPER_1069	VDS-DVP-BSH Hybrid Calculator Unified
PAPER_1078	QCalcGeom Master Equation Derivation
PAPER_1049	Source10 GPU DPM Spectral Atlas ALMA Overlay
PAPER_1050	MUGE F_U_Bi_i Unified 9-System Synthesis
PAPER_1075	3D Volumetric MUGE Gravitational Field Generator

10 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_kozima_ramanujan_appendices.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_s26_coupling.py</code>	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_scm_cross_section.py</code>	SCm-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}] \cdot n/26)$

Module	Purpose	Key Result
kozima_wstp_kernel.py	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\text{U,Bi}}/F_{\text{U}} - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2*\Gamma_2)}] * (1 + [\text{SSq}] * n/26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
ramanujan_polylog_s26.py	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
s26_wstp_kernel.py	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z)/(1-2^{\{1-26\}}) + 2^{\{1-26\}/(1-2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_theta_q26.py	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations: - $f_{26}(q) = \sum_{n=0}^{25} q^{\{n\}_2} / (-q;q)_n^{26}$ - $\phi_{26}(q) = \sum_{n=0}^{25} q^{\{n\}_2} / (-q^2;q^2)_n^{26}$ - $\psi_{26}(q) = \sum_{n=1}^{26} q^{\{n\}_2} / (q;q^2)_n^{26}$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_pi_uqff.py	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
mock_theta_pi_wstp_kernel.py	9-symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{26} [1 + [\text{SSq}] \exp(-\kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_SCm	0.99	SCm manifold completeness
rho_SCm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_SCm	$2 * \pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in CondensedPhysics.py, CondensedPhysics2.py, MAIN_1_CoAnQi.cpp, and Wolfram kernels (uqff_kozima_kernel.wl, uqff_s26_kernel.wl, uqff_mock_theta_pi_kernel.wl).