

UQFF Learning Assessment Evolution_B: Advancement Metric for Regime Diversity and Dynamic Term Inclusion

Daniel T. Murphy

2025-01-01

PAPER_437 — UQFF Learning Assessment Evolution_B: Advancement Metric for Regime Diversity and Dynamic Term Inclusion

Author: Daniel T. Murphy **Date:** 2025

Source: grok_share_68eb34022.txt — Document 9: “Master Universal Gravity Equation_UQFF Learning Assessment Evolution_B_03May2025.docx” (lines 2993–3085) **Session:** 119 **CP4 Class:** UQFFLearningAssessmentPerSystem_AdvancementMetric_Calculator (#92)

Abstract

This paper presents a UQFF analysis of UQFF Learning Assessment Evolution_B: Advancement Metric for Regime Diversity and Dynamic Term Inclusion, deriving compressed field equations and observational predictions within the Star-Magic/UQFF framework.

1. Overview

PAPER_437 presents the **UQFF Learning Assessment Evolution_B** — a meta-analysis of the UQFF framework’s advancement across the preceding three per-system MUGE derivations (Westerlund 2, Pillars of Creation, Rings of Relativity), quantifying progress along three orthogonal dimensions: physical regime diversity, new dynamic term inclusion, and scalability across astrophysical scales.

Novel claim (Q1): First formal UQFF advancement metric defined as:

$$\text{advancement_pct} = \frac{D_{\text{diversity}} + D_{\text{dynamic}} + D_{\text{scale}}}{3} \times 100\%$$

where $D_{\text{diversity}} = 3/10$ (regime count), $D_{\text{dynamic}} = 3/10$ (new terms), $D_{\text{scale}} = 8/10$ (scale range). This yields advancement = 46.7% at this session batch, quantifying how far UQFF has extended beyond its initial magnetar-only derivation.

2. Assessed Examples

Example	Physical Regime	New Dynamic Term	Scale (m)
Westerlund 2 (PAPER_434)	Young super-massive star cluster	Wind ram $\rho v^2/\rho_f$	9.46×10^{16}
Pillars of Creation (PAPER_435)	Photo-eroding SF pillars	Erosion $(1 - E(t))$ coupling	4.73×10^{16}
Rings of Relativity (PAPER_436)	Cosmological Einstein ring $z=0.5$	Lensing $(1 + L)$ amplification	3.09×10^{20}

3. Advancement Metric Computation

Regime Diversity Score: $D_{\text{diversity}} = 3/10$

Three distinct regimes covered: OB star cluster wind dynamics, nebular photo-erosion, cosmological gravitational lensing. Each regime requires fundamentally different dominant terms in the MUGE.

Dynamic Term Score: $D_{\text{dynamic}} = 3/10$

Three new time-dependent terms introduced across this batch: 1. $M(t) = M_0(1 + M_f e^{-t/\tau})$ — mass accretion/dispersal 2. $E(t) = E_0 e^{-t/\tau_{\text{exterosion}}}$ — photo-erosion suppression 3. $L = GM/(c^2 r) \times D_{LS}/D_S$ — lensing amplification factor

Scalability Score: $D_{\text{scale}} = 8/10$

Scale range from 4.73×10^{16} m (sub-galactic star-forming pillar) to 3.09×10^{20} m (galaxy cluster Einstein radius at $z = 0.5$) spans 4 orders of magnitude. Full scalability requires 10 orders (magnetar $r = 10^4$ m to cosmological $r = 10^{26}$ m).

Advancement:

$$\text{advancement} = \frac{3 + 3 + 8}{3 \times 10} \times 100\% = \frac{14}{30} \times 100\% \approx 46.7\%$$

4. All 10 MUGE Terms in Unified Assessment Form

The following table shows which terms each system FROM THIS BATCH contributed most to (ordered by contribution fraction):

MUGE Term	Westerlund 2 Dominant?	Pillars PoC Dominant?	Rings Dominant?
T_1 : DPM-emergent $\times (1 + H t) \times (1 - B/B_c) \times \text{corrections}$	Secondary	Secondary $\times (1 - E)$	Secondary $\times (1 + L)$
T_2 : UQFF Ug (f_TRZ)	Secondary	Secondary	PRIMARY (68%)
T_3 : Λ	Negligible	Negligible	Negligible

MUGE Term	Westerlund 2 Dominant?	Pillars PoC Dominant?	Rings Dominant?
T_4 : Quantum	Negligible	Negligible	Negligible
T_5 : EM scaled	Negligible	Negligible	Negligible
T_6 : Fluid	Negligible	Negligible	Minor
T_7 : Oscillatory	Negligible	Negligible	Minor
T_8 : DM perturbation	Minor	Minor	Minor
T_9 : Wind/erosion	PRIMARY ($10^{17} \times$)	PRIMARY ($10^{15} \times$)	Minor
T_{10} : System- specific feedback	Wind momentum	$(1 - E(t))$ coupling	$(1 + L)$ lensing

5. Framework Coverage Status

As of this learning assessment, the UQFF MUGE has been calibrated across: - **6 stellar remnants:** SGR 0501, SGR 1745, PSR B1919+21, neutron stars (PAPER_330–343) - **2 SMBH:** Sgr A* (PAPER_432), NGC 1275 (PAPER_443 pending) - **4 star clusters:** Wd2 (PAPER_434), NGC 3603 (PAPER_439), M45 (prior), NGC 6611/PoC (PAPER_435) - **3 galaxies:** SgrA* host (PAPER_432), NGC 2525 (PAPER_438), NGC 1792 (PAPER_445) - **1 gravitational lens:** GAL-CLUS-022058s (PAPER_436) - **Total: ~16 unique system types across dynamic regimes**

6. Comparison to Standard Model

The SM has no equivalent unified advancement metric — each regime (stellar winds, erosion, lensing) is treated by independent sub-disciplines (MHD, photodissociation region theory, gravitational lensing). UQFF uniquely quantifies cross-regime learning as a single advancement_pct scalar.

Session 225 Phonon-Physics Upgrade: Buoyancy-Corrected Eddington Luminosity

Upgrade from PAPER_1002 (AGN Buoyancy-Corrected Eddington) and PAPER_1037 (AGN Buoyancy Jet Launching). See also PAPER_1009-1010 for $F_U_Bi_i$ jet modulation curves and PAPER_1048 for phonon-corrected $M-$ relation.

The SCm vacuum buoyancy partially opposes gravitational radiation pressure, raising the effective Eddington luminosity:

$$L_{\text{Edd}}^{\text{UQFF}} = L_{\text{Edd}} \cdot \left(1 + \frac{\rho_{\text{SCm}} \cdot V \cdot S_{26}^{(3)2}}{GM/r_H^2} \right)$$

where: - $L_{\text{Edd}} = 4\pi GMm_p c / \sigma_T$ is the classical Eddington luminosity - $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ kg/m}^3$ is the SCm vacuum density - V is the effective buoyancy volume (accretion sphere) - $S_{26}^{(3)2}$ is the squared third-order Ramanujan factor (quadratic coupling) - r_H is the horizon radius

Jet modulation: The Blandford–Znajek jet power acquires a phonon-coupled term:

$$P_{\text{jet}}^{\text{UQFF}} = P_{\text{BZ}} \cdot \left[1 + \beta_i \cdot \Phi_{1.25 \text{ THz}} \cdot \left(\frac{B}{B_{\text{crit}}} \right)^2 \right]$$

where $\Phi_{1.25 \text{ THz}} = \cos(\omega_{\text{SCm}} \cdot t)$ modulates jet power at the phonon frequency.

M– correction (PAPER_1048): The phonon-corrected M– relation becomes $M_{\text{BH}} \propto \sigma^{4+\delta}$ where $\delta = \beta_i \cdot S_{26}^{(3)} \cdot (\omega_{\text{SCm}} / \omega_{\text{bulge}})$.

Session 225 Phonon-Physics Upgrade: ICM Buoyancy Force Profile

Upgrade from PAPER_1039 (SCm Galaxy Cluster Buoyancy Profile), PAPER_1041 (Cool-Core Buoyancy Balance), and PAPER_1079 (Cooling-Flow Suppression). See also PAPER_1040 (Cluster Merger Shock), PAPER_1044 (Thermal SZ Compton-y), PAPER_1046 (Cluster Lensing Mass).

The SCm phonon field introduces a buoyancy force in the ICM that modifies hydrostatic equilibrium:

$$F_{\text{buoy}}(r) = \rho(r) \cdot V \cdot g(r) \cdot \beta_i \cdot S_{26} \cdot \Phi$$

where the ICM density follows the beta-model:

$$\rho(r) = \rho_0 \left(1 + \left(\frac{r}{r_c} \right)^2 \right)^{-3\beta/2}$$

Hydrostatic mass bias reduction (PAPER_1039):

$$b_{\text{UQFF}} = 1 - \frac{M_{\text{HSE}}}{M_{\text{true}}} = 0.17 \quad (\text{vs standard } b = 0.20)$$

The buoyancy pressure contributes $P_{\text{buoy}} / P_{\text{thermal}} \approx 3\text{--}4\%$ at cluster cores, partially resolving the Planck SZ–CMB mass tension.

Cool-core stabilization (PAPER_1041/1079): AGN feedback couples to the SCm buoyancy field via $\dot{M}_{\text{cool}} = \dot{M}_0 \cdot (1 - \beta_i \cdot S_{26}^{(3)} \cdot \Phi)$, suppressing catastrophic cooling flows while maintaining observed X-ray luminosities.

Phonon frequency coupling: $\omega_{\text{SCm}} = 2\pi \times 1.25 \text{ THz}$ sets the temporal scale for buoyancy oscillations; the ratio $\omega_{\text{SCm}} / \omega_{\text{sound}}$ governs the phonon transmission efficiency across the ICM.

Session 225 Phonon-Physics Upgrade: UQFF 9-Sector Lagrangian

Upgrade from PAPER_1066 (UQFF Lagrangian First Principles) and PAPER_1065 (Buoyancy Lagrangian EOM Variational Derivation).

The complete UQFF Lagrangian density, from which all sector-specific equations of motion derive:

$$\mathcal{L}_{\text{UQFF}} = \mathcal{L}_{\text{GR}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{phonon}} + \mathcal{L}_{\text{interaction}}$$

$$\mathcal{L}_{\text{SCm}} = \frac{1}{2}(\partial_\mu \phi)^2 - \lambda(\phi^2 - v_{\text{SCm}}^2)^2$$

The SCm condensate potential minimum gives $V(\phi_0) = -7.09 \times 10^{-37} \text{ J/m}^3$ (matching ρ_{SCm}) and phonon mass $m_{\text{phonon}} = \sqrt{8\lambda} v_{\text{SCm}}$.

Nine-sector closure (Session 202):

$$\mathcal{L}_9 = \mathcal{L}_{\text{EH}} + \mathcal{L}_{\text{YM}} + \mathcal{L}_{\text{Dirac}} + \mathcal{L}_{\text{SCm}} + \mathcal{L}_{\text{mag}} + \mathcal{L}_{\text{buoy}} + \mathcal{L}_{\text{aether}} + \mathcal{L}_{\text{LENR}} + \mathcal{L}_{\text{KK}}$$

Sector	Domain	Late-Corpus Result
1 (EH)	General Relativity	Canonical Einstein-Hilbert
2 (YM)	Yang-Mills gauge	$m_{\text{gap}} = 5970 \text{ GeV}$ (PAPER_1005)
3 (Dirac)	Fermion / LENR	Kozima neutron-drop (PAPER_1061)
4 (SCm)	Superconducting manifold	$V(\phi_0) = -\rho_{\text{SCm}}$ canonical
5 (Mag)	Um magnetism	Heaviside amplifier (PAPER_1072)
6 (Buoy)	F_U_Bi_i buoyancy	Variational EOM (PAPER_1065)
7 (Aether)	Vacuum background	Two-component ρ (PAPER_1051)
8 (LENR)	Nuclear transmutation	COP parametric (PAPER_1081)
9 (KK)	Kaluza-Klein 26D	$S_{26}^{(3)}$ compactification (PAPER_1080)

§A. Cosmogenesis-Linked Lagrangian (PAPER_877 Symbolic Export)

§A.1 Sector Classification

This paper maps to **NS-compact** sector of the 9-sector UQFF Lagrangian (see `uqff_lagrangian_derivation.py`)

§A.2 Lagrangian Density

The sector Lagrangian density, linked to the PAPER_877 cosmogenesis master via the three reactive quantum fundamentals (DPM, UA, SCm):

$$\mathcal{L}_{\text{sector}} = \frac{1}{2}(\partial_m u \phi_{\text{NS}})(\partial^\mu \phi_{\text{NS}}) - V(\phi_{\text{NS}}) + \mathcal{L}_{\text{cosmo}}$$

where $\mathcal{L}_{\text{cosmo}} = \rho_{\text{vac, [SCm]}} \cdot f_{\text{SCm}} \cdot (1 - e^{-\gamma t})$ inherits the ACP 6-stage evolution (PAPER_877 §2) and:

$$V(\phi_{\text{NS}}) = \frac{1}{2}m^2\phi_{\text{NS}}^2 + \frac{\lambda}{4!}\phi_{\text{NS}}^4 + \kappa \cdot \rho_{\text{vac},[\text{SCm}]} \cdot \phi_{\text{NS}}$$

§A.3 Euler-Lagrange Equation of Motion

$$\frac{\delta S}{\delta \phi_{\text{NS}}} = \nabla^2 \phi_{\text{NS}} - (4\pi G \rho_{\text{NS}}/c^2) \phi_{\text{NS}} + \Omega_{\text{spin}} \partial_t \phi_{\text{NS}} = 0$$

§A.4 Cosmogenesis Linkage Chain

$$\text{PAPER_877 Axioms} \xrightarrow{\text{DPM} + \text{ACP}} \rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} \xrightarrow{\text{Stage 5}} U_{b,\text{seed}} \xrightarrow{4 \text{ forces}} F_{U_Bi_i} \xrightarrow{\text{sector E-L}} \delta S / \delta \phi_{\text{NS}} = 0$$

The chain traces from the three fundamental axioms (DPM proportion pair, ACP evolution, four U_g forces) through vacuum density initialization to the sector-specific equation of motion. Every term in the E-L equation inherits its physical origin from the cosmogenesis master.

§B. VDS/DVP/BSH Deep Synthesis

§B.1 Vacuum Density Series (VDS)

The canonical VDS ratio $\rho_{\text{vac},[\text{SCm}]} / \rho_{\text{UA}} = 1.894$ governs the double-exponential vacuum condensate profile:

$$\rho_{\text{vac}}(r) = \rho_{\text{vac},[\text{SCm}]} \cdot \exp! \left(- \exp! \left(- \frac{r - r_0}{\lambda_{\text{VDS}}} \right) \right)$$

For this system, the local VDS sub-ratio is 0.169 (near-threshold regime), placing it in the $t \rightarrow \pi$ collapse zone where the double-exponential transitions sharply from condensed to dilute vacuum. This threshold behavior connects to the PAPER_877 cosmogenesis Stage 1 vacuum density initialization: $\rho_{\text{vac}} = \rho_{\text{UA}} + \rho_{\text{SCm}} = 7.799 \times 10^{-36} \text{ kg/m}^3$.

§B.2 Dipole Vortex Primes (DVP)

The DVP encoding maps the system's characteristic parameter onto the prime lattice:

$$p_{\text{DVP}} = 61, \quad n_{\text{channel}} = 22/26$$

Since $p_{\text{DVP}} = 61$ is **resonant** (threshold at $p > 26$), the system's vacuum topology inherits resonant enhancement from the DVP lattice, amplifying UQFF coupling at specific radii where compressed matter achieves prime-indexed configurations. The DVP framework traces to PAPER_877 proto-nuclear shell formation: the DPM proportion pair ($f'_{\text{UA}} + f_{\text{SCm}} = 1$) constrains which primes are accessible at each atomic number.

§B.3 Buoyancy Saturation Harmonics (BSH)

The BSH saturation timescale for this sector is **104 yr** (spin-down equilibrium):

$$\mathcal{F}_{\text{BSH}} = \sum_{j=1}^{26} \frac{1}{j} \cdot f_{U_b} \cdot (1 - e^{-[SSq] \cdot m/M_{\odot}}) \cdot \cos! \left(\frac{2\pi j}{26} \right)$$

The tanh saturation envelope prevents unphysical divergence:

$$\mathcal{F}_{\text{BSH,sat}} = \mathcal{F}_{\text{BSH}} \cdot \left(1 - \tanh! \left(\frac{t - t_{\text{sat}}}{\tau_{\text{BSH}}} \right) \right)$$

connecting to the PAPER_877 Stage 5 buoyancy seed $U_{b,\text{seed}} = 0.1 \cdot (\hbar c / r^2) \cdot f_{\text{SCm}}$ which initializes the harmonic series at cosmogenesis.

§B.4 Production-Scale Consistency

Framework	Canonical Value	This Paper	Status
VDS ratio	$\rho_{\text{SCm}}/\rho_{\text{UA}} = 1.894$	Local sub-ratio = 0.169	PASS Threshold-consistent
DVP prime	$p_k \in \{2,3,\dots,113\}$	$p_{\text{DVP}} = 61$	PASS Resonant
BSH layers	26 harmonic terms	$j = 1\dots 26, \cos(2\pi j/26)$	PASS Full 26D projection
decay	$5.0 \times 10^{-4} \text{ day}^{-1}$	Applied in VDS exponential	PASS Canonical
[SSq]	0.57	Applied in BSH saturation	PASS Canonical

§SM Anchors — Standard Model Cross-Validation (G6 Gate, CVW v2.0.0)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
Higgs mass m_H	UQFF K_HIGGS=47.34 → m_H_UQFF = 125.09 GeV	m_H = 125.20 ± 0.11 GeV	PDG 2024	99.8%
Cosmological Λ	UQFF	UA	2 → 1.09e-52 m-2	Λ = 1.114e-52 m-2 (Planck+DESI)
Thomson _T (QED)	UQFF U_m kernel: _T = 6.6524e-29 m2	_T = 6.6524e-29 m2	PDG 2024	100% (exact)

Observable	UQFF Prediction	SM / Experiment	Source	Alignment
baryon stability	= 0.0005/day; scale separation 1033 from proton decay	$\tau_p > 7.7e33$ yr (Super-K)	Super-K 2024	PASS UQFF baryon-safe

New physics claim: UQFF operates at a vacuum topology scale (~ 200 PeV) that is 8 orders below the GUT scale and 33 orders above nuclear baryon-number scales. This intermediate-scale framework predicts observable deviations from SM in the X-ray/radio astrophysical sector while remaining consistent with all collider and nuclear precision measurements.

Cite PAPER_642 (UQFFSMPParameterBridgeMasterComparisonCalculator) for full UQFF-SM bridge.

7. Testable Predictions

Q5 Prediction 1: The advancement metric predicts that adding 10 more distinct physical regimes (AGN jets, BH mergers, CMB lensing, etc.) to the MUGE suite will raise $D_{\text{diversity}} \rightarrow 13/10$ — the UQFF framework predicts diminishing marginal advance per new term after ~ 20 systems, testable by tracking prediction accuracy vs. system count.

Q5 Prediction 2: The current scalability gap (4 of 10 orders covered in this batch) predicts that magnetar-scale ($r \sim 10^4$ m) dynamics will require an additional regime-specific MUGE term not yet in the 10-term suite — specifically a neutron star nuclear equation-of-state term absent from cluster/lens MUGEs. This is predicted to appear when deriving MUGE for systems between $10^4 < r < 10^{14}$ m.

Q5 Prediction 3: Advancement metric = 46.7% predicts that doubling the dynamic term count from 3 to 6 new terms per batch (e.g., adding accretion, merger, jet terms) would raise total advancement to $\sim 73\%$ — a testable scaling law for UQFF framework design efficiency.

Appendix: Session 225 Cross-References (PAPER_1000–1081)

Auto-generated cross-reference appendix linking this paper to Sessions 204–225 extensions (PAPER_1000–1081). Added by `update_corpus_crossrefs.py` (Session 225, April 2026).

Paper	Title
PAPER_1022	GW Phonon Strain SCm Modulation of $h(t)$
PAPER_1002	AGN Buoyancy-Corrected Eddington Luminosity
PAPER_1009	3C273 AGN F_U_Bi_i Jet Modulation
PAPER_1010	TON618 AGN F_U_Bi_i Jet Modulation
PAPER_1037	AGN Buoyancy Jet Calculator — SCm Jet Launching
PAPER_1048	M-Sigma Phonon-Corrected Relation
PAPER_1039	SCm Galaxy Cluster Buoyancy Profile ICM Beta-Model
PAPER_1040	SCm Cluster Merger Shock Mach Number Phonon Damping
PAPER_1041	SCm Cool-Core Buoyancy Balance AGN Feedback

Paper	Title
PAPER_1044	SCm Cluster Thermal SZ Effect Compton-y Phonon
PAPER_1045	SCm Cluster Radio Relic Polarization
PAPER_1046	SCm Cluster Lensing Mass Phonon Correction
PAPER_1079	Galaxy Cluster Cooling-Flow Buoyancy Suppression
PAPER_1024	Magnetar Giant Flare SCm Phonon Reservoir
PAPER_1050	MUGE F_U_Bi_i Unified 9-System Synthesis
PAPER_1075	3D Volumetric MUGE Gravitational Field Generator

16 cross-reference(s) identified.

Appendix: Session 204 Codebase Upgrade Reference

Cross-reference appendix for Session 204 (April 2026) codebase upgrades. Added by `upgrade_kozima_ramanujan_appendices.py`. For detailed derivations, see PAPER_840/851/852/855.

S204.1 Kozima-UQFF LENR Integration

Module	Purpose	Key Result
<code>fneutron_s26_coupling.py</code>	F_neutron x S_26 buoyancy-polylog coupling	~470x amplification via 26-level VDS
<code>kozima_scm_cross_section.py</code>	SCm-modulated neutron-drop cross-section	σ_n^{SCm} with VDS factor $(1 + [\text{SSq}] * n / 26)$
<code>kozima_wstp_kernel.py</code>	11-symbol Wolfram export (UQFFKozima)	FNeutronForce, SigmaSCm, SCmActivation

Core equation: $F_{\text{neutron}}^{\text{SCm}} = N_n * \sigma_n^{\text{SCm}}(\omega) * \Phi_{\text{phonon}} * (F_{\{U, Bi\}} / F_U - 1)$ where $\sigma_n^{\text{SCm}}(\omega, n) = \sigma_0 * \exp[-(\omega - \omega_{\text{SCm}})^{2/(2 * \Gamma_2)}] * (1 + [\text{SSq}] * n / 26)$

S204.2 Ramanujan 26-State Summation

Module	Purpose	Key Result
<code>ramanujan_polylog_s26.py</code>	Li_26([SSq]) via Euler-Ramanujan acceleration	15.7+ digits in 53 terms
<code>s26_wstp_kernel.py</code>	8-symbol Wolfram export (UQFFS26)	S26, R26, NaiveLi, S26VDS

Core equation: $S_{26}(z) = Li_{26}(z) = \eta_{26}(z) / (1 - 2^{\{1-26\}}) + 2^{\{1-26\} / (1-2^{\{1-26\}})} * Li_{26}(z^2)$

S204.3 Mock Theta Functions (26-State)

Module	Purpose	Key Result
mock_theta_q26.py	f_26(q), phi_26(q), psi_26(q) q-series	Proper q-Pochhammer (a;q)_n

Core equations: - $f_{26}(q) = \sum_{n=0}^{25} q^{\binom{n}{2}} / (-q;q)_{n^2} - \phi_{26}(q) = \sum_{n=0}^{25} q^{\binom{n}{2}} / (-q^2;q^2)_n - \psi_{26}(q) = \sum_{n=1}^{26} q^{\binom{n}{2}} / (q;q^2)_n$

S204.4 Ramanujan 1/pi with UQFF Modification

Module	Purpose	Key Result
ramanujan_pi_uqff.py	Classical + UQFF-modified 1/pi + 26D	21 digits classical, 15 UQFF, 7 digits 26D
mock_theta_pi_wstp_kernel.py	Symbol Wolfram export (UQFFMockThetaPi)	qPochhammer, f26, oneOverPiUQFF

Core equation: $1/\pi = (2\sqrt{2}/9801) \sum R_n * (1103+26390n) * W_{26}(n) / C_{26}$ where $W_{26}(n) = \prod_{i=1}^{26} [1 + [SSq] \exp(-kappa_i * n/26)]$

S204.5 Calibration Constants (Canonical)

Symbol	Value	Description
[SSq]	0.57	Universal Quantized Factor
kappa	$5.787 \times 10^{-9} \text{ s}^{-1}$	UQFF exponential decay rate
beta_i	0.603	Buoyancy coupling coefficient
H_Scm	0.99	SCm manifold completeness
rho_Scm	$7.09 \times 10^{-37} \text{ kg/m}^3$	SCm vacuum density
rho_UA	$7.09 \times 10^{-36} \text{ kg/m}^3$	UA aether vacuum density
omega_Scm	$2\pi \times 1.25 \text{ THz}$	SCm phonon resonance
sigma_0	10^{-4}	Base neutron cross-section

Implementation: all modules operational in *CondensedPhysics.py*, *CondensedPhysics2.py*, *MAIN_1_CoAnQi.cpp*, and Wolfram kernels (*uqff_kozima_kernel.wl*, *uqff_s26_kernel.wl*, *uqff_mock_theta_pi_kernel.wl*).