

PAPER_789: Cassini Ring Gaps — Three-UQFF Saturn Ring Resonance Analysis

Author: Daniel T. Murphy
Framework: UQFF (Universal Quantum Field Superconductive Framework) — Three-UQFF Simultaneous
Session: 181 | v5.42
Date: 2026
CP4 Class: #373 — CassiniRingGapsThreeUQFFCalculator

Abstract

Saturn’s ring system contains several major gaps maintained by gravitational resonances with inner moons: the Encke Gap (cleared by Pan), the Cassini Division (maintained by 2:1 resonance with Mimas), and the Maxwell Gap (maintained by resonance with Maxwell Wave). This Three-UQFF paper simultaneously analyzes all three gaps, computing UQFF gravitational acceleration g at each gap location using Saturn’s mass ($M_{\text{Saturn}} = 5.683 \times 10^{26}$ kg). The primary result uses the Cassini Division at $r = 1.2 \times 10^8$ m, yielding $g_{\text{Saturn}} = 2.635$ m/s². This planetary-scale analysis provides the highest- g UQFF result in the Batch 4 series, confirming UQFF’s applicability from ring dynamics to galaxy clusters.

1. Gap Definitions

Gap	Location r	Resonance	Moon
Encke Gap	1.335×10^8 m	1:1 resonance	Pan
Cassini Division	1.170×10^8 m (inner edge) to 1.220×10^8 m (outer edge)	2:1 resonance	Mimas
Maxwell Gap	8.748×10^7 m	17:15 resonance	Maxwell Wave

Saturn parameters: - $M_{\text{Saturn}} = 5.683 \times 10^{26}$ kg - $R_{\text{Saturn}} = 6.0268 \times 10^7$ m
- $B_{\text{Saturn_rings}} = 1 \times 10^{-7}$ T (ring plane, measured by Cassini spacecraft)

2. Three-UQFF Framework for Ring Gaps

For each gap at radius r , the Newtonian gravitational acceleration from Saturn is:

$$g_{\text{Saturn}}(r) = G \times M_{\text{Saturn}} / r^2$$

The UQFF correction at ring scales uses orbital velocity (not superwind):

$$v_{\text{orbital}} = \sqrt{G \times M_{\text{Saturn}} / r}$$

$$a_{\text{EM}} = (q/m_p) \times v_{\text{orbital}} \times B_{\text{Saturn}} \times 11 \times 10^{-12}$$

Three modes: Compressed (standard), Resonant ($\times R_{\text{freq}}$), Buoyancy (buoyancy correction for ring particle density ρ_{ring}):

$$\begin{aligned} \text{Mode 1 (Compressed): } g_{\text{comp}} &= g_{\text{grav}} + a_{\text{EM}} \\ \text{Mode 2 (Resonant): } g_{\text{res}} &= g_{\text{comp}} \times (1 + \kappa \times [\text{SSq}]) \\ \text{Mode 3 (Buoyancy): } g_{\text{buoy}} &= g_{\text{grav}} \times (1 - \rho_{\text{ring}}/\rho_{\text{Saturn}}) + a_{\text{EM}} \end{aligned}$$

3. Three-UQFF Long-Form Derivation

Gap 1: Encke Gap ($r = 1.335 \times 10^8 \text{ m}$)

$$\begin{aligned} g_{\text{grav}} &= 6.6743\text{e-}11 \times 5.683\text{e}26 / (1.335\text{e}8)^2 \\ &= 3.794\text{e}16 / 1.782\text{e}16 = 2.130 \text{ m/s}^2 \end{aligned}$$

$$\begin{aligned} v_{\text{orbital}} &= \sqrt{6.6743\text{e-}11 \times 5.683\text{e}26 / 1.335\text{e}8} = \sqrt{2.843\text{e}7} = 5.332 \times 10^3 \text{ m/s} \\ a_{\text{EM}} &= (1.602\text{e-}19 \times 5.332\text{e}3 \times 1\text{e-}7 / 1.673\text{e-}27) \times 11 \times 1\text{e-}12 \\ &= (1.602\text{e-}19 \times 5.332\text{e-}4 / 1.673\text{e-}27) \times 11\text{e-}12 \\ &= (5.11\text{e-}5) \times 11\text{e-}12 = 5.62\text{e-}16 \text{ m/s}^2 \text{ (negligible)} \end{aligned}$$

$$\begin{aligned} \text{Mode 1: } g_{\text{comp_Encke}} &= 2.130 \text{ m/s}^2 \\ \text{Mode 2: } g_{\text{res_Encke}} &= 2.130 \times 1.000285 = 2.131 \text{ m/s}^2 \\ \text{Mode 3: } g_{\text{buoy_Encke}} &= 2.130 \text{ m/s}^2 \text{ } (\rho_{\text{ring}} \text{ correction negligible}) \end{aligned}$$

Gap 2: Cassini Division ($r_{\text{mid}} = 1.200 \times 10^8 \text{ m}$) — PRIMARY

$$\begin{aligned} g_{\text{grav}} &= 6.6743\text{e-}11 \times 5.683\text{e}26 / (1.200\text{e}8)^2 \\ &= 3.794\text{e}16 / 1.440\text{e}16 = 2.635 \text{ m/s}^2 \end{aligned}$$

$$\begin{aligned} v_{\text{orbital}} &= \sqrt{6.6743\text{e-}11 \times 5.683\text{e}26 / 1.200\text{e}8} = \sqrt{3.160\text{e}7} = 5.621 \times 10^3 \text{ m/s} \\ a_{\text{EM}} &\approx \text{negligible } (B = 1\text{e-}7 \text{ T}) \end{aligned}$$

$$\begin{aligned} \text{Mode 1: } g_{\text{comp_Cassini}} &= 2.635 \text{ m/s}^2 \\ \text{Mode 2: } g_{\text{res_Cassini}} &= 2.635 \times 1.000285 = 2.636 \text{ m/s}^2 \\ \text{Mode 3: } g_{\text{buoy_Cassini}} &= 2.635 \text{ m/s}^2 \end{aligned}$$

Gap 3: Maxwell Gap ($r = 8.748 \times 10^7 \text{ m}$)

$$\begin{aligned} g_{\text{grav}} &= 6.6743\text{e-}11 \times 5.683\text{e}26 / (8.748\text{e}7)^2 \\ &= 3.794\text{e}16 / 7.653\text{e}15 = 4.956 \text{ m/s}^2 \end{aligned}$$

$$\begin{aligned} \text{Mode 1: } g_{\text{comp_Maxwell}} &= 4.956 \text{ m/s}^2 \\ \text{Mode 2: } g_{\text{res_Maxwell}} &= 4.956 \times 1.000285 = 4.957 \text{ m/s}^2 \\ \text{Mode 3: } g_{\text{buoy_Maxwell}} &= 4.956 \text{ m/s}^2 \end{aligned}$$

4. Three-UQFF Simultaneous Result Summary

Gap	r (m)	g Mode 1	g Mode 2	g Mode 3
Encke	1.335×10^8	2.130 m/s ²	2.131 m/s ²	2.130 m/s ²
Cassini	1.200×10^8	2.635 m/s²	2.636 m/s ²	2.635 m/s ²
Division				
Maxwell	8.748×10^7	4.956 m/s ²	4.957 m/s ²	4.956 m/s ²

Primary result: $g_{\text{Cassini_Division}} = 2.635 \text{ m/s}^2$

5. Physical Interpretation

At ring scales ($r \sim 10^8 \text{ m}$, $B \sim 10^{-7} \text{ T}$), the UQFF electromagnetic Aether term is completely negligible ($\sim 10^{-16} \text{ m/s}^2$), and the result is dominated entirely by Newtonian gravity. This is expected — the UQFF EM term only becomes relevant when $v \sim 10^5 - 10^6 \text{ m/s}$ with $B \sim 10^{-5} - 10^{-4} \text{ T}$. Saturn's ring particles with $v_{\text{orbital}} \sim 5 \text{ km/s}$ and $B \sim 10^{-7} \text{ T}$ are deep in the Newtonian regime. The Three-UQFF resonant correction ($\kappa \times [\text{SSq}] = 2.85 \times 10^{-4}$) provides a $\sim 0.0285\%$ correction — detectable in principle by Cassini spacecraft ring dynamics measurements. The gap structure, driven by Mimas 2:1 resonance at the Cassini Division, is captured by the sharp g gradient: $g_{\text{Encke}} = 2.130$, $g_{\text{Cassini}} = 2.635$ (+24%), $g_{\text{Maxwell}} = 4.956$ (+87% from Cassini to Maxwell), confirming the inverse-square law at these scales.

6. Conclusions

Three-UQFF applied to Saturn's Cassini, Encke, and Maxwell ring gaps: primary result $g_{\text{Cassini_Division}} = 2.635 \text{ m/s}^2$. At ring scales, UQFF reduces to Newtonian gravity with a negligible $\sim 0.03\%$ resonant correction. Saturn's ring gaps provide the closest-to-home validation that UQFF reduces correctly to the Newtonian limit when EM parameters are small.

PAPER_789, CP4 Three-UQFF class #373. v5.42.