

PAPER_482 — HydrogenResonanceUQFFModule: PTOE Nuclear Resonance in Unified Quantum Field Framework

Abstract

This paper documents the **HydrogenResonanceUQFFModule** — a unique application of the UQFF module architecture to nuclear binding resonance and the Periodic Table of Elements (PTOE). Unlike the astrophysical system modules (PAPER_481), this module operates at the **nuclear/atomic scale**, computing H_{res} — the hydrogen resonance amplitude across atomic number $Z=1-118$. The framework maps nuclear shell structure, binding energy resonances, deep pairing frequencies, and shell magic number corrections into the UQFF complex-number formalism, producing a unified model of nuclear force in the UQFF paradigm.

Source: `grok_share_bdfb3a05b06.txt`, docx: “Hydrogen Resonance Equations of the PTOE_02May2025.docx”, Session 126, March 23, 2026.

Related Papers: PAPER_139 (Hydrogen atom Ug4i/Boyle), PAPER_142 (PTOE Hres $Z=1-126$), PAPER_240 (spooky action DPM), PAPER_299-304 (hydrogen atom multi-paper), PAPER_463 (Compressed Space Espace).

1. Master Nuclear Resonance Equation

$$H_{res}(Z, A, t) \approx \mathcal{J}_{H_{res}}(Z, A, t) \cdot x_2(Z, A)$$

where the integrand is:

$$\mathcal{J}_{H_{res}} = A_{res}(Z, A) \sin(2\pi f_{res}(A) \cdot t) + U_{dp}(A_1, A_2, f_{dp}, \phi) \cdot SC_m \cdot k_{nuc}(N, Z) + S_{shell}(Z_{magic}, N_{magic})$$

with quadratic root scaled by atomic number:

$$x_2(Z, A) = -1.35 \times 10^{172} \cdot (Z + A)$$

2. Sub-Term Definitions

2.1 Amplitude Resonance A_{res}

$$A_{res}(Z, A) = k_A \cdot Z \cdot \frac{A}{A_H} \cdot (1 + \delta_{pair})$$

Parameter	Value	Description
k_A	0.4604	Amplitude scaling for H baseline
A_H	1 (hydrogen reference)	Reference mass number

Parameter	Value	Description
δ_{pair}	0 (even-even), variable (odd)	Even-odd pairing correction

2.2 Nuclear Frequency f_{res}

$$f_{res}(E_{bind}, A) = \frac{E_{bind}}{h} \cdot \frac{A_H}{A}$$

For hydrogen ($Z = 1, A = 1$): $E_{bind} = 7.8 \times 10^6 \text{ eV} = 1.25 \times 10^{-12} \text{ J}$

$$f_{res,H} = \frac{1.25 \times 10^{-12}}{6.626 \times 10^{-34}} \approx 1.88 \times 10^{21} \text{ Hz}$$

This is the UQFF nuclear frequency analog to the binding energy per nucleon.

2.3 Deep Pairing Potential U_{dp}

$$U_{dp}(A_1, A_2, f_{dp}, \phi) = k \cdot \frac{A_1 A_2}{f_{dp}^2} \cdot \cos \phi$$

Parameter	Value	Description
k	1.325×10^{-6}	Deep pairing coupling constant
f_{dp}	10^{15} Hz	Deep pairing resonance frequency
ϕ	0	Phase (default)

For nucleon-proton pair ($A_1 = A, A_2 = 1$):

$$U_{dp} = 1.325 \times 10^{-6} \cdot \frac{A}{10^{30}} \cdot 1 = 1.325 \times 10^{-36} A$$

2.4 Nuclear Coupling Factor k_{nuc}

$$k_{nuc}(N, Z) = k_0 \cdot \frac{N}{Z} \cdot (1 + \delta_{pair})$$

where $k_0 = 1.0$ (nuclear coupling base). For hydrogen ($N = 0, Z = 1$): $k_{nuc} = 0$. For carbon ($N = 6, Z = 6$): $k_{nuc} = 1.0$.

2.5 Shell Correction S_{shell}

$$S_{shell}(Z_{magic}, N_{magic}) = S_{scale} \cdot (Z_{magic} + N_{magic})$$

with $S_{scale} = 0.1$. Magic numbers encoded: $Z/N = 2, 8, 20, 28, 50, 82, 126$.

3. Nuclear Gravity Analog g_{nuc}

The module includes a nuclear-scale gravity analog (compressed $g(r, t)$) derived from the UQFF compressed gravitational formula applied to nuclear matter:

$$g_{nuc}(r, t) \approx -\frac{G \cdot M_{nuc} \cdot \rho_{nuc}}{r_{nuc}} - \frac{k_B T \rho_{nuc}}{m_e c^2} + \frac{\kappa_{DPM} c^4}{G r_{nuc}^2}$$

Parameter	Value	Description
M_{nuc}	$A \times 1.67 \times 10^{-27}$ kg	Nuclear mass
ρ_{nuc}	10^{17} kg/m ³	Nuclear matter density
r_{nuc}	$(3M_{nuc}/4\pi\rho_{nuc})^{1/3}$	Nuclear radius
κ_{DPM}	10^{-22}	DPM curvature factor
T	10^7 K	Nuclear temperature placeholder

The term $-GM\rho/r$ represents nuclear self-gravity; $\kappa c^4/Gr^2$ is the DPM correction at nuclear scale. This bridges the nuclear force and gravitational field in the UQFF paradigm.

4. Resonance Output for Protium (Z=1, A=1)

At $t = 10^{-15}$ s:

1. $A_{res} = 0.4604 \times 1 \times 1 \times 1 = 0.4604$
2. $f_{res} = (7.8 \times 10^6 \times 1.602 \times 10^{-19})/6.626 \times 10^{-34} \approx 1.88 \times 10^{21}$ Hz
3. $\sin(2\pi \times 1.88 \times 10^{21} \times 10^{-15}) = \sin(1.18 \times 10^7)$ oscillatory
4. $U_{dp} = 1.325 \times 10^{-36}$ (near-zero for Z=1)
5. $H_{res} \approx A_{res} \sin(\cdot) \times x_2(Z = 1, A = 1) = 0.4604 \times \sin(\cdot) \times (-2.7 \times 10^{172})$

The amplitude is $\sim 10^{172}$ — the same scale as other UQFF force results, consistent with universal x_2 normalization.

5. PTOE Extensibility

The module is designed for $Z = 1 \rightarrow 118$. For any element:

```
HydrogenResonanceUQFFModule mod;
mod.updateVariable("k_A", {0.4604, 0.0});           // Amplitude scale
mod.updateVariable("Z_magic", {8.0, 0.0});           // Oxygen shell
mod.updateVariable("N_magic", {8.0, 0.0});           // Oxygen-16
auto H = mod.computeHRes(8, 16, 1e-15);             // Integrand
auto compressed = mod.computeCompressed(8, 16, t);
```

This enables full PTOE resonance mapping within the same UQFF framework as galactic-scale systems — a key demonstration of UQFF universality across 57 orders of magnitude in spatial scale ($r_{nuc} \sim 10^{-15}$ m to galaxy clusters $\sim 10^{22}$ m).

6. Unique Features vs Prior Hydrogen Papers

Feature	Prior Papers	This Module
Z=1–118 resonance	PAPER_142 (theory)	C++ runtime API
$A_{res}(Z, A)$ formula	PAPER_142, 240	<code>computeA_res(Z,A)</code> method
f_{res} from E_{bind}	PAPER_299 (Lyman-alpha)	Generalized nuclear binding form
Deep pairing U_{dp}	PAPER_302 (Ug4i reactive)	<code>computeU_dp()</code> with $f_{dp} = 10^{15}$ Hz
Shell correction S_{shell}	PAPER_142 (shell magic)	<code>computeS_shell(Z_magic, N_magic)</code>
Nuclear g_{nuc} analog	PAPER_301 (GR minimum)	<code>computeCompressedG(t,Z,A)</code>
Complex arithmetic	PAPER_299–304 (all double)	<code>cdouble</code> throughout

7. Key Equations Summary

$$H_{res} \approx \left[k_A Z \frac{A}{A_H} (1 + \delta_{pair}) \sin\left(\frac{2\pi E_{bind} t}{hA}\right) + k \frac{A}{f_{dp}^2} SC_m \frac{N}{Z} + 0.1(Z_{mag} + N_{mag}) \right] \cdot (-1.35 \times 10^{172})(Z + A)$$

$$f_{res}(A) = \frac{E_{bind}}{hA} = \frac{7.8 \times 10^6 \times 1.602 \times 10^{-19}}{6.626 \times 10^{-34} \cdot A} \approx \frac{1.88 \times 10^{21}}{A} \text{ Hz}$$

$$g_{nuc} \approx -\frac{GM_{nuc}\rho_{nuc}}{r_{nuc}} - \frac{k_B T \rho_{nuc}}{m_e c^2} + \frac{10^{-22} c^4}{Gr_{nuc}^2}$$

Copyright — Daniel T. Murphy. Session 126, March 23, 2026. Files: *HydrogenResonanceUQFFModule.h*, *HydrogenResonanceUQFFModule.cpp*.