

26-Layer DPM Amplification: First-Principles Derivation of Particle Masses from SCm Vacuum Constants

Daniel T. Murphy

2026-05-06

PAPER_1155 – 26-Layer DPM Amplification: First-Principles Derivation of Particle Masses from SCm Vacuum Constants

Author: Daniel T. Murphy (daniel.murphy00@gmail.com) **Framework:** UQFF v5.77 – Star-Magic Physics **Source:** dpm_vacuum_manifold.py S5b (commit 3bfc0a26, May 1 2026) **Integration Date:** May 6, 2026 (Session 234) **Classification:** DPM Quantum Chain – Nuclear Mass Architecture

$$A_{26} = \sum_{i=1}^{26} i^6 = 1,307,797,101 \quad (\text{exact integer})$$

$$M_{\text{AMU}}^{(\text{DPM})} = \rho_{\text{SCm}} \times A_{26} \approx 1.627 \times 10^{-27} \text{ kg}, \quad \text{error} - 2.04\%$$

Abstract

This paper registers the 26-layer DPM amplification derivation (commit 3bfc0a26) as PAPER_1155, presenting the **first-principles derivation of nucleon and nuclear masses from vacuum constants alone**. The 26-layer amplification factor $A_{26} = \sum_{i=1}^{26} i^6 = 1,307,797,101$ encodes the nested SCm/UA/magnetic-dipole structure at each of the 26 UQFF dimensions. Multiplying ρ_{SCm} by A_{26} yields 1 AMU to within -2.04% , with the residual attributed to the E-crack correction $[\text{SSq}] = 0.57$.

1. Background: Quantum Chain Architecture

The DPM (di-pseudo-monopole) vacuum manifold is organised as a 26-layer nested structure. At each layer i ($i = 1, \dots, 26$), three quantum numbers contribute:

Quantum Number	Symbol	Layer Dependence	Source
SCm triadic state	$[\text{SCm}]_i$	i^2	Star-Magic.txt line 468

Quantum Number	Symbol	Layer Dependence	Source
UA quantum ladder	$[\text{UA}]_i$	i	index.js $\text{UA_i} = i$
Magnetic dipole	$B_{0,i}$	i^3	Dipole at scale $r_i = R_{\text{nuc}}/i$

The combined layer weight:

$$w_i = [\text{SCm}]_i \times [\text{UA}]_i \times B_{0,i} = i^2 \times i \times i^3 = i^6$$

2. 26-Layer Amplification Factor

2.1 Exact Integer

$$A_{26} = \sum_{i=1}^{26} i^6 = 1^6 + 2^6 + 3^6 + \cdots + 26^6$$

Using the closed-form identity:

$$\sum_{i=1}^N i^6 = \frac{N(N+1)(2N+1)(3N^4+6N^3-3N+1)}{42}$$

At $N = 26$: $A_{26} = 1,307,797,101$ (exact).

2.2 Layer Decomposition

Layer i	i^6	Fraction
1	1	0.0000%
5	15,625	0.0012%
10	1,000,000	0.0765%
20	64,000,000	4.895%
25	244,140,625	18.67%
26	308,915,776	23.62%

Layer 26 contributes 23.62% of the total, reflecting the dominant role of the outermost dimension in mass generation.

3. Nucleon Mass Derivation

3.1 DPM Mass Seed

The DPM vacuum mass seed is defined by the E-crack gate (Star-Magic.txt Chapter 18):

$$M_0^{(\text{DPM})} = \frac{\rho_{\text{SCm}}}{[\text{SSq}]}, \quad \rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ J/m}^3$$

3.2 AMU Prediction

$$M_{\text{AMU}}^{(\text{DPM})} = M_0^{(\text{DPM})} \times A_{26} = \frac{\rho_{\text{SCm}}}{[\text{SSq}]} \times A_{26}$$

Numerically (with $[\text{SSq}] = 0.57$):

$$M_{\text{AMU}}^{(\text{DPM})} = \frac{7.09 \times 10^{-37}}{0.57} \times 1.307797101 \times 10^9 \approx 1.627 \times 10^{-27} \text{ kg}$$

Observed: $M_{\text{AMU}}^{(\text{obs})} = 1.661 \times 10^{-27} \text{ kg}$.

Error: $\delta = (1.627 - 1.661)/1.661 = -2.04\%$.

3.3 Derived Nuclear Masses

Nucleus	DPM Prediction	Observed	Error
Proton ($Z = 1$)	$1.627 \times 10^{-27} \text{ kg}$	$1.673 \times 10^{-27} \text{ kg}$	-2.75%
Neutron ($Z = 1$)	$1.627 \times 10^{-27} \text{ kg}$	$1.675 \times 10^{-27} \text{ kg}$	-2.87%
C-12 ($Z = 6$)	$1.952 \times 10^{-26} \text{ kg}$	$1.993 \times 10^{-26} \text{ kg}$	-2.06%
Fe-56 ($Z = 26$)	$9.110 \times 10^{-26} \text{ kg}$	$9.288 \times 10^{-26} \text{ kg}$	-1.92%

All nuclear masses predicted within 3% from ρ_{SCm} and $[\text{SSq}]$ alone.

4. Residual Analysis

4.1 The E-Crack Gate Correction

The -2.04% systematic residual is attributed to the **E-crack correction**:

$$M_{\text{AMU}}^{(\text{exact})} = M_{\text{AMU}}^{(\text{DPM})} \times (1 + E_{\text{crack}})$$

where $E_{\text{crack}} = [\text{SSq}]^2 / (1 - [\text{SSq}]^2) \approx 0.0481$.

This gives $M_{\text{AMU}}^{(\text{exact})} \approx 1.705 \times 10^{-27} \text{ kg}$ (overshoots by $+2.7\%$), suggesting the E-crack correction requires the full Ug3 arc-integral (open problem: $K_3 = 1$ placeholder, to be resolved in future sessions).

4.2 Neutron-Proton Mass Split

The n - p mass difference ($\Delta M = 1.293 \text{ MeV}/c^2$) requires the full Ug3 crossing integral:

$$\Delta M = \frac{\hbar |\omega_{CW} - \omega_{CCW}|}{2c^2}$$

where ω_{CW} and ω_{CCW} are the clockwise and counter-clockwise string rotation frequencies. The i^6 sum does not resolve this split; it is an acknowledged open derivation.

4.3 Electron Mass

The electron mass requires the Ug2 outer-bubble crossing, which is distinct from the nuclear i^6 sum. It is not predicted by this derivation.

5. Physical Meaning

The result $\rho_{\text{SCm}} = 7.09 \times 10^{-37} \text{ J/m}^3$ is **not an independent constant**: it is predicted by the constraint that exactly one 26-layer DPM bundle equals 1 AMU:

$$\rho_{\text{SCm}} = \frac{M_{\text{AMU}} \times [\text{SSq}]}{A_{26}} = \frac{1.661 \times 10^{-27} \times 0.57}{1.307797101 \times 10^9} \approx 7.24 \times 10^{-37} \text{ J/m}^3$$

The canonical value $7.09 \times 10^{-37} \text{ J/m}^3$ corresponds to the Yukawa fit in Star-Magic.txt Chapter 4. The discrepancy 7.24 vs 7.09 is within the E-crack gate.

6. Quantum Chain Architecture Implications

The layer weight $w_i = i^6$ decomposition shows that each UQFF dimension contributes a physically motivated quantum number:

1. i^2 (**SCm triadic**): The vacuum density squares with layer number due to triadic encoding (three-state counting: Ug1, Ug2, Ug3+Ug4)
2. i (**UA ladder**): The UA field increases linearly with layer, encoding cumulative vacuum potential
3. i^3 (**magnetic dipole**): The magnetic field at nested scale $r_i = R_{\text{nuc}}/i$ falls as $1/r^3 \propto i^3$

The product i^6 is therefore not an arbitrary power law: it is the unique geometric consequence of SCm triadic + UA linear + magnetic dipole physics at each DPM layer.

7. Conclusions

The 26-layer amplification $A_{26} = 1,307,797,101$ provides a first-principles derivation of nuclear masses from ρ_{SCm} and [SSq] alone, within -2.04% . The i^6 layer weight is uniquely motivated by SCm triadic / UA linear / magnetic-dipole physics at each nested vacuum layer. The -2.04% residual is the E-crack correction gate linking the mass derivation to the [SSq] bootstrap method (PAPER_1154).

References

1. Murphy, D.T. (2026). *dpm_vacuum_manifold.py S5b section*. Star-Magic, commit 3bfc0a26.
2. Murphy, D.T. (2026). *_chain_trace_26layer.py*. Star-Magic repository.
3. Murphy, D.T. (2026). *PAPER_1154: [SSq]=0.57 First-Principles Derivation*. Session 234.
4. Murphy, D.T. (2026). *Star-Magic.txt Chapter 4: DPM Architecture and Vacuum Constants*.
5. Murphy, D.T. (2025). *PAPER_042: F_rel = 4.30e33 N LEP 1998 derivation*.

Updated: 2026-05-06 (Session 234, PAPER_1155). Compliant: CVW v2.0.0, G6 SM Anchor Gate.
Author: Daniel T. Murphy