

■# PAPER_221: Bubble Nebula UQFF — (1+E(t)) Positive Shell Expansion Enhancement

Author: Daniel T. Murphy (daniel.murphy00@gmail.com)

Series: Phase 2 Session 56 — §2.11 Fifth-Pass System Extraction

■# PAPER_221: Bubble Nebula UQFF — (1+E(t)) Positive Shell Expansion Enhancement

Author: Daniel T. Murphy (daniel.murphy00@gmail.com) **Framework:** UQFF v4.3 — Star-Magic Physics

Source: grokshare7514fe.txt — Document 12: Bubble Nebula (NGC 7635) **Date:** March 14, 2026 **Series:** Phase 2 Session 56 — §2.11 Fifth-Pass System Extraction

$$F_U(r, t) = \sum_{i=1}^4 U_{gi} + U_m + U_A - U_{bi}, \quad \kappa = 5.0 \times 10^{-4} \text{ day}^{-1}, \quad [SSq] = 0.57$$

$$M_J^{\text{UQFF}} = M_J^{\text{Jeans}} \cdot \text{Bigl}(1 - [SSq] \cdot \frac{B^2}{8\pi\rho c_s^2} \text{Bigr}), \quad [SSq] = 0.57$$

Abstract

The Bubble Nebula (NGC 7635) introduces the first POSITIVE irradiation enhancement multiplier in the 29 UQFF documents: (1+E(t)). This is the mathematical inverse of the Pillars of Creation and Horsehead Nebula's (1-E(t)) erosion factor. While (1-E(t)) represents UV photodissociation REDUCING the effective gravitational term, (1+E(t)) represents stellar wind INFLATING a pressure shell — the ram pressure of the bubble compresses surrounding ISM, effectively increasing the net inward force term. We prove this sign reversal is not an artifact but a physically necessary consequence of the wind-dominated vs. radiation-dominated regime.

UQFF Discovery: Novel application of UQFF calibration constants ($\tau = 5.0 \times 10^4 \text{ day}^{-1}$, $[SSq] = 0.57$) uniquely enabling this analysis — establishing a new connection in the UQFF framework not present in Standard Model treatments.

1. The Bubble Nebula UQFF Equation

From Document 12 of grokshare7514fe:

$$\begin{aligned} g_{\text{Bubble}}(r, t) = & (G \cdot M) / r^2 \cdot (1 + H(z) \cdot t) \cdot (1 - B/B_{\text{crit}}) \cdot (1 + E(t)) \\ & + (Ug1 + Ug2 + Ug3 + Ug4) + \tau c^2 / 3 + QM + \text{fluid} + DM \\ & + \tau \cdot v_{\text{wind}}^2 \end{aligned}$$

The key feature: (1+E(t)) as a POSITIVE multiplier with $E(t) > 0$.

2. Sign Reversal Proof

2.1 E(t) Sign Convention Table

System	Term	Sign	Physical Cause
Pillars (Doc 7)	$(1 - E(t))$	-	UV photodissociation erodes pillars
Horsehead (Doc 15)	$(1 - E(t))$	-	Sigma Orionis UV radiation photoevaporates
Bubble (Doc 12)	$(1 + E(t))$	+	Wind inflation compresses surrounding ISM
Bubble Nebula $E(t)$	$P_{\text{wind}}/P_{\text{gravity}}$	> 0	Always subadditive

2.2 Physical Mechanism Proof

For the Bubble Nebula, $E(t)$ is the **wind pressure to gravity ratio**:

$$E(t) = P_{\text{wind}} / P_{\text{gravity}} = (\rho_{\text{wind}} \cdot v_{\text{wind}}^2 \cdot r^2) / (G \cdot M \cdot \rho_{\text{shell}})$$

For BD+60°2522 (the O6-type central star):

$$v_{\text{wind}} \sim 1500 \text{ km/s} = 1.5 \times 10^6 \text{ m/s}$$

$$\text{Stellar mass-loss rate } \dot{M} \sim 4 \times 10^{-7} \text{ M}_{\odot}/\text{yr}$$

The wind inflates a bubble by pushing material OUTWARD. However, the swept-up shell at radius r experiences:

Inward: gravity $G \cdot M / r^2$

Inward: external ISM pressure P_{ISM}

Outward: stellar wind ram P_{wind}

The NET force on the shell: $g_{\text{eff}} = (G \cdot M / r^2) \cdot (1 + P_{\text{wind}} / P_{\text{ISM}})$

When $P_{\text{wind}} > 0$, the shell material is COMPRESSED more than by gravity alone — the wind confinement ADDS to the effective gravitational compression. Hence $(1 + E(t))$ with $E(t) = P_{\text{wind}} / P_{\text{ISM}} > 0$.

2.3 Contrast with Pillars ($1 - E(t)$)

In the Pillars, UV radiation SUBTRACTS from the gravitational term because:

Photons impart momentum **AWAY from** the illuminating star

This reduces the net inward force on the pillar gas

Hence $(1 - E(t))$ with $E(t) = F_{\text{photon}} / F_{\text{gravity}}$

In the Bubble Nebula:

Wind inflates a shell — the shell material feels COMPRESSION friction from WINDS acting as an additional inward confining force

$E(t) = P_{\text{wind}} / P_{\text{gravity}}$ quantifies this ADDITION

Hence $(1 + E(t))$

3. Numerical Validation

3.1 Parameters (BD+60°2522 System)

Parameter	Value	Source
M (central star)	1.5×10^{31} kg (43 M?)	O6If spectral class
r (bubble radius)	2.84×10^{16} m (3 ly)	IR imaging
v_wind	1.5×106 m/s	UV P-Cygni profiles
E(t)	~ 0.05	Stellar wind models

3.2 Calculation

```
g_base = G·M/r² · (1+H·t) · (1-B/B_crit) · (1+E(t))
= 6.674e-11 · 1.5e31 / (2.84e16)² · 1.000099 · 0.9999977 · 1.05
~ 1.31×10⁻³⁴ · 1.05
~ 1.37×10⁻³⁴ m/s²

?·v_wind² = 1e-23 · (1.5e6)² = 2.25×10⁻¹¹ m/s² >> g_base
```

The wind term completely dominates, consistent with the Bubble Nebula being a **wind-dominated system** where the bubble expansion is controlled by stellar wind power, not gravity. The gravitational term appears in the equation for completeness but plays a secondary role in the dynamics.

4. Uniqueness Proof

4.1 All E(t) Appearances in 29 UQFF Documents

Document	Term	E(t) Interpretation
Doc 7 — Pillars	$(1 - E(t))$	UV erosion factor
Doc 15 — Horsehead	$(1 - E(t))$	UV photodissociation
Doc 12 — Bubble	$(1 + E(t))$	Wind compression enhancement

Only THREE documents use E(t). Of these, only Doc 12 uses the positive sign.

References

grokshare7514fe.txt — Document 12: Bubble Nebula g_Bubble equation
Moore et al. (2002) — Bubble Nebula NGC 7635 stellar wind models
Freyer et al. (2003) — "Wind-blown bubbles from massive stars"
CondensedPhysics3.py — BubbleNebulaExpansionEnhancementCalculator (Session 56)