

PAPER_556: BSFG 26-Dimensional Line Element and Factorial Compactification

Unified Quantum Field Framework (UQFF)

Daniel T. Murphy • UQFF Research Consortium • 2026

Source: PAPER_556_BSFG_26D_Line_Element_Factorial_Compactification.md

PAPER_556: BSFG 26-Dimensional Line Element and Factorial Compactification

Author: Daniel T. Murphy — Star Magic / UQFF Framework **Session:** 148 | **Source:** CP4 #149 (4D metric) + SOURCE115 (26-layer framework) **CP4** **Class:** BSFG26DLineElementFactorialCompactificationCalculator (#151) **Date:** 2026-03-27

§1 Abstract

The BSFG geometry lives on a 26-dimensional manifold, but only 4 dimensions are directly accessible at macroscopic scales (r_P). This paper derives the full 26-dimensional line element of BSFG, introduces **factorial compactification** as the mechanism that makes 22 extra dimensions unobservable, and constructs the explicit $26 \rightarrow 3$ projection operator Π_i . The compactification radius of the i -th extra dimension is:

$$L_i(r) = r_P \cdot \exp\left(-\frac{r^i}{i! \cdot r_P^{i-1}}\right)$$

At macroscopic r_P and $i \geq 5$, all $L_i \rightarrow 0$ (complete compactification by the $i!$ factorial suppression). The factorial structure $i!$ is the same combinatorial structure that appears in the 26th-degree polynomial proof (PAPER_553), the buoyancy eigenvalue $1/26!$ (PAPER_551), and the number system DVP base $26!$ (PAPER_548), confirming BSFG as a coherent geometric architecture.

§2 The 26D Manifold and Its Coordinate Structure

From the 26-layer compressed gravity framework (SOURCE115, PAPER_484–490), the UQFF geometry involves 26 independent dimensional layers numbered $D=1, \dots, 26$. The first four ($D=1 \dots 4$) are the standard spacetime dimensions with the Aether-perturbed metric $A_{\mu\nu}(r)$. Dimensions $D=5, \dots, 26$ are compactified with coordinates $\theta_4, \dots, \theta_{25} \in [0, 2\pi)$.

26D line element:

$$ds^2_{26} = A_{\mu\nu}(r) dx^\mu dx^\nu + \sum_{i=5}^{26} L_i^2(r) d\theta_i^2$$

where $A_{\mu\nu}(r) = \mathrm{diag}(1+\epsilon, -1+\epsilon, -1+\epsilon, -1+\epsilon)$ from PAPER_554, and $L_i(r)$ is the compactification radius at position r .

§3 Factorial Compactification Radii

Physical motivation: The 26-layer framework computes the gravitational field as a 26th-order polynomial in r -derivatives (PAPER_551, PAPER_553), with each successive layer introducing one additional factorial factor $i!$ from the Taylor expansion of e^{-z^2} . Consistency requires that the geometric size of the i -th dimension scale as the inverse of the same factorial:

$$L_i(r) = r_P \cdot \exp\left(-\frac{r^i}{i! \cdot r_P^{i-1}}\right)$$

Properties:

- At $r \ll r_P$ (trans-Planckian):** $r^i/(i! \cdot r_P^{i-1}) \rightarrow 0$, so $L_i \rightarrow r_P$ for all i — all dimensions are Planck-scale, fully uncompactified (topology: $\mathbb{R}^{26}$).
- At $r \sim r_P$:** $L_i \approx r_P e^{-1/i!}$ — dimensions begin compactifying, with higher i compactifying faster due to larger $r^i/i!$.
- At macroscopic $r \gg r_P$:** $r^i/(i! \cdot r_P^{i-1}) \rightarrow \infty$ for all $i \geq 1$, so $L_i \rightarrow 0$. The factorial $i!$ is what allows compact convergence — without it, the exponential would grow without bound.

Numerical values at $r = R_{\odot} = 6.96 \times 10^8 \text{ m}$:

For $i=5$: the argument is $R_{\odot}^5 / (5! \cdot r_P^4) \approx 1.63 \times 10^{44} / (120 \times 6.8 \times 10^{-140}) \approx 2 \times 10^{181}$, so $L_5 = r_P e^{-10^{181}} \approx 0$.

All $L_i = 0$ to float64 precision for $i \geq 5$ at $r = R_{\odot}$ — confirming complete compactification at stellar scales. The 22 extra dimensions are invisible at all accessible energies.

§4 Factorial Decay — The 26 as a Completion Number

The fact that the compactification uses $i!$ for $i = 5, \dots, 26$ (22 dimensions) connects to three independent analyses:

Citation	Role of $26!$
PAPER_551 (CP4 #146)	$r_q = (2/26!)^{1/26} \approx 0.097 \text{ AU}$ — confinement radius

Citation	Role of 26!
PAPER_553 (CP4 #148)	$\frac{1}{26!} \approx 2.48 \times 10^{-27}$ — 26th polynomial term, below float64
PAPER_558 (CP4 #153)	$26! \cdot \mathrm{Li}_{26}(P) \bmod{113}$ — DVP arithmetic chart
This paper	$L_{26} = r_P \exp(-r^{26}/(26!r_P^{25})) \rightarrow 0$ — compactification complete

The number 26 is not arbitrary: 26 is the unique dimension in which the UQFF polynomial stress-energy tensor admits a bounded Gaussian expansion (PAPER_553), and the same 26 layers generate the complete set of resonance modes (PAPER_484–490). BSFG **completes** at exactly 26 dimensions.

§5 The 26→3 Projection Operator

Definition: The projection $\Pi: \mathcal{M}^{26} \rightarrow \mathcal{M}^3$ discards temporal and compactified dimensions, mapping:

$$\Pi(x^0, x^1, x^2, x^3, \theta_4, \ldots, \theta_{25}) = (x^1, x^2, x^3)$$

The projected BSFG distance function (spatial metric on $\mathcal{M}^3$):

$$d_\Pi(P, Q) = \sqrt{A_{ij} \Delta x^i \Delta x^j} = \sqrt{(-1 + \epsilon) |\Delta \mathbf{x}|^2}$$

For $\epsilon \ll 1$: $d_\Pi \approx |\Delta \mathbf{x}| (1 + \epsilon/2)$. The Aether perturbation slightly contracts the BSFG spatial distance relative to flat space.

Volume form in 26D:

$$\sqrt{|\det A_{26}|} d^{26}x = \sqrt{|\det A_{(4)}|} \prod_{i=5}^{26} L_i(r) d^4x d\theta_4 \cdots d\theta_{25}$$

At macroscopic r : $\prod_{i=5}^{26} L_i = 0$, so the 26D volume element vanishes — the compactified directions contribute no four-volume at accessible scales. This is the geometric statement that UQFF physics is effectively 4-dimensional.

§6 Physical Consequences

- 1. Dimensional transmutation:** The r^{-3} falloff of T_{s00} (and hence ϵ) emerges because the 3 compactified dimensions of "effective volume" in the stress-energy tensor are exactly the first three spatial dimensions — giving $V \propto r^3$ and $T_{s00} \propto r^{-3}$.

2. **Kaluza-Klein spectrum:** Each compactified dimension S_i carries a Kaluza-Klein tower with mass gap $m_i = 1/L_i(r)$. At $r = R_{\odot}$, $m_i \rightarrow \infty$ for all $i \geq 5$ — confirming KK modes are inaccessible at stellar energies.
3. **26D topology:** The BSFG manifold $\mathcal{M}^{26} \cong \mathbb{R}^4 \times T^{22}$ (at macroscopic scales, the extra dimensions form a 22-torus with Planck-scale radii). Its Euler characteristic $\chi = 0$ (torus topology), consistent with the UQFF non-singular solutions.