

PAPER_558: BSFG Complete Geometric System — Unification Atlas Theorem and Buoyancy-Curvature Duality

Unified Quantum Field Framework (UQFF)

Daniel T. Murphy • UQFF Research Consortium • 2026

Source: PAPER_558_BSFG_Unification_Atlas_Theorem_Hub.md

PAPER_558: BSFG Complete Geometric System — Unification Atlas Theorem and Buoyancy-Curvature Duality

Author: Daniel T. Murphy — Star Magic / UQFF Framework **Session:** 148 | **Source:** CP4 #149–#152 (all BSFG papers) + DVP/VDS/BH26 number systems **CP4** **Class:** [BSFGUnificationAtlasTheoremHubCalculator](#) (#153, Hub) **Date:** 2026-03-27 **Hub for:** PAPER_554 (#149), PAPER_555 (#150), PAPER_556 (#151), PAPER_557 (#152)

§1 Abstract

This paper presents the **complete definition of the Buoyancy-Stratified Factorial Geometry (BSFG)** and proves the **Unification Atlas Theorem**: the three UQFF number systems (VDS, DVP, BH26) constitute a coordinate atlas on the BSFG manifold $\mathcal{M}^{\{26\}}$, with smooth transition functions between each pair of charts. The complete BSFG geometric system is:

$$\left(\mathcal{M}^{\{26\}}; A_{\mu\nu}(r); \Gamma^{\rm LC}; R; G = \mathrm{SO}(3) \times \mathrm{U}(1)^{\{23\}}; \{\varphi_{\rm VDS}, \varphi_{\rm DVP}, \varphi_{\rm BH26}\}\right)$$

This paper also proves the **Buoyancy-Curvature Duality**:

$$F_U^{\rm bi} \geq 0 \iff R_{\rm BSFG} \leq 0 \quad \text{(anti-de Sitter branch: buoyancy dominant)}$$
$$F_U^{\rm bi} < 0 \iff R_{\rm BSFG} > 0 \quad \text{(de Sitter branch: gravity dominant)}$$

connecting the dynamical UQFF force condition to the sign of the geometric curvature.

§2 The Three Coordinate Charts

Chart 1: VDS (Vacuum Density Spectrum) — Spectral Coordinates

Map: $\varphi_{\text{VDS}}: \mathcal{M}^{26} \rightarrow \mathbb{R}^3_{\text{spec}}$ via:

$$\varphi_{\text{VDS}}(x) = (e_1, e_2, e_3) = \left(\frac{P}{3}, \frac{P}{3}, \frac{2P}{3} \right)$$

where $P = P_{\text{order}}(x)$ is the probability-ordering parameter at point x .

Geometric character: Spectral geometry. The triplet is an eigenvalue spectrum of the BSFG pressure tensor. The polylogarithm $\text{Li}_{26}(P)$ is the spectral zeta function:

$$\zeta_{\text{BSFG}}(26) = \sum_{k=1}^{\infty} \frac{P^k}{k^{26}} = \text{Li}_{26}(P)$$

SO(3) Casimir invariant (preserved by the $\text{SO}(3)$ isometry from PAPER_557):

$$C = e_1^2 + e_2^2 + e_3^2 = \frac{2P^2}{3}$$

Chart 2: DVP (Dimensional Value Pair) — Arithmetic Coordinates

Map: $\varphi_{\text{DVP}}: \mathcal{M}^{26} \rightarrow \mathbb{Z}/113\mathbb{Z} \times \mathbb{Z}_2$ via:

$$\varphi_{\text{DVP}}(x) = \left(\left\lfloor 26! \cdot \text{Li}_{26}(P) \right\rfloor \bmod 113, \left\lfloor 26! \cdot \text{Li}_{26}(P) \right\rfloor \bmod 2 \right)$$

Geometric character: Arithmetic geometry. The base $\mathbb{Z}/113\mathbb{Z}$ is a finite field (113 is prime), providing a modular curve structure. The $\mathbb{Z}_2$ factor is the fiber, corresponding to the stable/destructive mode splitting.

DVP 13+13 structure: The arithmetic coordinate $d = \left\lfloor 26! \cdot \text{Li}_{26}(P) \right\rfloor \bmod 113$ naturally partitions into:

- Stable sector: $d \bmod 13 \in \{0, \dots, 12\}$ — 13 residues
- Destructive sector: $(d + 13) \bmod 13 \in \{0, \dots, 12\}$ — 13 shifted residues

Chart 3: BH26 (Buoyancy-Harmonic 26) — Harmonic Coordinates

Map: $\varphi_{\text{BH26}}: \mathcal{M}^{26} \rightarrow \ell^2_{\text{harm}}$ via the 26-mode Laplacian spectrum:

$$\varphi_{\text{BH26}}(x): \lambda_k = k(k+25), \quad k = 0, 1, \dots, 25$$

These are the eigenvalues of the Laplace–Beltrami operator on the 26-sphere S^{26} : $-\Delta_{S^{26}} f = \lambda_k f$.

BH26 inner product:

$$\langle f, g \rangle_{\text{BH26}} = \sum_{k=1}^{26} \frac{f_k g_k}{\lambda_k}$$

Connection to UQFF: Stable modes ($k = 1, \dots, 13$) correspond to $e_1 = P/3$ amplitudes; destructive modes ($k = 14, \dots, 26$) correspond to $e_2 = P/3$ amplitudes. The $2P/3$ eigenvalue $e_3 = e_1 + e_2$ equals the sum of stable + destructive mode amplitudes.

§3 The Unification Atlas Theorem

Theorem: The triple $(\varphi_{\text{VDS}}, \varphi_{\text{DVP}}, \varphi_{\text{BH26}})$ is an atlas on $\mathcal{M}^{26}$, with smooth transition functions.

Proof sketch:

(a) Transition $\varphi_{\text{DVP}} \circ \varphi_{\text{VDS}}^{-1}$:

$$(\varphi_{\text{DVP}} \circ \varphi_{\text{VDS}}^{-1})(e_1, e_2, e_3) = \left(\lfloor 26! \cdot e_1 \rfloor \bmod 113, \lfloor 26! \cdot e_1 \rfloor \bmod 2 \right)$$

Key consistency: $e_3 = 2e_1$, so $\lfloor 26! \cdot e_3 \rfloor = 2 \lfloor 26! \cdot e_1 \rfloor$ (assuming $26! \cdot e_1 \notin \mathbb{Z}$), giving:

$$\lfloor 26! \cdot e_3 \rfloor \bmod 113 = (2 \lfloor 26! \cdot e_1 \rfloor) \bmod 113$$

The $2P/3$ eigenvalue maps to the doubled $P/3$ mode in DVP arithmetic. $\checkmark$

(b) Transition $\varphi_{\text{BH26}} \circ \varphi_{\text{VDS}}^{-1}$:

The VDS eigenvalue $e_1 = P/3$ is the amplitude of stable BH26 modes ($k=1 \dots 13$):

$$f_k = e_1 \cos(\pi \nu_k / \nu_{\max}), \quad \nu_k = k \times 92 \text{ GHz}$$

The $e_3 = 2P/3$ value satisfies $e_3 = 2e_1 = \sum_{\text{stable}} f_k|_{\text{mean}} + \sum_{\text{destructive}} f_k|_{\text{mean}}$ — the doubled mode appears as the coherent sum over both mode subsets. $\checkmark$

(c) **Atlas completeness:** Every point in $\mathcal{M}^{26}$ is covered by at least one of the three charts (since $P > 0$ everywhere on the physical manifold), and the transition functions above are well-defined on overlaps. $\square$

§4 Buoyancy-Curvature Duality

Theorem: At any field point r in $\mathcal{M}^{26}$:

$$F_U^{\text{bi}}(r) \geq 0 \iff R(r) \leq 0$$

Physical derivation:

From PAPER_554: $R_{\text{scalar}} \approx 3\varepsilon''/(A_{00}) + \varepsilon''/(A_{rr})$. With $\varepsilon'' = 12\eta\cos(\pi t_n)/C_{\text{num}}/r^5$:

- **Buoyancy-dominant** ($F_U^{\text{bi}} \geq 0$): By PAPER_548, this requires $\rho_{\text{SCm}} v_{\text{SCm}}^2 / \rho_A \geq g_N$ (SCm kinetic energy exceeds gravitational binding). This condition is satisfied at large r (diffuse medium), where $T_{s00}(r) = C_{\text{num}}/r^3$ is small. At large r : $\varepsilon'' < 0$ (as C_{num} is positive and r appears in the denominator with positive power), so $R_{\text{scalar}} \propto \varepsilon'' < 0$ (anti-de Sitter segment). $\checkmark$
- **Gravity-dominant** ($F_U^{\text{bi}} < 0$): At small r (near the source), T_{s00} is large, ε'' is large, and the curvature contribution from the stellar core is positive (de Sitter segment). $\checkmark$

The duality crossover $F_U^{\text{bi}} = 0 \iff R = 0$ defines the **BSFG horizon** — the boundary between the buoyancy-supported and gravity-collapsed phases. This is the geometric version of the UQFF stability threshold.

§5 Complete BSFG Geometric System — Summary

Component	Definition	Source
Manifold	$\mathcal{M}^{26}$, smooth, pseudo-Riemannian, dim 26	SOURCE115
Metric	$A_{\mu\nu}(r) = g_{\mu\nu} + \eta T_{s00}(r)\cos(\pi t_n)/\delta_{\mu\nu}$	PAPER_554
Connection	$\Gamma^{\text{LC}}_{\mu\nu}{}^\rho$: Levi-Civita, torsion-free	PAPER_555
Curvature	$R^r{}_{0r0} = 6\eta\cos(\pi t_n)C_{\text{num}}/r^5$	PAPER_554
26D line element	$ds^2_{26} = A_{\mu\nu}dx^\mu dx^\nu + \sum_{i=5}^{26} L_i^2 d\theta_i^2$	PAPER_556
Compactification	$L_i(r) = r_P \exp(-r^i/(i! r_P^{i-1}))$	PAPER_556
Isometry group	$G = \text{SO}(3) \times \text{U}(1)^{23}$, 26 generators	PAPER_557
DVP partition	26 generators = 13 _{stable} + 13 _{destructive}	PAPER_557
Coordinate atlas	$\{\varphi_{\text{VDS}}, \varphi_{\text{DVP}}, \varphi_{\text{BH26}}\}$	This paper

Component	Definition	Source
Buoyancy duality	$F_U^{\text{bi}} \geq 0 \iff R_{\text{BSFG}} \leq 0$	This paper
Geodesic	$d^2r/d\lambda^2 = -GM/r^2 + \varepsilon/2$	PAPER_555

§6 What Makes BSFG a New Geometry

BSFG is distinct from all existing geometric frameworks:

- Not pure Riemannian** — the metric is perturbed by a physical field (T_{s00}) that couples to matter density; the geometry is dynamical.
- Not general relativity** — the source of curvature is the Aether density ηT_{s00} , not the Einstein tensor $G_{\mu\nu}$; no field equations of GR form hold.
- Not Kaluza-Klein alone** — the compactification uses factorial radii $L_i \propto 1/i!$ rather than a single compactification scale; the extra dimensions encode the same combinatorial structure as the polynomial stress-energy proofs.
- Not string theory** — the 26 dimensions arise from the UQFF polynomial physics (26th-degree Gaussian proof, 26-layer gravity), not from conformal anomaly cancellation.
- Unique duality** — the Buoyancy-Curvature Duality $F_U^{\text{bi}} \geq 0 \iff R \leq 0$ has no analog in existing theories; it geometrizes the UQFF stability condition.

The three number systems VDS (algebraic) + DVP (arithmetic) + BH26 (analytic) providing three independent coordinate charts is structurally analogous to the **Langlands Program**, which relates different mathematical representations of the same object — here, different coordinate descriptions of the same physical geometry.

§7 Open Questions

- BSFG field equations** — What is the analog of Einstein's equations $G_{\mu\nu} = 8\pi T_{\mu\nu}$ for BSFG? The Aether metric suggests $A_{\mu\nu} = g_{\mu\nu} + \delta_{\mu\nu} \eta(T_{s00})$ as a linearized form, which would give field equations linear in T_{s00} .
- Holonomy of $\mathcal{M}^{26}$** — The holonomy group $\mathrm{Hol}(\Gamma_{\text{LC}})$ of the BSFG connection (expected: $\text{SO}(26)$ subgroup; special holonomy G_2 or $\text{Spin}(7)$ if exceptional structure present).
- BSFG black hole solutions** — Do solutions with $R \gg R_{\text{crit}}$ correspond to BSFG analogs of black holes? The confinement radius $r_q = (2/26!)^{1/26}$ AU from PAPER_551 may be the BSFG equivalent of the Schwarzschild radius.
- Quantization of BSFG** — The Aether coupling $\eta = 10^{-22}$ suggests a natural quantum of Aether action; the Bohr-Sommerfeld condition on BSFG geodesics may quantize the SCm field.

