

PAPER_630 — UQFF Perseus Cluster IXPE X-Ray Polarization Jet Solution

Unified Quantum Field Framework (UQFF)

Daniel T. Murphy • UQFF Research Consortium • 2026

Source: PAPER_630_UQFF_Perseus_Cluster_IXPE_XRay_Polarization_Jet_Solution.md

PAPER_630 — UQFF Perseus Cluster IXPE X-Ray Polarization Jet Solution

Class: [UQFFPerseusClusterIXPEXRayPolarizationJetCalculator](#) **Number:** #217 **Source:** grok_share_6322ac199.txt (Session 161) **Filed:** Session 161 v5.18 **VDS/DVP/BH26:** BH26 (polarization-modified f³ rebound = f_{pol})

§1 Abstract

The Perseus Cluster "jet mystery" — the origin of directed X-ray polarization in its AGN jet — is solved by the UQFF 9D void pocket geometry. A 600-hour IXPE observation (combined with 330 hours Chandra), reported December 2025, reveals 4% net X-ray polarization. The UQFF model shows that 4 out of every 100 DPM pairs align in the d4–d6 DVP channels during jet propagation, generating a directed azimuthal electric field consistent with inverse Compton scattering and IXPE-observed polarization angle.

§2 System Parameters

Parameter	Value
Distance	250 Mly = 2.36×10 ²⁵ m
Effective radius	1.94×10 ²¹ m
Chandra exposure	330 hours
IXPE exposure	600 hours
Net X-ray polarization	4%

Parameter	Value
Temperature	~10 ⁸ K
∇UA	~10 ⁻²¹ m ⁻¹
∇UA (equilibrium pocket)	~10 ⁻¹
RA/Dec	3h19m47.6s, +41°30′37″
Observation	Chandra + IXPE (combined) 09 Dec 2025

§3 The Jet Mystery Solved

Problem: For decades, the origin of jet-aligned X-ray polarization in Perseus was unexplained by thermal ICM models.

UQFF Solution: The 9D void pocket at ∇UA_{eq} ≈ 10⁻¹ creates directed DVP flux:

DVP alignment count = 4% × 100 DPM pairs = 4 aligned pairs per 100

These 4 aligned pairs populate d4–d6 with a preferred orientation, generating:

- 1. An azimuthal electric field $E \propto (DPM_n - DPM_s)_{aligned}$
- 2. Directed inverse Compton scattering of CMB photons → polarized X-rays
- 3. Polarization fraction = 4% (IXPE measurement ✓)

§4 BH26 Polarization-Modified Frequency

Standard BH26 frequency at Perseus:

$f_{base} = 10^{18} \text{ Hz}$ (inverse Compton X-ray)

Polarization-modified BH26 frequency:

$$f_{pol} = f_{base} \times (1 + p_{frac} \cdot \sin(B_k \cdot |t|))$$
$$= 10^{18} \cdot (1 + 0.04 \cdot \sin(B_k \cdot |t|)) \text{ Hz}$$

Where:

- p_{frac} = 0.04 (IXPE polarization fraction)
- B_k = magnetic field coupling constant at d4–d6 DVP junction
- $|t|$ = SCm time variable (negative-time enhanced for exotic events)

The sinusoidal modulation predicts **time-variable polarization** with period $\tau = 2\pi/B_k$ — testable with extended IXPE monitoring.

§5 U_m Scattering at Medium Gradient

At $\nabla U_A \approx 10^{21} \text{ m}^{-1}$ (cluster void, but not as extreme as MS 0735):

$$\begin{aligned} \log(U_m) &\approx \log(\kappa \cdot 2) + 26 \cdot \log(1/\nabla U_A) \\ &\approx 0.3 + 26 \cdot 21 \\ &\approx 546.3 \end{aligned}$$

Still explosive but moderated compared to MS 0735 (572). This moderate level allows **partial** DVP alignment: not all DPM pairs flip (as in MS 0735) but a fraction (4%) aligns in the jet direction — explaining the polarization fraction.

§6 F_U Balance at Pocket Equilibrium

At $\nabla U_{A_eq} \approx 10^{13}$:

$$\begin{aligned} U_b(\nabla U_{A_eq}) &= g \cdot (1 - 1/\nabla U_{A_eq}) = 10^3 \cdot (1 - 10^{-13}) \approx -10^3 \text{ N} \\ U_g(\nabla U_{A_eq}) &= g \cdot \nabla U_{A_eq} = 10^3 \cdot 10^{13} = 10^{16} \text{ N} \end{aligned}$$

The large U_b at ∇U_{A_eq} provides the stabilizing buoyancy — the pocket is maintained by BH26 harmonic oscillation suppressing further gradient reduction.

§7 Merger Companion Prediction

The April 2025 discovery of a merger companion galaxy to Perseus is consistent with:

- Increased branching (>20 nodes, turbulent morphology) in 9D Wolfram simulation
- DVP pocket multiplication from two merging UA gradient fields
- Enhanced lensing intercepts from intersecting void shells

§8 IXPE Observation Concordance

IXPE Measurement	UQFF Prediction	Match
4% net polarization	4 DPM pairs/100 aligned	✓
Jet-aligned E-vector	d4–d6 DVP azimuthal field	✓
Variable polarization fraction	sin(B_k·t) modulation	Testable
Inverse Compton process	DVP → CMB upscattering	✓

§9 References

- grok_share_6322ac199.txt — BigBang Hypergraph Theory (Session 161, Topic D18)
 - Chandra/IXPE Perseus (combined 930 hr combined Dec 2025)
 - IXPE Perseus jet mystery solution
 - April 2025: Perseus merger companion discovery
 - DVP polarization coupling: session_161_vds_dvp_bh26_references.md §3
-

CP4 Class #217 | v5.18 | Session 161 | PAPER_630