

Markdown Examples

Paired raw → rendered examples

Markdown: raw-before-rendered examples

Admonitions



WARNING on a very long line still going 1233456788

Note the line break before is required to avoid single line



ERROR I wanted two lines. But this renders on one line.

But this renders on a new line.



TIP on a very long line still going 1233456788

abcdedfghighklmonopyerstuvwxyz



INFO on a very long line still going 1233456788

abcdedfghighklmonopyerstuvwxyz



~/.config/markdown_generator/friendly_document_styling.css

/tmp/directory/test.txt

Bash



```
mapfile -t brew_list < <(brew list --cask && brew list --  
    installed-on-request)  
for b in "${brew_list[@]}"; do
```

```
    echo "$b" >>.brew_install_list.txt
done
```

Python



```
if 5 > 2:
    print("Five is greater than two!")
```

Lua



```
local dirs = { vim.fn.stdpath('config') }
for _, p in ipairs(parts) do
    if p:match("%S") then table.insert(dirs, p) end
end
return dirs
```

cpp

C++

```
#include <iostream>
int main(){ std::cout << "hello"; }
```

Log block

LOG

```
[WARN] example warning
[ERROR] example error
```

File block



```
/path/to/some/file.txt  
~/.config/markdown_generator/friendly_document_styling.css
```

Image



Table

Column1	Column2	Column3
Item1.1	Item2.1	Item3.1
Item1.2	Item2.2	Item3.2

Nested list

- header_level_one
 - header_level_two
 - header_level_three

Numbered list

1. first
 2. second
 3. third
-

Example: Headers (H1 / H2 / H3)

Example Header One

Example Header Two

Example Header Three