



Plan Under-Slab Footings

ALL DIMENSIONS
SUBJECT TO
FINAL SETTING OUT
[Refer to ODS Drawings]

This drawing and the design hereon is the property and copyright of:
Consult h-b Limited (chb)
and shall only be used for the purpose(s) for which it is loaned. This drawing is issued on condition that it is not to be copied , reproduced, retained or disclosed to an unauthorised party, either wholly or in part without the written consent of chb.

DO NOT SCALE from this drawing.

WORK TO FIGURED DIMENSIONS ONLY.

All dimensions to be verified and any discrepancies reported to chb without delay.

- NOTES
- The Information Included on this Drawing is intended for the Purposes of Gaining Approval to the Building Regulations Part A - Structure and not for any other purpose.
 - This Drawing Shall be Read in Conjunction with The Architects Drawings and Relevant Details, Project Specifications and the Like.
 - Local Authority Building Control, or other Appointed Approving Authority, Shall be Required to Approve the Level of Dig and Suitability of Supporting Soil Horizon to Achieve the Requisite Safe Ground Bearing Pressure of 125kN/m²
 - Mass Concrete Strip Foundations to Raft generally 650w or 700w as set out on drawing 7011 / 050
 - Mass Concrete Strip Footings to Internal Main Corridor Walls to be 600w as Indicated and Centered on Walls

p1	First Preliminary Issue for Building Regulations Submission	kpb	pco	24.Sep.17
REV	A M E N D M E N T	BY	AUTH	DATE

KEITH P BARNES
CHARTERED ENGINEER

Consult

CHB

0771 424 6225
CONSULT@HOUSE-BARNES.ORG.UK

THE FURZE CHAPEL LANE CHALGROVE OXFORDSHIRE OX44 7RF

CLIENT

Mr & Mrs Bryars

PROJECT

Horseshoe Lane Chadlington
New House

DRAWING TITLE

General Arrangement
Under-Slab Footings

SCALE @ A1	BY	CKD	DATE
1:50	CHB	kpb	Sep.17

STATUS	DRAWING REF	REV
Preliminary	7011 / 102	p1