

SEXUAL WELLBEING SNAPSHOT

Your Sexual Wellbeing Snapshot

Understanding your score

YOUR RESULT

Lower Sexual Wellbeing



Your Result: Lower Sexual Wellbeing

Your responses to the Sexual Wellbeing Snapshot suggest that your sexual wellbeing is currently on the lower end. Across a range of dimensions, including how safe and comfortable you feel in your sexuality, how much you enjoy your sex life, and how supported and at ease you feel in intimate experiences, things may not be feeling as positive or settled as you would like.

It is important to be clear about what this result does and does not mean. Lower sexual wellbeing does not indicate that something is fundamentally wrong with you, or that things cannot change. Sexual wellbeing is dynamic. It shifts across the lifespan in response to our experiences, relationships, health, and circumstances. Many people move through periods of lower sexual wellbeing, and with the right awareness and support, meaningful improvement is possible.

This result is not a diagnosis. It is a starting point for reflection.

What Might Be Contributing?

Sexual wellbeing is shaped by a wide range of factors. If your score is lower, it is worth considering whether any of the following may be relevant to your experience.

- **Attachment and relationship patterns.** The way we learned to connect with others in early life, including our attachment style, profoundly shapes how we experience intimacy and safety in sexual relationships. Anxious, avoidant, or fearful attachment patterns can make it harder to feel secure, open, or present in sexual and intimate contexts.
- **Personality traits.** Certain personality characteristics, such as higher neuroticism or lower openness, can influence how we experience and evaluate our sexuality. These are not flaws, but they are worth understanding in the context of your sexual wellbeing.
- **Mental health.** Depression, anxiety, and trauma are among the most common and significant influences on sexual wellbeing. Low mood reduces desire and pleasure; anxiety creates interference and avoidance; unresolved trauma can affect feelings of safety, trust, and the capacity for intimacy. If you are experiencing mental health difficulties, addressing these is often foundational to improving sexual wellbeing.
- **Medication.** A range of commonly prescribed medications (including antidepressants, antipsychotics, hormonal contraceptives, and blood pressure medications) can affect sexual desire, arousal, and satisfaction. If you suspect medication may be a factor, it is worth discussing this with your prescribing doctor.

- **Body image.** How we feel about our body is closely tied to sexual confidence and ease. Negative body image can create self-consciousness and distraction during intimate experiences, making it difficult to feel present, desirable, or comfortable.
- **Physical and sexual health.** Conditions affecting physical health, including chronic pain, hormonal changes, pelvic floor difficulties, and specific sexual dysfunctions such as low desire, arousal difficulties, pain during sex, or orgasm concerns, can directly affect sexual wellbeing. These are medical and psychological issues, not personal failings, and many are treatable.
- **Your environment and relationships.** The context in which your sexuality is lived matters enormously. Relationship dissatisfaction, partner conflict, lack of emotional safety, or a broader environment that is unsupportive of your sexual identity or preferences can all weigh heavily on sexual wellbeing.
- **Sexual confidence.** Your responses to the confidence questions suggest lower sexual self-efficacy. Feeling less confident in communicating your sexual needs or in your capacity to experience pleasure is common when sexual wellbeing is lower, and these patterns often reinforce one another. Building confidence in these areas is possible and is something that sex-positive therapy can specifically support.

What You Can Do

If any of the factors above resonate with you, it may be worth taking some time to reflect on which feel most relevant. You do not need to have answers to all of these. Awareness itself is valuable.

- **Consider speaking with a professional.** A GP, psychologist, sex therapist, or sexual health clinician can help you understand what might be driving your lower sexual wellbeing and what support is available. Seeking help is a sign of self-awareness and investment in your own health, not weakness.
- **Explore what is contributing more deeply.** Our comprehensive Sexual Wellbeing Assessment goes beyond this snapshot to measure the specific domains most likely to be influencing your sexual wellbeing, including your attachment style, emotional regulation, mental health, relationship quality, body image, and sexual functioning. Understanding your profile in more detail is often the first step toward meaningful change.

Ready to understand what is driving your score?

[Take the full Sexual Wellbeing Assessment →](#)

You are not alone. Lower sexual wellbeing is common and affects people of all ages, genders, and relationship types. The fact that you are here, asking these questions, suggests you are ready to understand yourself better, and that is a powerful starting point.

This document is for informational and self-reflection purposes only. It is not a clinical assessment and does not constitute a diagnosis. If you have concerns about your sexual health or mental health, please consult a qualified healthcare professional.