

SEXUAL WELLBEING SNAPSHOT

# Your Sexual Wellbeing Snapshot

Understanding your score

YOUR RESULT



**Moderate Sexual Wellbeing**



## Your Result: Moderate Sexual Wellbeing

Your responses to the Sexual Wellbeing Snapshot suggest that your sexual wellbeing is in a moderate range. Across a range of dimensions, including how safe and comfortable you feel in your sexuality, how much you enjoy your sex life, and how supported and at ease you feel in intimate experiences, things are broadly functioning, though there may be areas that feel less settled, less positive, or more variable than you would ideally like.

Moderate sexual wellbeing is the most common result in the general population. It reflects a realistic picture: most people experience sexuality as a mixed domain, with genuine strengths alongside real challenges. The areas of difficulty may be subtle, intermittent, or context-dependent, but they are worth paying attention to, given that sexual wellbeing has meaningful connections to overall quality of life, relationship satisfaction, and mental health.

## What Might Be Influencing Your Score?

Even within a moderate range, it is useful to reflect on what might be shaping your experience of sexual wellbeing. The following are among the most common contributors.

- **Attachment and relationship patterns.** How we learned to relate to others early in life shapes the ease or difficulty we experience in intimacy. Mild insecure attachment, particularly anxious or avoidant patterns, can create subtle interference in sexual connection, even when relationships are otherwise functional.
- **Personality traits.** Personality characteristics can influence how we approach and evaluate sexual experiences. Higher emotional reactivity, lower openness, or a tendency toward self-criticism can quietly affect sexual confidence and satisfaction over time.
- **Mental health.** Subclinical or mild symptoms of depression and anxiety are common and can have a gradual, cumulative effect on desire, presence during intimacy, and overall sexual satisfaction, even when they do not feel severe.
- **Medication.** Medications affecting mood, hormones, or cardiovascular function can subtly alter desire, arousal, or enjoyment. If you have noticed a change in your sexual experience that coincides with starting a medication, this is worth raising with your doctor.

- **Body image.** Ambivalence about your body can show up during sexual experiences as self-consciousness or distraction, not necessarily overwhelming, but enough to reduce ease and presence.
- **Physical and sexual health.** Occasional difficulties with desire, arousal, orgasm, or comfort during sex are common and often go unaddressed. If these are recurring, they may be contributing to your moderate score.
- **Your environment and relationships.** Relationship quality, communication about sex, and the broader social context of your sexuality can all be quiet contributors to wellbeing in this range. These may be things that are working adequately but are not as nourishing or supportive as they could be.
- **Sexual confidence.** Your responses to the confidence questions suggest a mixed picture of sexual self-efficacy. You may feel more confident in some areas than others, which is typical at this level of wellbeing. Reflecting on where confidence feels strongest and where it wavers can help identify specific areas worth developing.

## What You Can Do

A moderate score is not a cause for alarm, but it is worth treating as useful information. Sexual wellbeing in this range often has real room for improvement, and small, targeted changes can make a meaningful difference.

- **Stay attentive.** Moderate sexual wellbeing can drift toward lower wellbeing under stress, health changes, or relationship difficulties. Checking in with yourself periodically, including by repeating this assessment, is worthwhile.
- **If things feel like they are waning, act early.** Research consistently shows that early intervention for sexual difficulties, relationship concerns, or mental health symptoms is more effective than waiting until problems are entrenched. If you notice your wellbeing declining, speaking with your GP, a psychologist, or a sex therapist sooner rather than later is a sound approach.
- **Understand your profile more deeply.** If you would like a more detailed picture of what is contributing to your sexual wellbeing, including specific measures of attachment, emotional regulation, mental health, relationship satisfaction, body image, and sexual functioning, our comprehensive Sexual Wellbeing Assessment is designed for exactly this purpose.

---

Want a more detailed picture?

[Take the full Sexual Wellbeing Assessment →](#)

---

This document is for informational and self-reflection purposes only. It is not a clinical assessment and does not constitute a diagnosis. If you have concerns about your sexual health or mental health, please consult a qualified healthcare professional.