

TEMPLATE GUIDE

Ella V. Hair Salon

A Framer template for hair salons, barbershops and studios

Format	Framer Remix - no code to paste
Booking	Cal.com calendar, contact form, Google map
Settings	207 options in the Framer properties panel
Component version	v10 · Brand-coloured map

Welcome

This template is a single Framer code component that renders the whole one-page site: header, hero, services, gallery, optional video section, pricing, about, booking and footer. You never edit code – everything is set from the properties panel on the right.

What makes it different

- **Nine colour themes in one click**, or full manual control over every colour on the page.
- **Real booking**. Connect a Cal.com event and visitors book straight from the page – inline calendar or popup, in the language you choose.
- **Video anywhere an image can go**, including a video background for the whole page.
- **A Google map in the contact section**, from a plain address – no API key, and coloured in your accent so it belongs to the page.
- **Animated floating shapes** and an optional custom cursor, both following your accent colour.
- **Responsive by component width**, not window width – it looks right in every Framer breakpoint.

How to read this guide

1 • GETTING STARTED

Opening your remix
The properties panel
Publishing

2 • SETTINGS REFERENCE

Colours and themes
Floating shapes
Cursor
Logo, menu, sections
Appearance and effects
Videos

3 • CONTENT

Hero, services, gallery
Pricing, about
Video section

4 • BOOKING WITH CAL.COM

Setting up on cal.com
Connecting it in Framer
Appearance and testing

5 • CONTACT FORM & MAP

Formspree in five minutes
Google map

6 • LAYOUT AND RESPONSIVENESS

Sizing, breakpoints

7 • TROUBLESHOOTING

Common questions

APPENDIX

Standalone HTML version

1 · Getting started

Opening your remix

You received the template as a **Framer Remix link**. There is no code to copy and no file to install.

- 1 Open the remix link. Framer asks where to place the project – choose your workspace.
- 2 Click **Remix**. Framer creates your own copy; the original stays untouched.
- 3 Rename the project (top left) to your salon's name.
- 4 On the canvas, click the page once. In the layers panel select the component named **Ella Hair Salon Page**.
- 5 The properties panel on the right now lists every setting described in this guide.

Everything lives in one component. You will not find separate layers for the hero, pricing or footer – they are all rendered by the component, which is why one panel controls the whole page.

The properties panel at a glance

GROUP	WHAT IT CONTROLS
Version	Read-only marker of the template version
 Colors	Theme picker and every individual colour
 Floating shapes	The animated background shapes
 Cursor	Custom mouse cursor
 Logo	Image or text logo and its link
 Sections	Show or hide whole sections
 Background video	Video behind the entire page
 Video behaviour	Autoplay, loop, mute, controls for all videos
 Appearance	Fonts, sizes, spacing, radii, column counts
 Effects	Glow, hover lift, blurred header, scroll indicator
CTA text / CTA link / Menu	Header button and navigation items
Hero ... Footer	The content of each section
Contact & booking	Booking mode, Cal.com, contact details, form
 Map	Google map in the contact section

Publishing

- 1 Click **Preview** (play icon) to test the real page – booking and the contact form only work here and on the published site, not on the canvas.
- 2 Open **Publish**, pick the free `.framer.website` address or connect your own domain.

- 3 Publish again after any change – edits are not live until you do.

Before you go live

TASK	WHERE
Replace logo and salon name	 Logo
Replace every photo	Hero, Services, Gallery, About
Rewrite services and prices	Services, Pricing
Set address, phone, opening hours	Contact & booking
Connect booking or the form	Contact & booking (chapters 4 and 5)
Turn on the map	 Map (chapter 5)
Set page title, favicon, social preview	Framer's own page settings

2 · Settings reference

Every field in the panel, grouped exactly as you see it in Framer.

Colors

Theme repaints the entire site in one click – background, cards, text, buttons, form, floating shapes and the cursor.

THEME	LOOK
Custom colors	Your own palette from the fields below (default)
Pink noir	Black and pink – the original look
Midnight blue	Deep navy with a bright blue accent
Emerald	Near-black with green
Gold luxe	Black and gold
Violet	Dark purple
Sunset coral	Warm dark with coral
Graphite mono	Black and white, no colour accent
Daylight	Light version of the site

Pick a theme and the individual colour pickers hide, because the theme drives them. Choose **Custom colors** to get them back:

FIELD	USED FOR
Background	Page background
Background 2	Second surface: inputs, mobile menu, price gradient
Cards	Service cards and price cards
Accent	The brand colour – links, glows, shapes, cursor, buttons
Accent light	Hover state of the accent
Text	Body text
Headings	H1–H3 colour
Muted text	Descriptions and secondary lines
Borders	Hairlines between cards, rows and sections
Header	Header background – use transparency for a glassy bar
Mobile menu	Background of the slide-in menu
Buttons use accent	On: buttons follow the accent. Off: the two fields below apply
Button / Button hover	Primary button colours when the switch above is off
Button text	Label colour on the primary button
Outline text / border	The secondary (outlined) button
Input background / border / text	Contact form fields
Footer	Footer background (transparent by default)
Success / Error	Colour of the form's confirmation and error message

Tip. To rebrand quickly, keep **Custom colors** and change only **Accent**. Buttons, glows, shapes and the cursor follow it automatically.

✨ Floating shapes

Animated shapes drifting behind the content, drawn on a canvas.

FIELD	MEANING
Enable	Master switch. Off means nothing is drawn at all
Scissors, Comb, Wave, Heart, Star, Sparkle, Dot, Ring, Bubble	Which shapes appear. Scissors, comb and wave are on by default; mix freely
Use accent color	On: shapes take the accent. Off: use Custom color
Count	0-90 shapes. On phones the count is automatically reduced
Size	8-90 px base size
Stroke width	0.3-4 – how heavy the outlines look
Speed	0 = frozen, 0.22 default, 3 = fast drift
Opacity	0.05-1
Rotation	Slow spin while drifting
React to mouse	Shapes dodge the pointer
Mouse radius	20-400 px – how far that influence reaches

Cursor

FIELD	MEANING
Mode	System = normal cursor · Shape = built-in shape · Custom image = your own PNG/SVG
Shape	Original, Arrow, Dot, Ring, Scissors, Comb, Heart, Sparkle, Drop
Use accent color	On: cursor follows the accent. Off: pick Color
Outline / Outline width	Outline colour and thickness – keeps the cursor visible on any background
Size	12-64 px
Hotspot X / Y	Which point of the drawing actually clicks. For a pointed shape keep it near 0,0; for a dot or ring use the centre (12,12)
Cursor image	Custom image mode – 32×32 px works well
Different on links	A second cursor over links and buttons
Hover shape / Hover color	That second cursor's look

Touch devices never get a custom cursor – the setting is ignored there.

Logo

FIELD	MEANING
Logo image	PNG or SVG. When set, it replaces the text logo
Text / Text (accent)	Text logo split in two parts – the second one is in the accent colour
Link	Where the logo points, <code>#hero</code> by default

Logo height is in  **Appearance → Logo height.**

Sections

Switches for whole sections: **Button in menu**, **Services**, **Gallery**, **Video section** (off by default), **Pricing**, **About**, **Contact**, **Footer**. Hidden sections are not rendered at all, and their menu links can be removed under **Menu**.

Background video & Video behaviour

FIELD	MEANING
Enable	Turns on a video layer behind the whole page
Video file	MP4, WebM, OGV, MOV or M4V
Poster	Still shown until the video starts
Opacity	0-1 – keep it low so text stays readable
Overlay	Colour laid over the video, usually a dark transparent tone
Autoplay / Loop / Muted / Controls	Applies to every video on the page. Autoplay forces mute – browsers block sound otherwise

Appearance

FIELD	RANGE / DEFAULT
Font / Heading font	Any CSS font stack, e.g. <code>Inter</code> , <code>sans-serif</code>
Text size	12-22 px (16)
Line height	1.2-2.2 (1.6)
Hero title (rem)	2-6 (3.6) – maximum size, scales down on small screens
Headings (rem)	1.4-5 (2.6)
Media radius	0-48 px (20) – hero, about, video
Card radius	0-48 px (16) – cards, gallery, calendar
Button radius	0-40 px (30) – 0 gives square buttons
Content width	800-1800 px (1200)
Section spacing	20-200 px (100) – vertical rhythm
Header height	56-140 px (76)
Logo height	16-120 px (40)
Hero height (vh)	50-100 (100) – share of the screen height
Hero media (px)	200-900 (520)
Card media (px)	100-500 (200)
Gallery media (px)	120-600 (260)
About media (px)	200-800 (440)
Video section (px)	200-900 (520)
Service columns	1-6 (4) – drops to 2 and then 1 on smaller screens
Gallery columns	1-6 (4)
Animation speed	0-1.2 s (0.3) – all hovers and transitions
Bullet icon	The character in the About list, ✓ by default

Effects

FIELD	MEANING
Blurred header	Frosted-glass header. Pair it with a semi-transparent Header colour
Hero glow	Soft accent glow under the hero image
Card hover lift	Cards rise on hover
Pricing glow	Price cards light up as they reach the middle of the screen
Scroll indicator	The animated mouse hint at the bottom of the hero

Map

A Google map inside the contact section. Off by default; see chapter 5 for the step-by-step setup.

FIELD	MEANING
Show map	Master switch. While off, nothing from Google is loaded
Source	Address builds the map from a plain address · Embed link uses a link you copy from Google Maps
Address	Address mode. Leave empty to reuse the address from Contact & booking
Zoom	1 (world) – 21 (building). 15–17 suits a shop front
Map language	Language of the map labels, e.g. <code>en</code> , <code>cs</code> , <code>de</code>
Embed link	Embed-link mode. Paste the URL, or the whole <code><iframe></code> snippet – the template picks the address out of it
Placement	Under contact details (next to the form or calendar) or Full width below the whole section
Height	180–800 px
Map colors	Match site (auto) colours the map in your accent, light or dark according to your background · Brand - light / Brand - dark force one of them · Grayscale · Google original leaves Google's own colours
Tint strength	0 = neutral map, 1 = full brand colour (default)
Directions button	Adds a button that opens navigation to your address (address mode)
Button text	Label of that button
Map title (ally)	Description of the frame for screen readers

3 · Content of each section

Header: CTA and menu

FIELD	MEANING
CTA text / CTA link	The button in the header. Hide it under  Sections → Button in menu
Menu	A list of items, each with Label and Link . Use <code>#hero</code> , <code>#services</code> , <code>#gallery</code> , <code>#video</code> , <code>#pricing</code> , <code>#about</code> , <code>#contact</code> – or any external URL. Add and reorder with the + and drag handles

Hero

FIELD	MEANING
Eyebrow	Small line above the title
Title line 1 / Title accent / Title line 2	The headline is assembled as: <i>line 1</i> accent . <i>line 2</i>
Description	Paragraph under the title
CTA 1 / CTA1 link	Primary button (this one can open booking – chapter 4)
CTA 2 / CTA 2 link	Secondary outlined button
Image	Hero photo
Video (takes priority)	When set, the video replaces the image
Video poster	Still frame before the video plays
Alt text	Description for screen readers and SEO

Services

Eyebrow, **Heading** and a list of **Cards**. Each card has **Title**, **Description**, **Image**, **Video** and **Video poster**. Add cards with +, drag to reorder, and set how many fit per row in  **Appearance → Service columns**.

Gallery

Eyebrow, **Heading** and **Items**. Each item takes an **Image** or a **Video** plus **Alt text** – images and videos can be mixed in the same grid. Height and columns are in Appearance.

Video section

Off by default; switch it on in  **Sections → Video section**. It shows a full-width video with its own **Eyebrow**, **Heading** and **Description**, plus its own **Autoplay**, **Loop** and **Controls** (handy for a salon tour where visitors should press play themselves).

Pricing

Three groups – women, men and special services. Each has a **badge**, a **title** and a list of **items** with **Service** and **Price**. The lists have no length limit; the price is free text, so `from $35` , `35 €` or `on request` all work. **Note** is the small centred paragraph under the cards.

About

Eyebrow, Heading, Description, a list of **Bullet points**, and an **Image** or **Video** with **Alt text**. The bullet character is **Appearance** → **Bullet icon**.

Contact details and footer

In **Contact & booking** you set **Eyebrow, Heading, Description**, and three label/value pairs: **Address label** + **Address**, **Phone label** + **Phone**, **Hours label** + **Opening hours**. The labels are separate fields so you can translate them.

Footer is a single line of text; **Show year** puts the current year in front of it automatically.

Images and video – practical notes

- Upload images through the panel; Framer optimises and serves them for you.
- Suggested sizes: hero $\approx 1200 \times 1000$ px, service card $\approx 800 \times 600$ px, gallery $\approx 700 \times 700$ px, about $\approx 1000 \times 1200$ px.
- Video files: MP4 (H.264) is the safest. Keep them short and under ~10 MB – they are a background element, not a film.
- A link ending in `.mp4` or `.webm` also works in an image field – the template detects it and renders a video.

4 · Booking with Cal.com

Cal.com is a free scheduling service. Clients pick a slot, both of you get a confirmation and the appointment lands in your calendar. This chapter covers the setup on cal.com first, then connecting it to the template.

Step A · Set up your booking page on cal.com

- 1 **Create an account** at cal.com. Pick a username you are happy to show – it becomes part of every booking link, e.g. `cal.com/ella-salon`.
- 2 **Set your availability.** Under **Availability**, create a schedule matching your opening hours (for example Mon–Sat 9:00–19:00) and set the correct time zone. You can add several schedules, e.g. a shorter Saturday.
- 3 **Create an event type** – one per service you want bookable. Under **Event types** → **New** set:
 - **Title** – what the client sees, e.g. “Women's haircut”.
 - **URL** – the slug, e.g. `womens-haircut`. Together with your username this is the link you will paste into Framer.
 - **Description** – shown next to the calendar.
 - **Duration** – e.g. 60 minutes. You can offer multiple durations.
- 4 **Set the location** in the event's **Location** field – for a salon choose *In person* and enter the address, or *Attendee address* for home visits.
- 5 **Connect your calendar** under **Apps** → **Calendar** (Google, Outlook, Apple). Cal.com then blocks slots you are already busy in and writes new bookings into that calendar.
- 6 **Tune the limits** in the event's **Limits** tab: minimum notice (e.g. 2 hours), buffers before and after, how far ahead people can book, and a daily maximum.
- 7 **Adjust the questions** in **Advanced** → **Booking questions**. Name and email are always there; add a phone number or a “which service” dropdown. You can also require confirmation before a booking is final.
- 8 **Test it** – open `cal.com/your-name/your-event` in a private window and make a booking. Check that the confirmation e-mail arrives and the event appears in your calendar.

Which link do I need? Everything after `cal.com/` – that is `username/event-slug`, for example `ella-salon/womens-haircut`. Pasting the whole address works too; the template shortens it for you.

Step B · Connect it in Framer

Open **Contact & booking**. The first field,  **Booking**, decides what appears at the bottom of the page:

MODE	RESULT
Contact form	Only the contact form (default). Needs Formspree – chapter 5
Cal.com calendar	The booking calendar embedded in the page, no form
Cal.com button	A button that opens booking in a popup, no form
Form + Cal.com button	Both – people choose how to reach you

Then fill in **Cal.com link** with `username/event-slug`. Until you do, the section shows a short hint instead of a calendar.

Step C · Appearance and behaviour

FIELD	MEANING
Booking button	Label of the booking button (popup modes)
Booking note	Small line under that button, e.g. “Free 15-minute consultation”
CTA opens booking	Makes the header and hero Book Now buttons open booking as well
Calendar layout	Month (grid), Week or Column (compact list)
Calendar language	Language of the calendar itself – month names, weekdays, buttons. <code>en</code> by default; use <code>cs</code> , <code>de</code> , <code>es</code> ... or <code>auto</code> to follow the visitor's browser
Calendar theme	Auto follows your site – a dark site gets a dark calendar. Or force Dark / Light
Brand = accent	Calendar highlights use your accent colour. Off: pick Brand color
Match site colors	Passes your whole palette to the calendar – background, cards, text, borders. Off leaves Cal.com's default look
Calendar min height	320–1200 px. Only a minimum – the calendar grows with its content
Full width calendar	On: calendar spans the section under the text (recommended for Month view)
Hide event details	Hides the left panel with the service name and duration
Origin / Embed script	Leave empty. Only for a self-hosted Cal.com instance

About the calendar language. Left to itself, the Cal.com widget follows the visitor's browser, so a Czech visitor sees Czech month names even on an English site. **Calendar language** pins it – the setting is passed to the embed and to the fallback link, so both open in the same language. Texts you wrote yourself on cal.com (event title, description) are shown as you wrote them; only the interface is translated.

Step D • Test

- 1 Open **Preview** – the calendar does not load on the Framer canvas, because the canvas blocks external scripts.
- 2 Pick a slot and complete a test booking.
- 3 Publish and repeat once on the live site.

Built-in safety net. If the Cal.com script is blocked (ad blockers, strict privacy settings), the page shows a button linking to your Cal.com page instead, so visitors can always book. The script is only loaded when booking is switched on and a link is filled in – otherwise the site loads nothing external at all.

GOOD TO KNOW

- The small “Cal.com” credit under the calendar belongs to their free plan and can only be removed in a paid Cal.com plan.
- One event type per link. To offer several services, either point the button at your main event, or add more buttons through Framer's own layers.
- Prices, deposits and payments are configured on cal.com, not here.

5 · Contact form and map

The form posts to **Formspree**, which forwards submissions to your inbox. No server needed.

- 1 Create a free account at formspree.io and confirm your e-mail.
- 2 Create a new form and copy its endpoint – it looks like `https://formspree.io/f/abcdwxyz`.
- 3 Paste it into **Contact & booking → Formspree endpoint**.
- 4 Publish, send a test message and confirm the first submission in the e-mail Formspree sends you.

FIELD	MEANING
Name / Email / Phone / Message placeholder	Placeholder text in the four inputs
Button text / Sending text	Label before and during submission
Email subject	Subject line of the e-mail you receive
Success message	Shown after a successful send
Error message	Shown if the send fails

Without an endpoint the form politely reports that it is not connected yet, so a visitor never gets a silent failure. If you only take bookings through Cal.com, switch the mode to **Cal.com calendar** or **Cal.com button** and the form (and its fields) disappear.

Google map

The map lives in the  **Map** group. There are two ways to fill it – pick whichever you find easier.

THE QUICK WAY - JUST AN ADDRESS

- 1 Turn on **Show map**.
- 2 Leave **Source** on **Address**. The map uses the address from **Contact & booking**, so if that is filled in you are already done.
- 3 To show a different spot – a parking entrance, a back door – type it into **Address** in the Map group.
- 4 Set **Zoom** (15–17 works well for a salon) and **Map language**.

No Google account and no API key are needed for this mode.

THE PRECISE WAY - AN EMBED LINK FROM GOOGLE MAPS

- 1 Open google.com/maps and find your salon. If you have a business profile, search for it by name so the pin carries your opening hours.
- 2 Click **Share → Embed a map**, choose a size and press **Copy HTML**.
- 3 In Framer set **Source** to **Embed link** and paste it into **Embed link**. You can paste the whole `<iframe ...>` snippet – the address inside it is picked out automatically.

FITTING IT INTO THE DESIGN

- **Placement** – under the contact details (map beside the form or calendar) or full width under the whole section.
- **Height** – 300–400 px next to the details, 400–500 px full width.
- **Map colors** – left on **Match site (auto)** the map takes your accent colour: pink by default, blue if you switch the accent to blue, and it goes dark or light with your background. **Google original** brings back Google's own colours.
- **Tint strength** – how strongly the brand colour is applied. Lower it if street names get hard to read.
- **Directions button** – opens navigation to your address in the visitor's maps app.

How the colouring works. Google's map is an external frame whose contents cannot be restyled, so the template neutralises it and lays your accent over it in "color" blend mode – the map keeps its own light and shade but takes your hue. The map stays fully interactive: you can drag and zoom it as usual.

Privacy. The map is loaded from Google only when **Show map** is on. If your site has a cookie banner, remember to mention Google Maps there.

6 · Layout and responsiveness

How the component is sized

The component is set to **Fill width** and **Fit content height**: it spans the width of its frame and is exactly as tall as its content. Add a service card or a pricing row and the frame grows by itself – you never drag it to fit.

Breakpoints

Layout changes follow the **width of the component**, not the width of the browser window. That is why the page looks correct inside a narrow phone breakpoint even while you are editing on a wide canvas.

COMPONENT WIDTH	WHAT CHANGES
up to 992 px	Hero becomes one column and centres, service cards and gallery drop to 2 columns, price cards stack
up to 768 px	Menu collapses into the hamburger, hero media and video section get shorter
up to 480 px	Everything is one column, buttons go full width, page padding tightens

The mobile menu

The slide-in menu is built from your **Menu** items plus the CTA button. It only exists while open, and closes on a link, on the backdrop or with Esc.

Hero height

Appearance → Hero height (vh) is a share of the screen height: 100 means a full-screen hero. It is measured in small-viewport units, so a phone with a dynamic address bar gets the same result as your canvas.

7 · Troubleshooting

The panel does not show a setting described here

Check the very first field, **Version**. This guide documents **v10 · Brand-coloured map**. If your remix predates it, ask for the current remix link.

The calendar does not appear

- Test in **Preview** or on the published site – the Framer canvas runs in a sandbox that blocks external scripts.
- Check that **Cal.com link** is `username/event-slug` and that the same address opens in a browser.
- **Origin** and **Embed script** must stay empty unless you self-host Cal.com.
- If a button linking to Cal.com shows up instead of the calendar, the embed was blocked in that browser – usually an ad blocker or strict third-party-cookie settings. Booking still works through the button.

The form does not send

- Is **Formspree endpoint** filled in and does it start with `https://formspree.io/f/ ?`
- Did you confirm the first submission in the e-mail Formspree sent you? Until then messages are held.
- Test on the published site, not on the canvas.

The calendar is in the wrong language

Set **Contact & booking → Calendar language** to a language code such as `en` or `cs`. On `auto` the widget follows each visitor's browser, which is why it can look Czech to you and English to someone else.

The map is empty or shows the wrong place

- Address mode: check the address in **Contact & booking**, or type a more precise one into **Map → Address**. Adding the city and country helps.
- Embed mode: the link must come from Google Maps → Share → Embed a map. A normal `maps.app.goo.gl` share link will not render.
- An empty grey frame with a hint means neither an address nor an embed link is filled in.

The map colour does not match the site

Check **Map → Map colors**. On **Google original** the map keeps Google's own palette; **Match site (auto)** follows your accent. If the labels are hard to read, lower **Tint strength**.

The page looks cut off at the bottom on a phone

The component reports its height correctly, but Framer remembers the height it measured on the canvas. Select the component on the phone breakpoint and set it – and the frame around it – to **Fit content** rather than a fixed height.

Colours changed but a button did not

Check 🎨 **Colors** → **Buttons use accent**. When it is off, buttons take **Button** and **Button hover** instead of the accent.

Shapes or the cursor feel distracting

Lower **Count**, **Speed** and **Opacity**, or switch **Floating shapes** → **Enable** off. For the cursor use **Cursor** → **Mode** → **System**. Visitors who ask their system to reduce motion automatically get a calmer page.

What cannot be changed from here

- The “Cal.com” credit under the calendar – a Cal.com plan setting.
- Formspree's own limits and spam filtering – your Formspree plan.
- Page title, favicon, social preview, domain and SEO – Framer's own page and site settings.

Appendix · Standalone HTML version

Besides the Framer template there is a single-file HTML build of the same site, for hosting outside Framer. Skip this appendix if you are staying in Framer.

`index.html` contains the markup, styles and scripts in one file – no build step, no dependencies, no CDN. Upload it anywhere (FTP, Netlify, Vercel, GitHub Pages) or open it locally by double-clicking.

Where the settings live

At the top of the `<script>` block there is a `SITE` object – the equivalent of Framer's panel:

```
const SITE = {
  theme: "noir",    // noir | midnight | emerald | gold | violet
                  // coral | mono | daylight | custom
  colors: {},      // your own colours when theme = "custom"
  style: {},       // fonts, radii, spacing, media heights
  effects: {},     // headerBlur, heroGlow, hoverLift, pricingGlow
  shapes: {},     // { enabled: false } turns the shapes off
  cursor: {},     // { mode: "Default" } turns the custom cursor off

  booking: {
    mode: "form",  // form | inline | popup | both
    callLink: "",  // "your-name/haircut"
    locale: "en",  // calendar language, or "auto"
  },
  map: {
    enabled: false, // Google map in the contact section
    source: "address", // "address" | "embed"
    address: "",     // empty = reuse the contact address
    zoom: 15,
    placement: "contact", // "contact" | "full"
    style: "auto",      // auto | brand | brandDark | gray | original
    tint: 1,           // 0 = neutral map, 1 = full brand colour
  },
  form: { formspreeEndpoint: "" },
}
```

Defaults for every value are in the `DEFAULTS` object right below – you only override what you want to change. Booking and the form behave exactly as described in chapters 4 and 5.

Texts and images

Texts are edited directly in the HTML. Images are loaded from an `assets/` folder next to the file:

```
assets/hero-salon.jpg
assets/service-1.jpg ... service-4.jpg
assets/gallery-1.jpg ... gallery-8.jpg
assets/about-salon.jpg
```

Until those files exist the page shows neutral dark placeholders – nothing breaks. A `<video>` tag with the same classes can replace any image.

Which version should I use?

	FRAMER TEMPLATE	HTML FILE
Editing	Visual panel, no code	Text editor
Hosting	Framer	Anywhere
Ongoing cost	Framer plan	Hosting only
Best for	Editing the site yourself	A developer-maintained static site