

ABC LAB

One-page site, one colour away.

Everything this template can do, control by control — and how to repaint the whole website from a single colour without touching the code.

500+

Printed Projects

99%


Customer Satisfaction

24h

Express Production

0.05mm

Print Accuracy



ABOUT US

Precision manufacturing powered by technology and craftsmanship

ABC LAB combines advanced 3D printing technology with engineering precision. From the first concept to the final part, we support every project with a focus on detail, speed, and reliability.

What is in this guide

This template is a single Framer code component that renders a complete one-page website. Nothing is edited in code — every text, photo, colour and section lives in the properties panel on the right-hand side of the Framer canvas.

1 What you are working with

The component, the thirteen sections, what is included.

2 Install it in Framer

From the code file to a page you can publish.

3 Quick start

Fifteen minutes from the demo content to your own site.

4 The colour system

One colour for the whole site, presets, your own colour, the live switcher.

5 Section reference

Every control in every section, with defaults.

6 Images, icons and video

Sizes, background removal, video files and links.

7 The contact form

Mail app or Formspree, spam protection, wording.

8 Fonts and typography

How the two font fields work.

9 Responsive behaviour

What changes at each screen width.

10 Motion and accessibility

Scroll reveals, reduced motion, keyboard and screen readers.

11 Before you publish

A short checklist.

12 Troubleshooting

The questions that come up most often.

1. What you are working with

One component, thirteen sections, all of it editable in the panel.

After you drop **AbcLabSite** onto a page you get the whole site: navigation, hero, statistics, about, services, process, materials, portfolio, testimonials, FAQ, contact and footer. Each of those is a numbered group in the properties panel, and each one has a **Show Section** switch, so you can turn off anything your business does not need.

What is included

One-click colour

Eleven presets or any colour you pick, applied to the entire page. Chapter 4.

Live colour switcher

An optional floating button that lets visitors recolour the site themselves.

Photos with the backdrop removed

Studio shots on a plain background can be lifted out automatically, no Photoshop.

Video anywhere it matters

Hero, about and portfolio accept an uploaded file or a YouTube / Vimeo link.

A working enquiry form

Sends through the visitor's mail app, or straight to your inbox through Formspree.

Map without an API key

Type a real address; the map can be de-saturated and tinted in your colour.

Built-in icons

Seven line icons, or upload your own for any trade — a fork for a restaurant, a wrench for a garage.

Responsive and accessible

Four breakpoints, a skip link, keyboard support and respect for reduced-motion settings.

2. Install it in Framer

Five minutes, once per project.

- 1 Open your Framer project and show the **Assets** panel on the left.
- 2 Go to the **Code** tab and create a new code file. Name it anything you like, for example **AbcLabSite.tsx**.
- 3 Delete the sample code Framer puts there, paste in the whole template file, and save. Framer compiles it straight away; the component appears in the Code tab.
- 4 Open the page you want the site on and drag **AbcLabSite** onto the canvas.
- 5 Select the layer and set **Width: Fill** and **Height: Fit**. The component brings its own spacing, so it does not need a wrapper frame.
- 6 Everything else happens in the properties panel on the right: the numbered groups ① Navbar to ⑬ Footer.

One component, one page. The template is designed to be the only element on its page. If you want a second page — a blog, a legal notice — make it a normal Framer page and link to it from the navigation fields in ① Navbar.

3. Quick start

The fastest route from the demo content to a site that is yours.

- 1 **Pick your colour.** ② Global Style → ● **Site Color**. Choose a preset, or *Own color...* and pick your brand colour. The whole page repaints instantly.
- 2 **Set the navigation.** ① Navbar: logo text (or upload a logo image), the five menu labels and their links, and the button label and link.
- 3 **Write the hero.** ③ Hero: heading, the highlighted part of the heading, the paragraph and the button. Then replace the gallery photos.
- 4 **Work down the page.** Groups ④ to ⑪ are text and list items — statistics, about, services, process, materials, portfolio, testimonials, FAQ. Turn off what you do not need with **Show Section**.
- 5 **Set up contact.** ⑫ Contact: e-mail, phone, address, then choose how the form sends (chapter 7) and type a real address for the map.
- 6 **Check the phone layout** in Framer's preview, then publish.



Tip. Do the colour first. Everything you look at afterwards — photos, icons, spacing — is easier to judge once the page is already in your own colour.

4. The colour system

The whole site is painted from one colour. Pick it once, and every accent, gradient, glow, border, icon and shadow is rebuilt around it.

4.1 Where to find it

② Global Style, first control: ● **Site Color**. It offers eleven ready-made presets, an *Own color...* option with a colour picker, and *Custom*, which hands control back to the individual colour fields underneath.



Site Color open in the properties panel. Pick an entry and the canvas repaints while you watch — the individual colour fields below it step aside.

4.2 What one colour changes

Choosing a Site Color rebuilds all of these at once:

Part of the page	How it is derived
Accent	Your colour, kept exactly as picked. Used for tags, links, numbers, icons, the timeline and every small highlight.
Accent 2	A light tint of it, for the gradient in headings, the material cards and the timeline track.
Background tint	A brighter version, used for the soft glow behind the hero.
Hover halo	The same glow at 35 % opacity, for the light that appears under a card on hover.
Card shadow	Your colour, mixed down to a soft coloured shadow under every glass card.
Button colour + border	Your colour for the label, and a 55 % transparent version for the outline.

Part of the page	How it is derived
Carousel dots	Your colour.
Page background	Near white, with a trace of your hue so the page does not look grey next to the accent.
Text colour	Near black, with the same trace of hue.
Section extras	The About spool, the portfolio pop-up accent and the map tint follow the site colour too, even though those controls live in their own sections.

Secondary text stays neutral. The muted grey used for paragraphs is left at a neutral tone on purpose — tinting body text hurts readability.

4.3 Your own colour

Pick *Own color...* and a colour field appears right underneath. Any format Framer's picker produces works. Two things happen automatically:


- Very light or very dark picks are nudged into a readable range, so the accent never disappears against the near-white background.
- The lighter tints, the glow and the transparent border are recalculated from the picked colour, keeping the same relationships the original purple design used.

Choosing the **Purple (original)** preset restores the exact palette the template was designed with, down to the last hex value.

4.4 Keeping full manual control

Leave **Site Color** on *Custom (controls below)* and the template behaves exactly as it did before the colour system existed: eleven individual colour fields — background, text, secondary text, accent, accent 2, background tint, hover halo, card shadow, button, button border and carousel dots — each set by hand.

Switch to a preset and those fields are hidden, because they are no longer in charge. **Their values are not lost.** Go back to *Custom* and every colour you set is still there.



The same group in both states: Custom with every colour field editable, and a preset with the fields tucked away.

4.5 Reset Colors

The **Reset Colors** switch further down forces the original purple palette everywhere and overrides Site Color as well. It is a quick way back to the design as it shipped, without losing anything you have set. Turn it off to return to your own settings.

4.6 Which setting wins

When several colour settings are active, they are applied in this order — the first one that applies wins.

- 1 **A visitor's own pick** — only when the live switcher is turned on, and only in that visitor's browser.
- 2 **Reset Colors** — the original purple palette.
- 3 **Site Color** — a preset or your own colour.
- 4 **The individual colour fields** — used when Site Color is set to Custom.


4.7 The live colour switcher

Turn on **Color Switcher** in ② Global Style and a small round button appears in the corner of the published site. Visitors open it and tap one of the eleven colours; the whole page changes immediately, and a reset button returns it to the colour you set in Framer.

ABOUT US

Precision manufacturing powered by technology and craftsmanship

ABC LAB combines advanced 3D printing technology with engineering precision. From the first concept to the final part, we support every project with a focus on detail, speed, and reliability.



The switcher, open on the published site. Position, button label and reset label are all editable.

- **Position** — bottom right or bottom left.
- **Label** and **Reset Label** — the wording, so it can be in your own language.
- A visitor's choice is remembered in *their* browser only. It never changes your Framer settings, and it is invisible to everyone else.
- Turn the switch off and the button disappears; the site simply uses the colour you set.

Worth knowing. While you have the switcher enabled and have clicked a colour yourself, your own browser keeps showing that colour on the published site — even after you change Site Color in Framer. Press the reset button in the switcher to see your Framer setting again.


5. Section reference

Every control in the properties panel, group by group, with the value it ships with. The groups appear in the panel in exactly this order.

Show Section switches a whole section on or off. The list controls — gallery slides, stat cards, service cards, steps, materials, portfolio items, testimonials, questions — take as many entries as you like, and the layouts re-flow to fit. Anything left empty is hidden rather than shown blank.

① Navbar

Sticky bar with the logo, five menu links and one call-to-action button. Below 700 px it collapses into a full-screen hamburger menu.



Control	Type	Default	What it does
Show Section <code>showNavbar</code>	Boolean	On	
Logo Text <code>logoText</code>	String	ABC LAB	
Logo Image (optional, replaces logo text) <code>logoImage</code>	Image	empty	Recommended: 600 × 120 px, PNG with a transparent background. It is shown up to 220 × 42 px, so this keeps it sharp on high-resolution screens.
Menu 1 <code>navLabel1</code>	String	About	
Link 1 <code>navLink1</code>	Link	#about	
Menu 2 <code>navLabel2</code>	String	Services	
Link 2 <code>navLink2</code>	Link	#services	
Menu 3 <code>navLabel3</code>	String	Process	
Link 3 <code>navLink3</code>	Link	#process	
Menu 4 <code>navLabel4</code>	String	Materials	
Link 4 <code>navLink4</code>	Link	#materials	
Menu 5 <code>navLabel5</code>	String	Portfolio	
Link 5 <code>navLink5</code>	Link	#portfolio	
Button Text <code>ctaText</code>	String	Get a Quote	
Button Link <code>ctaLink</code>	Link	#contact	

SECTION REFERENCE

② Global Style

The colour and typography of the entire page. Chapter 4 covers this group in full — the table below is the quick reference.


Control	Type	Default	What it does
● Site Color <code>siteColor</code>	Enum	Custom (controls below)	One click repaints the whole site. Pick a preset (or "Own color..." for your own) and every accent, glow, button, shadow and dot is rebuilt from that single color. Leave it on "Custom" to keep using the individual color controls below — their values are never lost, just unused while a site color is active. Options: Custom (controls below) · Own color... · Purple (original) · Indigo · Blue · Sky · Teal · Green · Gold · Orange · Red · Pink · Graphite
└ Own Color <code>siteColorCustom</code>	Color	 #6C3BFF	The one color the whole site is built from.
Color Switcher <code>showColorSwitcher</code>	Boolean	Hide	Adds a floating button on the live site so visitors can recolor the whole page with one click. Their choice is remembered in their browser and overrides the settings above.
└ Position <code>switcherPosition</code>	Enum	Bottom Right	Options: Bottom Right · Bottom Left
└ Label <code>switcherLabel</code>	String	Site color	
└ Reset Label <code>switcherResetLabel</code>	String	Original color	
🔓 Reset Colors <code>resetColors</code>	Boolean	Custom	Turn on to use the original purple palette everywhere on the site — it overrides Site Color as well. The color controls below are hidden while this is on (their saved values aren't lost, just not used) — turn it back off to edit your own colors again.
Background <code>bgColor</code>	Color	 #F8F8FC	
Text Color <code>textColor</code>	Color	 #1A1A2E	
Secondary Text <code>textMutedColor</code>	Color	 #666666	
Accent Color <code>accentColor</code>	Color	 #6C3BFF	
Accent Color 2 <code>accentColor2</code>	Color	 #CDB7FF	
Background Tint <code>bgTintColor</code>	Color	 #8A5BFF	Soft purple glow behind the hero section, like in the original mockup.
Hover Halo Color <code>hoverHaloColor</code>	Color	 RGBA(138,91,255,0.35)	
Card Shadow Color <code>cardShadowColor</code>	Color	 #6C3BFF	
Button Color <code>buttonTextColor</code>	Color	 #6C3BFF	
Button Border Color <code>buttonBorderColor</code>	Color	 RGBA(108,59,255,0.55)	
Carousel Dot Color <code>dotColor</code>	Color	 #6C3BFF	

Control	Type	Default	What it does
Heading Font headingFont	String	'Space Grotesk', sans-serif	
Body Font bodyFont	String	Inter, sans-serif	

SECTION REFERENCE

③ Hero

The opening screen: heading with a coloured highlight, paragraph, button, and a rotating photo gallery that can be replaced by a video.



Control	Type	Default	What it does
Show Section showHero	Boolean	On	
Heading heroHeading	String	The future of manufacturing	
Heading Highlight heroHeadingHighlight	String	starts in 3D	
Text heroText	String	ABC LAB designs, prototypes, and manufactures precise 3D m...	
CTA Text heroCtaText	String	Get a Free Quote	
CTA Link heroCtaLink	Link	#contact	
Gallery Slides slides	Array	3 items	
Photo Width (px) heroGalleryWidth	Number	460	

Control	Type	Default	What it does
Photo Height (px) <code>heroGalleryHeight</code>	Number	460	
Auto-Rotate Photos <code>heroGalleryAutoplay</code>	Boolean	On	
Video File <code>heroVideo</code>	File	empty	Replaces the rotating photos in this section. Plays muted and on a loop. Keep it short and under about 10 MB — a long video makes the page slow to load.
Video Link <code>heroVideoLink</code>	String	empty	Or paste a YouTube or Vimeo link instead of uploading a file. Used only when no file is set.
Cut-out Strength <code>heroCutoutTolerance</code>	Number	38	Only affects photos with Remove Background on. Raise it if a halo of backdrop is left around the object, lower it if part of the object disappears.
Auto-Rotate Speed (s) <code>heroGalleryAutoplaySpeed</code>	Number	5	


Each “Gallery Slides” entry

Control	Type	Default	What it does
Photo <code>heroImage</code>	Image	empty	Recommended: 1000 × 1000 px. Already transparent? Just upload it. Otherwise turn on Remove Background below.
Remove Background <code>heroImageCutout</code>	Boolean	Off	Lifts a plain backdrop away so the photo floats on the page instead of sitting in a rectangle. Works with a studio shot on a seamless white, grey or single-colour background. A busy or outdoor background cannot be separated — that photo is left untouched.
Title <code>heroSlideTitle</code>	String	empty	
Text <code>heroSlideText</code>	String	empty	

SECTION REFERENCE

④ Stats

A row of number cards. Add or remove entries and the row re-flows: four across on desktop, two on tablet, one on a phone.



Control	Type	Default	What it does
Show Section <code>showStats</code>	Boolean	On	
Stat Cards <code>stats</code>	Array	4 items	


Each “Stat Cards” entry

Control	Type	Default	What it does
Value <code>statValue</code>	String	empty	
Label <code>statLabel</code>	String	empty	

SECTION REFERENCE

⑤ About

Text next to an illustration. Leave the image empty and an animated filament spool is drawn in the site colour instead.




Control	Type	Default	What it does
Show Section <code>showAbout</code>	Boolean	On	
Tag <code>aboutTag</code>	String	About Us	
Heading <code>aboutHeading</code>	String	Precision manufacturing powered by technology and craftsma...	
Text <code>aboutText</code>	String	ABC LAB combines advanced 3D printing technology with engi...	
Image (optional, replaces spool animation) <code>aboutImage</code>	Image	empty	Recommended: 1200 × 780 px, landscape. Leave empty to keep the animated spool.
Video File <code>aboutVideo</code>	File	empty	Replaces the image and the spool animation in this section. Plays muted and on a loop. Keep it short and under about 10 MB — a long video makes the page slow to load.
Video Link <code>aboutVideoLink</code>	String	empty	Or paste a YouTube or Vimeo link instead of uploading a file. Used only when no file is set.

Control	Type	Default	What it does
Spool Color <code>spoolColor</code>	Color	 #6C3BFF	Ignored while a single Site Color is active in Global Style — the spool follows that color instead.

SECTION REFERENCE

⑥ Services

A grid of cards, each with a built-in line icon or your own uploaded icon.



Control	Type	Default	What it does
Show Section <code>showServices</code>	Boolean	On	
Tag <code>servicesTag</code>	String	Services	
Heading <code>servicesHeading</code>	String	Everything you need, from idea to part	
Service Cards <code>services</code>	Array	7 items	
Recolor Icons <code>recolorCustomIcons</code>	Boolean	Off	Off: custom icons keep their own colors. On: they are repainted in the color below. Works with transparent icons as well as icons on a plain solid background.
Match Accent Color <code>customIconFollowAccent</code>	Boolean	On	On: uploaded icons take the Accent Color and change with the rest of the site. Off: they keep the fixed colour you pick below.
Custom Icon Color <code>customIconColor</code>	Color	empty	The fixed colour for uploaded icons while Match Accent Color is off.


Each “Service Cards” entry

Control	Type	Default	What it does
Built-in Icon <code>serviceIconKey</code>	Enum	3D Printer	Used unless a Custom Icon image is uploaded below. Options: 3D Printer · CAD 3D Design · Prototype Tag · Manufacturing · 3D Scanner · Wrench · Consulting
Custom Icon <code>serviceIconImage</code>	Image	empty	Recommended: 128 × 128 px, PNG or SVG with a transparent background. Use this to adapt the site for any business — a fork & knife for a restaurant, a car part for a mechanic. The icon keeps its own colors unless Recolor Icons is turned on below.
Title <code>serviceTitle</code>	String	empty	
Text <code>serviceText</code>	String	empty	

SECTION REFERENCE

⑦ Process

A numbered vertical timeline. The progress line fills as the visitor scrolls, and the last step sets off a small firework.



Control	Type	Default	What it does
Show Section <code>showProcess</code>	Boolean	On	
Tag <code>processTag</code>	String	Process	
Heading <code>processHeading</code>	String	From idea to finished part	
Steps <code>steps</code>	Array	6 items	


Each “Steps” entry

Control	Type	Default	What it does
Title <code>stepTitle</code>	String	empty	
Text <code>stepText</code>	String	empty	

SECTION REFERENCE

⑧ Materials

A stacked card carousel — one card in front, the rest fanned out behind it.




Control	Type	Default	What it does
Show Section <code>showMaterials</code>	Boolean	On	
Tag <code>materialsTag</code>	String	Materials	
Heading <code>materialsHeading</code>	String	Materials for every application	
Materials <code>materials</code>	Array	6 items	

Each “Materials” entry

Control	Type	Default	What it does
Name <code>materialName</code>	String	empty	
Description <code>materialText</code>	String	empty	

⑨ Portfolio

A project carousel. Clicking a card opens a pop-up with a large photo, description and up to three spec rows.



Control	Type	Default	What it does
Show Section <code>showPortfolio</code>	Boolean	On	
Tag <code>portfolioTag</code>	String	Portfolio	
Heading <code>portfolioHeading</code>	String	Our Work	
Video File <code>portfolioVideo</code>	File	empty	Shown underneath the project carousel. Plays muted and on a loop. Keep it short and under about 10 MB — a long video makes the page slow to load.
Video Link <code>portfolioVideoLink</code>	String	empty	Or paste a YouTube or Vimeo link instead of uploading a file. Used only when no file is set.
Cut-out Strength <code>portfolioCutoutTolerance</code>	Number	38	Only affects photos with Remove Background on. Raise it if a rim of backdrop is left, lower it if part of the product disappears.
Portfolio Items <code>items</code>	Array	5 items	
Popup Accent Color <code>modalAccentColor</code>	Color	 #6C3BFF	Ignored while a single Site Color is active in Global Style — the popup follows that color instead.


Each “Portfolio Items” entry

Control	Type	Default	What it does
Photo <code>portfolioImage</code>	Image	empty	Recommended: 1200 × 1200 px. The same photo is used in the card and in the pop-up, so give it room.
Remove Background <code>portfolioImageCutout</code>	Boolean	Off	Lifts a plain studio backdrop away so the product sits cleanly on the card. Same as in the hero: a seamless white, grey or single-colour background works, a busy one is left alone.
Title <code>portfolioTitle</code>	String	empty	
Description <code>portfolioDesc</code>	String	empty	
Spec 1 Label <code>portfolioSpec1Label</code>	String	Print Time	e.g. Print Time, Delivery Time, Color.
Spec 1 Value <code>portfolioSpec1Value</code>	String	empty	Shown next to the label above. Leave blank to hide this row.
Spec 2 Label <code>portfolioSpec2Label</code>	String	Weight	e.g. Weight, Size, Capacity.
Spec 2 Value <code>portfolioSpec2Value</code>	String	empty	Shown next to the label above. Leave blank to hide this row.
Spec 3 Label <code>portfolioSpec3Label</code>	String	Material	e.g. Material, Category, Finish.
Spec 3 Value <code>portfolioSpec3Value</code>	String	empty	Shown next to the label above. Leave blank to hide this row.

SECTION REFERENCE

⑩ Testimonials

Quote cards with a five-star row, name and role.



Control	Type	Default	What it does
Show Section <code>showTestimonials</code>	Boolean	On	
Tag <code>testimonialsTag</code>	String	Testimonials	
Heading <code>testimonialsHeading</code>	String	What Clients Say	

Control	Type	Default	What it does
Testimonials testimonials	Array	2 items	


Each “Testimonials” entry

Control	Type	Default	What it does
Quote quote	String	empty	
Name name	String	empty	
Role role	String	empty	

SECTION REFERENCE

11 FAQ

An accordion. One answer is open at a time.



Control	Type	Default	What it does
Show Section showFaq	Boolean	On	
Tag faqTag	String	FAQ	
Heading faqHeading	String	Frequently Asked Questions	
Questions items	Array	3 items	

Each “Questions” entry


Control	Type	Default	What it does
Question question	String	empty	

Control	Type	Default	What it does
Answer answer	String	empty	

SECTION REFERENCE

12 Contact

Contact details, a working enquiry form and an optional map.




Control	Type	Default	What it does
Show Section showContact	Boolean	On	
Tag contactTag	String	Contact	
Heading contactHeading	String	Let's Build Something Together	
Text contactText	String	Send us your idea and we will get back to you shortly.	
Email email	String	hello@abclab.com	
Phone phone	String	+1 555 234 567	
Address address	String	123 Maker Street, Prague, CZ	
Email Label emailLabel	String	Email	The three labels above the contact details. Rename them to work in your own language.

Control	Type	Default	What it does
Phone Label <code>phoneLabel</code>	String	Phone	
Address Label <code>addressLabel</code>	String	Address	
Form Sends To <code>formMode</code>	Enum	Visitor's mail app	Mail app needs no setup, but the visitor has to press send in their own email program. Formspree delivers the enquiry to your inbox on its own — paste your form address below. Options: Visitor's mail app · Formspree
Formspree URL <code>formEndpoint</code>	String	empty	Create a free form at formspree.io, open its Integration tab, and paste the whole address here. Leave this empty and the form falls back to the visitor's mail app.
Email Subject <code>formSubject</code>	String	New enquiry from the website	
Name Field <code>formNamePlaceholder</code>	String	Your Name	
Email Field <code>formEmailPlaceholder</code>	String	Your Email	
Message Field <code>formMessagePlaceholder</code>	String	Tell us about your project	
Button Label <code>formButtonLabel</code>	String	Send Message	
Success Text <code>formSuccessText</code>	String	Thank you, your message is on its way.	
Error Text <code>formErrorText</code>	String	That didn't send. Please try again, or email us directly.	
Show Map <code>showMap</code>	Boolean	On	
Map Address <code>mapAddress</code>	String	123 Maker Street, Prague, CZ	Enter a real address (not a Google Maps link) to place the pin.
Recolor Base Map <code>mapGrayscale</code>	Boolean	On	
Map Tint Color <code>mapTintColor</code>	Color	 #6C3BFF	Ignored while a single Site Color is active in Global Style — the map tint follows that color instead.
Map Tint Strength <code>mapTintStrength</code>	Number	0.45	

SECTION REFERENCE

13 Footer

Motto and up to three social links. Any link left empty hides its icon.



Control	Type	Default	What it does
Show Section showFooter	Boolean	On	
Motto footerMotto	String	Precision. Speed. Innovation.	
Instagram Link instagramLink	Link	empty	
Facebook Link facebookLink	Link	empty	
LinkedIn Link linkedinLink	Link	empty	

6. Images, icons and video

What to upload, at what size, and how the background removal works.

6.1 Recommended sizes

Where	Size	Notes
Logo image (① Navbar)	600 × 120 px, PNG	Transparent background. It is displayed up to 220 × 42 px, so this keeps it sharp on retina screens.
Hero gallery photos	1000 × 1000 px	Square works best in the rotating frame. Already transparent? Just upload it.
About image	1200 × 780 px	Landscape. Leave it empty to keep the animated spool.
Service icons	128 × 128 px, PNG or SVG	Transparent background. Optional — there are seven built-in icons.
Portfolio photos	1200 × 1200 px	The same file is used on the card and in the pop-up, so give it room.

6.2 Removing a photo background

Hero slides and portfolio items each have a **Remove Background** switch. It lifts a plain backdrop away so the product floats on the page instead of sitting in a rectangle.

- It works on studio shots taken against a seamless white, grey or single-colour backdrop.
- A busy or outdoor background cannot be separated — that photo is simply left untouched.
- **Cut-out Strength** (one per section) tunes it: raise it if a rim of backdrop is left, lower it if part of the product starts to disappear.

6.3 Icons

Each service card uses one of seven built-in line icons — printer, design, prototype, manufacturing, scan, wrench, consulting — which are drawn in the site colour automatically. Upload a **Custom Icon** and it replaces the built-in one. Two switches decide how it is coloured:

- **Recolor Icons** off — your icon keeps its own colours.
- **Recolor Icons** on, **Match Accent Color** on — icons take the site colour and change with the rest of the page.
- **Recolor Icons** on, **Match Accent Color** off — icons are painted in the fixed **Custom Icon Color** you choose.

6.4 Video

The hero, about and portfolio sections each accept video in two ways. An uploaded **Video File** plays muted and on a loop, with no controls, and replaces the photos in that section. Alternatively paste a **Video Link** from YouTube or Vimeo — used only when no file is uploaded.

Keep files small. Under about 10 MB. A long video makes the whole page slow to load, and visitors on phones pay for it twice.

7. The contact form

Two ways to receive enquiries. One needs no setup at all.

Mail app (default)

Set **Form Sends To** to *Mail app*. When someone submits the form, their own e-mail program opens with the message pre-filled and addressed to you. Nothing to configure — but the visitor has to press send in their own program, and it does not work well for people who use webmail only. The website itself sends nothing, so no thank-you message appears on the page and the typed text stays in the form.

Fill in your e-mail address first. The mail app opens addressed to the **Email** field in ⑫ Contact. Leave that field empty and the message is addressed to the demo address the template ships with — and you will never see it.

Formspree (recommended for a real business site)

- 1 Create a free form at **formspree.io**.
- 2 Open its **Integration** tab and copy the whole endpoint address.
- 3 Paste it into **Formspree URL** and set **Form Sends To** to *Formspree*.
- 4 Send yourself a test message from the published site and confirm it arrives.

The enquiry is then sent in the background — no mail app opens, the visitor sees your **Success Text** without leaving the page, the form empties itself, and Formspree delivers the message to your inbox on its own.

Formspree decides the recipient, not the panel. In this mode the enquiry goes to the mailbox registered on the Formspree form itself. The **Email** field in ⑫ Contact does not affect it — that field fills in the address shown on the page, and the one the mail app uses in the other mode. Set both, and point them at the same inbox.

Two behaviours worth knowing before you test it:

- If **Form Sends To** is set to Formspree but the **Formspree URL** field is empty, the form quietly falls back to the visitor's mail app. No error is shown — so a missing URL looks exactly like Formspree not working.
- If the send fails — no connection, or Formspree rejects it — your **Error Text** is shown and the message is not stored or retried anywhere. Nothing is queued for later.

On Formspree's side, a new form is usually activated by a confirmation e-mail on its first submission, and the free plan has a monthly limit on the number of enquiries. Check their current terms if you expect a lot of traffic.

What the form does on its own

- Checks that the name, e-mail and message are filled in, and that the e-mail address looks like an address, before anything is sent.
- Carries a hidden field that people never see. Bots fill it in; those submissions are dropped silently.
- Every label, placeholder and message is editable, so the form can be in any language.

The map

Turn on **Show Map** and type a real postal address into **Map Address** — an address, not a Google Maps link. No API key is needed. **Recolor Base Map** de-saturates the map, and **Map Tint Color** with **Map Tint Strength** washes it in your colour so it belongs to the page. While a Site Color is active, the tint follows that colour.

8. Fonts and typography

Two fields, at the bottom of ② Global Style.

Heading Font and **Body Font** take a CSS font-family value. The defaults are '**Space Grotesk**', **sans-serif** for headings and **Inter**, **sans-serif** for body text.

- Write the family name exactly as it is spelled, and keep a fallback after the comma: '**Playfair Display**', **serif**.
- Wrap any name containing a space in single quotes.
- Use a font that exists in your Framer project. The simplest way to guarantee that is to place a text layer somewhere in the project, set it to the font you want, and let Framer load it.
- Headings, buttons and numbers use the heading font; everything else uses the body font.

9. Responsive behaviour

The layout is fluid; four breakpoints do the heavy lifting. You do not have to set anything up — but it helps to know what to check.

Width	What changes
up to 900 px	Hero, about and contact become one column. Stats and services drop to two across. The material card shrinks. The portfolio pop-up moves its arrows below the card.
up to 768 px	The portfolio pop-up stacks the photo above the text and becomes scrollable.
up to 700 px	The menu becomes a hamburger with a full-screen overlay. Stats and services go to a single column. Section padding tightens, the timeline narrows, the map gets shorter, and the colour switcher moves closer to the corner.
up to 380 px	The material carousel and its arrows shrink again for small phones.

Photo width and height in the hero are set in pixels, and on small screens they are capped automatically so the gallery never pushes the layout sideways.

10. Motion and accessibility

What moves, and what happens for people who would rather it did not.

- Sections fade and rise into place as they scroll into view; the process timeline fills as you pass it, and the final step sets off a small firework.
- If a visitor has **reduced motion** turned on in their operating system, all of that is switched off automatically: content simply appears, the spool stops spinning and the firework is skipped.
- A **Skip to content** link appears for keyboard users on the first press of Tab.
- Menu, carousels, the FAQ accordion, the pop-up and the colour switcher can all be operated from the keyboard, and carry labels for screen readers.
- Form fields are labelled even though the design shows placeholders only.

When you write your own text, keep the heading order intact — one page heading in the hero, one heading per section. It is what screen readers and search engines use to understand the page.

11. Before you publish

- ☐ Every section you kept has your own text — no “ABC LAB” left behind.
- ☐ Sections you do not need are switched off with **Show Section**.
- ☐ The five menu links point at sections that actually exist on the page.
- ☐ Both buttons — navbar and hero — go where you want them to.
- ☐ Photos are uploaded at the recommended size, and the cut-outs look clean.
- ☐ The contact form has been tested from the published site and the message arrived.
- ☐ E-mail, phone and address are real, and the map shows the right place.
- ☐ Social links are filled in, or left empty so their icons disappear.
- ☐ The site colour is the one you want — and if you have used the switcher yourself, you pressed its reset button before checking.
- ☐ The page has been opened on a phone, not only in the desktop preview.

12. Troubleshooting

I changed Accent Color and nothing happened.

A single Site Color is in charge. Set  **Site Color** back to *Custom (controls below)*, and check that  **Reset Colors** is off.

All my colour controls disappeared.

They are hidden while a preset or an own colour is driving the page — they would have no effect. Your values are kept; switch Site Color back to *Custom* and they are all there again.

The published site shows a colour I never set.

If the colour switcher is on, your own browser is remembering a colour you clicked. Open the switcher and press the reset button. Other visitors are unaffected — the choice never leaves the browser it was made in.

My uploaded icon will not take the site colour.

Turn on **Recolor Icons** in  **Services**. Recolouring needs an icon with a transparent background — a PNG or SVG with the shape on nothing, not on a white square.

The cut-out leaves a halo, or eats part of the product.

Adjust **Cut-out Strength** in that section: raise it to remove a leftover rim, lower it if detail starts to vanish. If the photo was taken against a busy background, no setting will help — it needs a plain backdrop.

Form messages do not arrive.

In *Mail app* mode nothing is sent by the website itself — the visitor's own e-mail program opens and they have to press send there. For messages to land in your inbox on their own, switch to Formsprees and paste the endpoint from its Integration tab (chapter 7). If you already did that and still see a mail app opening, the **Formsprees URL** field is empty: the form falls back to the mail app without saying so. And if messages arrive at the wrong address, check the mailbox registered on the Formsprees form — in that mode the **Email** field in the panel is not the recipient.

The map shows the wrong place.

Map Address needs a real postal address — street, number, town, country — not a Google Maps link.

My font is not being used.

The font has to exist in the Framer project. Add a text layer somewhere in the project set to that font, then write the family exactly as spelled, with a fallback: **'Playfair Display', serif**.

The page loads slowly.

Almost always a video or oversized photos. Keep videos under about 10 MB or use a YouTube / Vimeo link, and export photos at the recommended sizes rather than straight from the camera.

The hero photos push the layout sideways.

Lower **Photo Width (px)** in  **Hero**. On small screens the gallery is capped automatically, but a very large value still dominates the desktop layout.

I want the original design back.

Turn on  **Reset Colors** for the original purple palette, or choose the **Purple (original)** preset. Both restore the palette exactly as it shipped, and neither deletes anything you have set.