

THRESHOLD — Setup Guide

A premium real-estate website, shipped twice: as a Framer code component you edit from the properties panel, and as a single standalone HTML file you can upload anywhere.

This guide walks the panel top to bottom. Nothing here needs code.

1. What's in the package

FILE	WHAT IT IS
ThresholdSite.tsx	The Framer component. One file, pasted into a code file.
threshold-mockup.html	The same site as one self-contained file. No build step.
START-HERE.pdf	Two ways to get it into Framer, one of them a single click.
Full guide.pdf	This document.
og-image.png	Social share card, 1200 × 630.

A Framer duplicate link comes with the download. Open it and the finished project lands in your own account with everything already placed.

2. Framer setup

Assets panel → + → **Code File** → name it `ThresholdSite` → paste the whole of `ThresholdSite.tsx` over the placeholder → save → drag it onto the canvas.

Making it responsive

Select the placed component and set:

- Width: **Fill**
- Height: **Auto**

If Fill is greyed out, the code file did not save cleanly. Re-paste it and save again.

If the panel looks empty

Click the component itself on the canvas, not the frame around it. The controls live on the component.

3. How the controls are organised

Fifteen groups, numbered in the order the sections appear on the page.

GROUP	WHAT IT HOLDS
① Navbar	Logo, brand name, menu links, the button on the right
② Global Style	The whole palette, glass strength, corner radius
③ Hero	Photograph or video, headline, two buttons, three chips
④ Trust Bar	Four numbers under the hero
⑤ Home Page Headings	Featured and Catalogue headings
⑥ Listings	Every property: price, size, photos, description, plan
⑦ Rooms	Every room of every property, a list per listing
⑧ Floor Areas	Floor areas and outside measurements
⑨ Photos	The gallery on each property page, a list per listing
⑩ Map Pins	What is nearby: paste a Google link or fill it in by hand
⑪ Property Page Wording	Every heading on a property page
⑫ Agent	Your name, photo, licence, phone, email, statistics
⑬ Reviews	The testimonial carousel
⑭ Contact	The dark call-to-action band
⑮ Footer	Address, small print

Every group carries a line under its name saying what it covers, and every content section has a **Show Section** switch. Turn one off and the page closes its own gap — no empty band, no leftover heading.

Fields you will not see

A field that cannot apply to what you are editing is not shown. A plot of land is not asked for bedrooms or a floor plan; an apartment is not asked for a lot; the drawn stand-in disappears the moment you put a real photograph above it. So a listing row is fifteen or so fields rather than thirty-four, and the rest are one switch away:

SWITCH	WHERE	REVEALS
More Settings	⑥ Listings, per property	Price note, terrace, stories, footprint, year, HERS, badge colour, video tour, the four spare gallery slots, the drawn stand-in
Plan Position	⑦ Rooms, per room	Plan X / Y / Width / Depth — needed only where the listing is set to <i>Build from my rooms</i>
Place It Myself	⑩ Map Pins, per pin	Across and Down. Off, the pins are spread around the property for you

None of them changes the page. They only decide how much of the panel you are looking at.

4. Your first ten minutes

1. ⑫ **Agent** — your name, role, licence number, phone, email, portrait.
2. ① **Navbar** — brand name and the line under it. Upload a logo if you have one.
3. ⑥ **Listings** — open the first property and change Title, Neighborhood, Price.
4. ③ **Hero** — headline and the photograph behind it.

That is the site recognisably yours. Everything below is refinement.

5. Listings — the heart of it

⑥ Listings → **Properties** is a list you grow. Each row is one property and carries everything about it.

Money and measurements. Price, Price Note, Bedrooms, Bathrooms, Interior, Lot, Terrace, Stories, Year Built, HERS Index. A zero hides the row rather than printing a zero — Lot at 0 simply does not appear.

Building Width and Building Depth add a *Footprint* line beside the other facts. Both at 0 hides it.

Status Badge is the pill on the card — *New to market*, *In escrow*, *Available Oct 1*, whatever you sell. **Badge Dot** colours the dot beside it.

In Featured Grid decides whether the property also appears in the editorial grid higher up the page. The first five marked appear there.

Cover Photo is the card image and the photograph behind the property page. Recommended 1600 × 1000 px.

Description takes as many paragraphs as you like — one blank line starts a new one.

Features is a comma-separated list: *Heat pump, Triple glazing, Radiant floors*. Each becomes a tile. Empty hides the section.

Units

The template ships in square feet, feet and inches, and US dollars. Those are formatting, not fields: change the numbers and the labels follow. To sell in metric you would edit the code — see section 16.

6. Which listing is which

⑦ Rooms and ⑨ Photos are each split into a list per listing — *Listing 1* through *Listing 12*, in the same order as ⑥ Listings — so a row knows its property from the list it sits in and there is no number to type.

⑧ Floor Areas and ⑩ Map Pins are one list each, and there a row names its listing by number: **Belongs To Listing 1** is the first property in ⑥ Listings, 2 the second, and so on down the list.

While you are editing on the Framer canvas every property card wears that number — *Listing 1*, *Listing 2* — and so does the top of its own page. It is drawn on the canvas only. Nothing of it reaches the published site.

Taking a listing off

There are two ways, and they are not the same.

Show On Site → Off takes the property off the site and **keeps its number**. Nothing after it moves. The row stays in the list as a reserved, empty slot, and typing a new property over it puts that number back to work. This is the one to use.

Deleting the row moves every listing after it up by one. Listing 5 becomes 4, 6 becomes 5, and every floor and map pin that named those listings by number now points at the wrong house — quietly, because a number that still exists still resolves. The per-listing lists shift the same way: what is in *Listing 5* under ⑦ Rooms and ⑨ Photos now belongs to whichever property moved up into fifth place. Only the rows that end up pointing past the end of the list disappear, and on the canvas a strip at the top of the page names them.

So: to free a slot, turn the listing off. Delete a row only when it is the last one, or when you are willing to move the rooms, photographs, floors and pins across by hand afterwards.

A component cannot do that renumbering for you — Framer keeps those values on the placed component and gives the code no way to write to them. That is why the switch exists.

7. Rooms

⑦ Rooms opens on twelve lists — **Listing 1** through **Listing 12** — one for each of the first twelve properties in ⑥ Listings, in the same order. Open *Listing 3* and you are editing the rooms of the third property; there is no number to type and no way to put a room on the wrong house.

Framer will not put a list inside a list, which is why rooms cannot sit under their property itself. The twelve lists are as close as the editor allows.

Any Other Listing, at the bottom, is for a thirteenth property and beyond, and for rows you already had here before the lists existed. Every row in that one carries its own **Belongs To Listing** number. The two add up: a property shows the rooms in its own list *and* anything in the catch-all that names it, so moving rows from one to the other never loses a room.

A row opens on its **Room Name**, so a list of fifty rows is still readable, and dragging the rows sets the order they appear in on the page.

Each room carries: Area, Width, Length, Ceiling, Facing (the compass), Floor, Windows, Flooring, a Note, and a Photo of its own.

Facing is what drives the little compass in the room detail. **Floor** is a free text field — *1st Floor*, *Penthouse*, *Garden Level* — and rooms that share one are grouped together.

A room with no photo of its own borrows, in order, the gallery photos you uploaded for that property. Only when those run out does it fall back to the drawn stand-in.

Clear every one of the thirteen lists and the property pages come up with no rooms at all — that is the way to switch the room section off.

8. Floor Areas

⑧ Floor Areas is one list for the lot: a row per floor, with Belongs To Listing, Floor Area, Width, Depth and a Note. They appear under **Floor by floor** on the property page.

Name a floor exactly as its rooms name it in ⑦ Rooms and this list also fixes the order of the level tabs on a drawn plan.

9. Photos

⑨ Photos is built exactly like ⑦ Rooms: twelve lists, **Listing 1** through **Listing 12**, one for each of the first twelve properties in ⑥ Listings, and **Any Other Listing** at the bottom for a thirteenth property and beyond and for rows you already had. Only the catch-all asks for a Belongs To Listing number.

One row per photograph, opening on its **Photo Name** — the caption shown on the image and in the lightbox.

The property's own Cover Photo opens the gallery; these follow it in the order you drag them into. Recommended size 1600 × 1000 px.

Leave the image empty and a drawn stand-in is used, chosen by the **Drawn Stand-in** menu on the row. That is how the Framer component ships: every listing image is drawn, so the code file stays small enough for Framer to save and your own photographs are the only ones it ever loads. The standalone HTML carries fifteen real photographs instead, on six of its eight listings, to show what the same layout looks like filled in.

A photograph here with no room of its own also fills the next room card in ⑦ Rooms that has no photo — in the order you dragged them into the list, and never the same photograph twice.

10. Where it is, and what is nearby

Which map

Map, at the top of ⑩ Map Pins, picks one of three.

	WHAT YOU GET	WHAT IT COSTS YOU
Drawn	The map this component draws itself, carrying your pins and your colours	Nothing. No key, no account, no requests
Google	A real Google map of the address, in an iframe	Nothing either — but it comes in Google's colours, with Google's own markers, not yours
Google, styled	A real Google map coloured from ② Global Style, marked with the same pins the drawn map uses	Your own Google Maps API key

For the third one you need a key from Google Cloud with the **Maps JavaScript API** enabled, and the **Geocoding API** as well if your listings have an Address but no Map Position. Paste it into **Google Maps API Key**.

Two things worth knowing before you do:

- A key in a web page is readable by anyone who views the source. Restrict it to your own domain in the Google console before you publish.
- Google's pricing and quotas are between you and Google. This template only calls the API; it does not change what Google charges for it.

Leave the key empty and the drawn map is used, so a half-finished setup never shows an empty box. The same is true if the key is wrong or the script is blocked: the drawn map is underneath the whole time and simply stays visible. On the Framer canvas the drawn map is always used, so editing the page never spends your quota.

Map ID is optional. A Map ID carries its own styling, set in Google's console, and Google will not accept a Map ID and a style list together — so filling it in turns off the colouring taken from ② Global Style.

Zoom is 15 for a neighbourhood, 17 for a street, 12 for a whole town.

The note under the map

Note Under The Map puts a line beneath it, and left empty it writes itself to match the map above:

- on the drawn map — *This map is for orientation — it shows what is nearby and how far, not exact positions. Every place on it opens in Google Maps.*
- on a real Google map it drops the orientation half, because the positions are exact there.

Type into **Note** and yours is used whatever the map is. Switch it off if you would rather not have it.

It also follows the fallback: choose *Google, styled*, leave the key empty, and the drawn map appears — so the note goes back to saying the map is for orientation. It cannot end up claiming exact positions on a map that has none.

A pin only appears on a real Google map if it has coordinates, which means a long Google link in its row. Pins without one still appear in the list of chips under the map.

The property

Two fields in ⑥ Listings put a property on the map.

Address is the one everybody fills in. It shows under the neighbourhood on the map card, and the property's own pin becomes a link that searches Google Maps for it.

Map Position is optional and it is what makes the rest of this section work. Open the property in Google Maps, copy what is in the browser's address bar, and paste it here. You can also just type the two numbers — `34.0470, -118.5300` .

A shortened `maps.app.goo.gl/...` link is only a redirect and carries no coordinates, so it cannot be read. Use the long link from the address bar, or the two numbers.

The places around it

⑩ Map Pins is one row per place, up to ten per property: **Place**, **Belongs To Listing**, **Distance**, an **Icon** from twenty-eight, and a **Google Maps Link**.

There are two ways to fill a row in, and you can mix them freely across the same map.

By link. Paste the long Google Maps link for the place. If the listing has a Map Position, that is all you have to do — the pin is put on the map in its true direction from the property, and the **Distance** is worked out and filled in for you. Anything you type into Distance yourself wins over the calculated one.

By hand. Type the Place and the Distance, pick the Icon, and leave the link empty or paste a short one. The pin is placed for you, spread around the property with the others. Turn on **Place It Myself** and you set **Across** and **Down** exactly, in per cent.

The map is a drawn orientation map, not a satellite photograph — it shows which way things lie and how far, not street names. Two places on the same block are the same dot at that scale, so pins that land on top of each other are nudged apart; the distances stay exact either way.

In ⑪ Property Page Wording you can turn the links off entirely, and set a town to add to any search that has no link of its own.

The demo ships with addresses but no Map Positions, so its pins are the spread ones. Paste a link into one and you will see it move.

11. Floor plans — three ways

Set **Drawn Plan** on the property.

None. The floor-plan section becomes the room measurements alone, laid out as text boxes across the full width. Always readable, nothing to draw.

Build from my rooms. A clickable plan, drawn to scale from two numbers on each room in ⑦ Rooms: **Plan X** and **Plan Y**, in feet from the top-left corner of that floor. Plan Width and Plan Depth default to the room's own Width and Length, so most rooms need only the two positions. Leave every position at 0 and the rooms are tiled into rows for you to nudge from. Floors come from each room's Floor field and become the level tabs.

Two-storey demo. The built-in drawing used by the demo villa. Its room shapes are fixed geometry, so it cannot follow your own rooms — room 1 takes the first shape, room 2 the second.

Or upload a drawing

Floor Plan Drawing on the property takes a picture of your own plan. It fills the same stage, with the same pan and zoom, and the rooms are listed beside it as text. An uploaded drawing wins over any of the three modes above.

12. Video

③ **Hero** takes **Hero Video** — an uploaded mp4, webm or mov — or **Hero Video Link**. It plays muted on a loop with the photograph as its poster. Keep an uploaded file under about 10 MB; a phone downloads it too.

⑥ **Listings → Video Tour** is a per-property address. Framer allows no upload field inside a list, so this one is a link:

WHAT YOU PASTE	WHAT HAPPENS
YouTube or Vimeo link	An embedded player
A direct <code>.mp4</code> or <code>.webm</code>	Plays inline on the page
Anything else	A button that opens it in a new tab

A property with a tour also gets a *Video tour* tag on its page.

13. Colour

② Global Style. Change one field and everything that derives from it follows.

FIELD	WHAT IT PAINTS
Accent	Eyebrows, tags, glows, map pins, the compass
Page	The paper behind everything
Text	Headings and the main body
Secondary Text	Ledes, descriptions, the values in the fact tables
Small Text	The little labels under a number — Layout, Interior, Lot — and the captions. Darken this one if they read too faintly on your background
Text On Dark	Every word on a dark section or over the hero photograph
Cards	Solid panels: property cards, reviews
Glass	The frosted panels: summary bar, filter bar, side card, floor plan
Navbar	The floating pill at the top
Buttons / Button Text	Solid buttons
Borders	Hairlines: table rows, outlined buttons, tiles
Dark Sections	The contact band and the pill over the hero

Two switches decide what happens on dark backgrounds, and they exist because a dark button on a dark hero cannot be read:

- **Buttons On Dark** — *Reversed* (default) swaps the fill and the text there. *Same* keeps your fill everywhere; pick it when your colour is light enough.
- **Navbar Over Hero** — *Dark* (default) keeps the dark pill over the hero photograph. *Same* carries your navbar colour up there and puts the text back to the page's own ink.

Glass Opacity sets how opaque every frosted panel is, from 40% to 140% — the summary bar, the filter bar, the side card, the floor plan controls, the map chips. **Navbar Opacity** does the same for the floating pill on its own, so the navbar can be solid while the panels stay frosted, or the other way round. Below about 50% the page reads straight through them, which suits a quiet background and fights a busy one. **Corner Radius** runs from square to very round.

Between them, Text, Secondary Text, Small Text and Text On Dark cover every word on the page — there is no colour left hard-coded in the stylesheet.

Colors: Original palette ignores the fields and puts the shipped scheme back. It cannot erase what you typed — a Framer component cannot write to its own props — so switching back to *My colors* brings your values with it. For a true clean slate, delete the instance and drag a fresh one out of Assets.

14. Logo

① **Navbar → Logo** replaces the drawn house mark, in the header and the footer. A transparent PNG or an SVG around 600 × 160 px sits best. **Logo Height** sets how tall it draws.

While the header floats over the hero photograph it is dark, and a dark logo disappears against it. **Logo — Light Version** takes a second file used only up there. Leave it empty and the same file is used in both places.

Name Beside Logo decides whether the brand name stays next to an uploaded logo. Without a logo the name always shows.

15. The rest of the page

④ **Trust Bar** — four numbers under the hero. Value, suffix, label.

⑤ **Home Page Headings** — the Featured and Catalogue headings on the home page.

⑪ **Property Page Wording** — every heading on a property page: gallery, video, rooms, floor plan, features, location, similar properties. Clear a field and the shipped wording comes back rather than leaving a section untitled. In the rooms label, `{type}` becomes *apartment*, *suite* or *house*, following the listing's Type — replace the whole thing if you are writing in another language.

⑬ **Reviews** — quote, name, where, stars. The carousel drags and swipes.

⑭ **Contact** — the dark band. Two buttons, three cards beside them.

⑮ **Footer** — blurb, address, small print.

16. The HTML version

`threshold-mockup.html` is the same site in one file. Rename it to `index.html` and upload it to any host — Netlify, Vercel, a cPanel folder, an S3 bucket. Nothing else is needed.

Editing it means editing the file. Open it in a text editor and look for the section marked **2. DATA LAYER** — the properties are plain objects there, in the same shape the panel produces:

```
{
  title: "Modern Villa",
  location: "Pacific Palisades",
  price: 3950000,
  beds: 3, baths: 2,
```

```
...  
}
```

Change the words and the numbers, save, reload. Everything else in the file — the layout, the interactions, the images — reads from that data.

Opening it on a phone

Tapping the file in a phone's Files app opens a *preview*, and previews do not run scripts. The page is built to survive that: the cards, the hero and the testimonials are baked into the file, so a preview shows the site rather than a white screen. The interactive parts — the filter bar, the floor plan, the lightbox — need a real browser. On iPhone: share → Open in Safari.

Before you publish it

Change the title and description in the `<head>`, and replace `og-image.png` with your own if you have one. The demo agent — *Adam Marsh*, the phone number and the licence — is invented. The number is in the 555-01xx range reserved for fiction, so it belongs to nobody, but leaving it on a live site would still be odd.

17. Notes and limits

Framer will not nest a list inside a list. That is why rooms, floors, photos and map pins live in their own groups rather than under each property, and why each of them names its property by number.

No upload field can live inside a list. Room photos and gallery photos can be uploaded because those are their own lists; a per-property video cannot, which is why it takes an address.

The contact form is a mail link. Pressing it opens the visitor's own mail app with the subject filled in. There is no server, no form service and no monthly fee — and nothing to break.

Every image is inside the file. The component draws its listing scenes from a short specification and carries one photograph, the hero. The standalone HTML carries fifteen photographs as well. Either way the site makes no image request of its own and there is no photo folder to sort through. Upload your own in the panel and the placeholder is replaced — the card, the detail page, the gallery and the room card all follow the one upload.

Where the HTML's photographs live. One `PHOTOS` table near the top of the script, each entry a data URI. Swap a value for your own — a data URI or an ordinary URL both work — or delete the entry and the drawn scene returns.

Reduced motion is respected. A visitor whose system asks for less movement gets the site without the parallax and the reveals.

Support

Everything in this guide is demonstrated by the demo content that ships with the template. If a control does not do what this document says, the fastest fix is usually to delete the placed instance and drag a fresh one out of Assets — Framer keeps stored values on the instance, and a stale one can outlive a change.