

IEEE 830-1998 Compliant

Software Requirements Specification

StockPulse

AI-Powered Stock Analysis & Portfolio Management Application

Document Number	SRS-STOCKPULSE-001
Version	1.0.0
Status	Draft
Date	April 18, 2026
Prepared For	Development Team / Stakeholders
Classification	Internal / Confidential

CONFIDENTIAL — FOR INTERNAL USE ONLY

1. Introduction

1.1 Purpose

This Software Requirements Specification (SRS) describes the functional and non-functional requirements for StockPulse, a mobile and web-based stock analysis and portfolio management application. This document is intended for the development team, QA engineers, product stakeholders, and any third-party vendors involved in the delivery of the system.

This document conforms to the IEEE 830-1998 standard for software requirements specifications and serves as the authoritative reference for system design, implementation, and acceptance testing.

1.2 Scope

StockPulse is a comprehensive financial technology application designed to empower retail investors to make informed, data-driven investment decisions. The system provides:

- Real-time and delayed stock market data aggregation from multiple exchanges
- AI-powered stock screening, analysis, and buy/sell signal generation
- Personalized portfolio tracking and performance analytics
- News aggregation with sentiment analysis tied to held positions
- Watchlist management and customizable price/volume alerts
- Paper trading (simulated trading) environment for strategy testing
- Social features enabling users to follow top-performing investors

StockPulse does not provide licensed financial advice, execute trades on live brokerage accounts (in v1.0), or guarantee investment returns. All analysis is informational in nature.

1.3 Definitions, Acronyms, and Abbreviations

Term / Acronym	Definition
AI	Artificial Intelligence — machine learning models used for pattern recognition and signal generation
API	Application Programming Interface — contract for external data provider integration
EPS	Earnings Per Share — a key financial metric for evaluating company profitability
FR	Functional Requirement

Term / Acronym	Definition
MACD	Moving Average Convergence Divergence — a trend-following momentum indicator
NFR	Non-Functional Requirement
P/E Ratio	Price-to-Earnings Ratio — stock valuation metric
RSI	Relative Strength Index — momentum oscillator measuring speed and magnitude of price change
SRS	Software Requirements Specification
TLS	Transport Layer Security — encryption protocol for data in transit
UI/UX	User Interface / User Experience
WCAG	Web Content Accessibility Guidelines

1.4 References

- IEEE Std 830-1998 — IEEE Recommended Practice for Software Requirements Specifications
- ISO/IEC 25010:2011 — Systems and Software Quality Requirements and Evaluation (SQuaRE)
- FINRA Rule 2210 — Communications with the Public (financial content guidelines)
- SEC Regulation S-P — Privacy of Consumer Financial Information
- WCAG 2.1 Level AA — Web Content Accessibility Guidelines
- OWASP Mobile Security Testing Guide (MSTG) v1.5

1.5 Overview

The remainder of this SRS is organized as follows:

- Section 2: Overall Description — describes the product context, user classes, constraints, and assumptions
- Section 3: Specific Requirements — exhaustive functional and non-functional requirements
- Section 4: External Interface Requirements — UI, hardware, software, and communications interfaces
- Section 5: System Constraints and Compliance
- Section 6: Appendices — use case summaries and requirement traceability

2. Overall Description

2.1 Product Perspective

StockPulse is a new, standalone application operating within the retail fintech ecosystem. It integrates with third-party financial data providers, news APIs, and (in future releases) brokerage APIs via OAuth-authenticated connections. The system follows a client-server architecture with a RESTful backend, real-time WebSocket feeds, and native mobile clients (iOS and Android) alongside a responsive web application.

Key external system integrations include:

- Market Data: Primary feed from a financial data API (e.g., Polygon.io or Alpha Vantage) with failover
- News & Sentiment: Integration with financial news APIs (e.g., Benzinga, Seeking Alpha RSS feeds)
- Authentication: OAuth 2.0 / OpenID Connect with optional SSO
- Notifications: Firebase Cloud Messaging (FCM) for push alerts and SMTP for email
- Payment Processing: Stripe for subscription billing (Premium tier)

2.2 Product Functions (Summary)

At a high level, StockPulse shall provide the following major capabilities:

1. User Account Management — registration, authentication, profile, and subscription management
2. Market Data & Watchlists — real-time quotes, charts, screener, and watchlist management
3. Portfolio Tracking — manual and broker-synced portfolio with P&L and performance analytics
4. AI Stock Analysis Engine — technical/fundamental scoring, buy/sell signals, and stock screener filters
5. News & Sentiment Feed — curated news aggregated and scored by relevance to user positions
6. Alerts & Notifications — price, volume, RSI, earnings, and news-based alert triggers
7. Paper Trading — simulated trading account for strategy backtesting and practice
8. Social / Community Features — leaderboards, investor follow system, and shared portfolios

2.3 User Classes and Characteristics

User Class	Profile	Characteristics & Needs
Casual Investor	Free Tier	Beginner to intermediate; wants simple portfolio tracking, basic charts, and news. Low technical expertise. Prioritizes simplicity and mobile usability.
Active Trader	Premium Tier	Experienced; uses technical indicators, MACD, RSI, real-time data, and AI signals daily. Needs speed, depth of data, and customizable dashboards.

User Class	Profile	Characteristics & Needs
Paper Trader	Free/Premium	Learning investor; wants realistic simulation without financial risk. Values realistic order fills and performance statistics.
Administrator	Internal	System admin; manages users, monitors system health, resolves billing issues, and configures data feeds.

2.4 Operating Environment

- Mobile Platforms: iOS 15.0+ (iPhone and iPad), Android 10.0+ (ARM64 and x86_64)
- Web Application: Chrome 110+, Firefox 110+, Safari 16+, Edge 110+ — responsive design from 375px to 2560px
- Backend: Cloud-hosted on AWS (primary) with multi-region failover; Kubernetes-orchestrated microservices
- Database: PostgreSQL 15 (relational data), Redis 7 (caching and real-time pub/sub), InfluxDB (time-series market data)
- Market Hours Awareness: The system must handle pre-market (4:00–9:30 AM ET), regular (9:30 AM–4:00 PM ET), and after-hours (4:00–8:00 PM ET) sessions distinctly

2.5 Design and Implementation Constraints

- All financial data displayed must carry appropriate regulatory disclaimers stating that it does not constitute financial advice
- The system shall not execute live trades on behalf of users in v1.0; brokerage integration is scoped to read-only portfolio sync
- User PII must be encrypted at rest (AES-256) and in transit (TLS 1.3 minimum)
- The application must comply with Apple App Store and Google Play Store content and data-handling policies
- Third-party market data licenses impose redistribution restrictions; raw tick data may not be re-exported or displayed in bulk CSV format

2.6 Assumptions and Dependencies

- It is assumed that a licensed real-time market data feed will be procured prior to production launch
- AI model training data assumes access to at least 5 years of historical OHLCV data per ticker
- Users are assumed to be located in jurisdictions where accessing financial market data is legally permissible
- The system depends on third-party APIs (market data, news, notifications) maintaining SLA uptime of 99.5%+

- Users are assumed to have a stable internet connection for real-time features; degraded offline mode is a v2.0 item

3. Specific Requirements

Each requirement is assigned a unique identifier. Priority levels are: Critical (must have at launch), High (required for full functionality), Medium (enhances product quality), Low (nice-to-have / future release candidate).

3.1 Functional Requirements

3.1.1 User Account Management

Req ID	Description	Priority	Type
FR-ACC-001	The system shall allow new users to register using a valid email address and password conforming to the password policy (min 10 characters, at least 1 uppercase, 1 number, 1 special character).	Critical	Functional
FR-ACC-002	The system shall support OAuth 2.0 social login via Google and Apple ID.	High	Functional
FR-ACC-003	The system shall send a verification email upon registration; accounts shall remain unverified and have limited access until email is confirmed.	Critical	Functional
FR-ACC-004	The system shall provide a password reset flow via a time-limited (15 min) tokenized email link.	Critical	Functional
FR-ACC-005	The system shall support multi-factor authentication (MFA) via TOTP (Google Authenticator compatible) and SMS OTP.	High	Security
FR-ACC-006	The system shall enforce session expiry after 30 minutes of inactivity with a configurable user-level override (up to 8 hours).	High	Security
FR-ACC-007	Users shall be able to update profile information including display name, avatar, bio, investment experience level, and risk tolerance self-assessment.	Medium	Functional
FR-ACC-008	The system shall provide a subscription management interface allowing users to upgrade, downgrade, or cancel their plan, with proration handled automatically.	Critical	Functional
FR-ACC-009	The system shall provide full account deletion with a 30-day grace period and data export (JSON/CSV) prior to permanent deletion.	High	Compliance

3.1.2 Market Data & Watchlists

Req ID	Description	Priority	Type
FR-MKT-001	The system shall display real-time (≤ 500 ms delay) stock quotes for NYSE, NASDAQ, and AMEX listed securities for Premium users, and 15-minute delayed data for Free users.	Critical	Functional
FR-MKT-002	The system shall render interactive OHLCV candlestick charts with configurable timeframes: 1m, 5m, 15m, 30m, 1H, 4H, 1D, 1W, 1M.	Critical	Functional
FR-MKT-003	The system shall overlay at minimum the following technical indicators on charts: SMA (20, 50, 200), EMA, Bollinger Bands, MACD, RSI, VWAP, Volume.	High	Functional
FR-MKT-004	Users shall be able to create up to 10 watchlists (Free) or 50 watchlists (Premium), each containing up to 100 symbols.	High	Functional
FR-MKT-005	The watchlist view shall display: ticker symbol, company name, last price, price change (\$), percent change (%), volume, and market cap in a sortable, filterable table.	High	Functional
FR-MKT-006	The system shall provide a stock screener with filterable criteria including: price range, market cap, sector, P/E ratio, EPS growth, RSI range, 52-week range position, average volume, and dividend yield.	High	Functional
FR-MKT-007	The screener shall support saving custom screen configurations and provide at least 10 pre-built screens (e.g., 'High RSI Momentum', 'Undervalued Growth', 'Dividend Aristocrats').	Medium	Functional
FR-MKT-008	The system shall display a market overview dashboard showing major indices (S&P 500, NASDAQ Composite, DJIA, Russell 2000, VIX) with sparkline charts.	High	Functional

3.1.3 Portfolio Management

Req ID	Description	Priority	Type
FR-PORT-001	Users shall be able to manually add positions by specifying ticker, number of shares, purchase price, and purchase date.	Critical	Functional
FR-PORT-002	The system shall calculate and display for each position: current value, cost basis, unrealized P&L	Critical	Functional

Req ID	Description	Priority	Type
	(\$), unrealized P&L (%), day gain (\$), and day gain (%).		
FR-PORT-003	The portfolio dashboard shall display total portfolio value, total invested, total unrealized P&L, day change, and a sector/asset allocation pie chart.	Critical	Functional
FR-PORT-004	The system shall render a portfolio performance chart showing total portfolio value over time (1W, 1M, 3M, YTD, 1Y, All) compared against benchmark indices (S&P 500, NASDAQ).	High	Functional
FR-PORT-005	Users shall be able to record dividend income and cash transactions to maintain accurate cost basis and yield-on-cost calculations.	Medium	Functional
FR-PORT-006	The system shall compute and display key portfolio metrics: Sharpe Ratio, Beta, Alpha, maximum drawdown, annualized return, and volatility (30-day rolling).	High	Functional
FR-PORT-007	Premium users shall be able to connect a read-only brokerage account (supported brokers TBD in v1.0) via OAuth to auto-sync positions and transaction history.	High	Functional
FR-PORT-008	Users shall be able to export portfolio data as CSV or PDF report.	Medium	Functional

3.1.4 AI Stock Analysis Engine

Req ID	Description	Priority	Type
FR-AI-001	The system shall generate a composite AI Score (0–100) for each analyzed security, reflecting a weighted combination of technical momentum, fundamental quality, and sentiment signals.	Critical	AI/ML
FR-AI-002	The system shall produce Buy, Sell, or Hold signals with a confidence level (Low / Medium / High) and a human-readable rationale (minimum 2 sentences) for each signal.	Critical	AI/ML
FR-AI-003	The AI engine shall analyze a minimum of 20 technical indicators, 12 fundamental metrics, and the trailing 7-day sentiment score when computing a signal.	High	AI/ML
FR-AI-004	The system shall provide a signal history view showing all past AI signals for a given stock with outcome tracking (was the signal directionally correct after 5, 10, 30 trading days).	High	AI/ML

Req ID	Description	Priority	Type
FR-AI-005	The AI engine shall refresh signals for Premium watchlist securities on a rolling basis at minimum every 60 minutes during market hours.	High	AI/ML
FR-AI-006	The system shall display a feature importance breakdown for each AI Score, showing the top 5 contributing factors.	Medium	AI/ML
FR-AI-007	All AI-generated content shall include a disclaimer: 'AI signals are for informational purposes only and do not constitute financial advice.'	Critical	Compliance

3.1.5 News & Sentiment

Req ID	Description	Priority	Type
FR-NEWS-001	The system shall aggregate financial news from at minimum 5 distinct sources and display articles relevant to each ticker or portfolio holding.	High	Functional
FR-NEWS-002	Each news article shall be assigned a sentiment score (Positive / Neutral / Negative) computed by an NLP model, displayed with the article headline.	High	AI/ML
FR-NEWS-003	The portfolio news feed shall prioritize articles about held positions, ordered by recency and relevance score.	High	Functional
FR-NEWS-004	The system shall display an earnings calendar showing upcoming earnings dates, estimated EPS, and historical beat/miss data for watchlisted and held stocks.	Medium	Functional
FR-NEWS-005	The system shall display SEC filings (8-K, 10-K, 10-Q) for a given ticker with a direct link to the EDGAR filing.	Medium	Functional

3.1.6 Alerts & Notifications

Req ID	Description	Priority	Type
FR-ALRT-001	Users shall be able to create price alerts triggered when a stock crosses above or below a user-specified price threshold.	Critical	Functional
FR-ALRT-002	Users shall be able to create percentage change alerts triggered when a stock moves more than a specified percentage within a trading session.	High	Functional

Req ID	Description	Priority	Type
FR-ALRT-003	Users shall be able to set technical indicator alerts (RSI crossing 30/70, MACD crossovers, Bollinger Band breakouts).	High	Functional
FR-ALRT-004	Users shall receive pre-earnings alerts 24 hours and 1 hour before a held or watchlisted company reports earnings.	High	Functional
FR-ALRT-005	Alerts shall be deliverable via push notification (mobile), in-app notification, and optionally email. Users shall configure preferred channels per alert.	High	Functional
FR-ALRT-006	Free users may create up to 5 concurrent active alerts; Premium users up to 100.	High	Functional
FR-ALRT-007	Triggered alerts shall be logged in an alert history view with timestamp, trigger condition, and stock price at time of trigger.	Medium	Functional

3.1.7 Paper Trading

Req ID	Description	Priority	Type
FR-PAPE R-001	The system shall provide each user with a paper trading account pre-funded with \$100,000 in virtual capital, resettable once per 30-day period.	High	Functional
FR-PAPE R-002	Users shall be able to submit market orders, limit orders, and stop-loss orders in the paper trading environment.	High	Functional
FR-PAPE R-003	Paper trade executions shall simulate realistic fill prices using the bid/ask spread and realistic slippage model for illiquid securities.	High	Functional
FR-PAPE R-004	The paper trading dashboard shall display: virtual portfolio value, positions, order history, realized/unrealized P&L, and win rate.	High	Functional
FR-PAPE R-005	The system shall provide a performance comparison of the user's paper portfolio against the S&P 500 benchmark over the same period.	Medium	Functional

3.2 Non-Functional Requirements

3.2.1 Performance Requirements

Req ID	Description	Priority	Type
NFR-PER-F-001	The application shall load the main dashboard within 2.5 seconds on a 4G LTE connection (50 Mbps reference) under normal load conditions.	Critical	Performance
NFR-PER-F-002	Real-time price updates on watchlists and portfolio views shall refresh within 500ms of the market data tick being received by the backend.	Critical	Performance
NFR-PER-F-003	Stock chart data for any timeframe shall render fully within 1.5 seconds of selection.	High	Performance
NFR-PER-F-004	The system shall support a minimum of 50,000 concurrent authenticated users without performance degradation beyond specified thresholds.	High	Scalability
NFR-PER-F-005	REST API endpoints shall respond within 200ms at the 95th percentile under normal load; 500ms at the 99th percentile.	High	Performance
NFR-PER-F-006	The AI signal computation pipeline shall complete signal generation for a single security within 10 seconds.	High	Performance

3.2.2 Security Requirements

Req ID	Description	Priority	Type
NFR-SEC-001	All data transmission between client and server shall be encrypted using TLS 1.3 or higher. TLS 1.1 and lower shall be explicitly rejected.	Critical	Security
NFR-SEC-002	User passwords shall be hashed using bcrypt with a minimum cost factor of 12 before storage. Plaintext passwords shall never be logged or stored.	Critical	Security
NFR-SEC-003	All API endpoints shall enforce authentication via short-lived JWT access tokens (15-minute expiry) and refresh token rotation.	Critical	Security
NFR-SEC-004	The system shall implement rate limiting: 100 requests/minute per authenticated user; 10 requests/minute for unauthenticated endpoints.	High	Security
NFR-SEC-005	The system shall log all authentication events (login, logout, failed attempts, MFA challenges) with timestamp, user ID, and IP address, retained for 90 days.	High	Security
NFR-SEC-006	The mobile application shall employ certificate pinning to prevent man-in-the-middle attacks.	High	Security

Req ID	Description	Priority	Type
NFR-SEC-007	The system shall undergo a third-party penetration test before production launch and annually thereafter. Critical findings must be remediated before launch.	Critical	Security

3.2.3 Reliability & Availability

Req ID	Description	Priority	Type
NFR-REL-001	The system shall maintain a minimum uptime SLA of 99.5% measured on a rolling 30-day basis, excluding scheduled maintenance windows.	Critical	Reliability
NFR-REL-002	Scheduled maintenance windows shall not exceed 4 hours per month and shall be announced to users at least 48 hours in advance.	High	Reliability
NFR-REL-003	The system shall implement automated failover for the market data feed; if the primary data provider is unavailable for >30 seconds, the system shall switch to the secondary provider automatically.	Critical	Reliability
NFR-REL-004	The system shall perform automated database backups every 6 hours with a recovery point objective (RPO) of 6 hours and a recovery time objective (RTO) of 2 hours.	High	Reliability
NFR-REL-005	The system shall gracefully degrade in the event of third-party service outages, displaying informative status messages rather than unhandled errors.	High	Reliability

3.2.4 Usability & Accessibility

Req ID	Description	Priority	Type
NFR-USE-001	The user interface shall conform to WCAG 2.1 Level AA accessibility standards, including sufficient color contrast ratios (minimum 4.5:1 for normal text).	High	Accessibility
NFR-USE-002	All interactive elements shall be navigable via keyboard (web) and shall support VoiceOver (iOS) and TalkBack (Android) screen readers.	High	Accessibility
NFR-USE-003	New users shall be able to complete onboarding (account creation, watchlist setup, first stock viewed) within 5 minutes without external assistance.	High	Usability
NFR-USE-004	The application shall provide both a light and dark theme, with the system default theme applied on first launch.	Medium	Usability

Req ID	Description	Priority	Type
NFR-USE-005	Error messages shall be human-readable, specific, and actionable. Generic 'An error occurred' messages are not acceptable for user-facing errors.	High	Usability

3.2.5 Maintainability & Scalability

Req ID	Description	Priority	Type
NFR-MAINT-001	The system backend shall follow a microservices architecture, with services independently deployable without system-wide downtime.	High	Architecture
NFR-MAINT-002	The system shall implement centralized structured logging (JSON format) and distributed tracing (OpenTelemetry) for all services.	High	Observability
NFR-MAINT-003	The system shall expose a /health and /metrics endpoint for each microservice for integration with monitoring infrastructure (e.g., Prometheus + Grafana).	High	Observability
NFR-MAINT-004	The backend codebase shall maintain a minimum unit test coverage of 80% for business logic modules.	High	Quality
NFR-MAINT-005	The infrastructure shall support horizontal auto-scaling of stateless services based on CPU utilization (scale-out threshold: 70%).	High	Scalability

4. External Interface Requirements

4.1 User Interfaces

- The mobile application shall follow platform-native design conventions: Apple Human Interface Guidelines (iOS) and Material Design 3 (Android)
- The web application shall be fully responsive, supporting viewports from 375px (mobile) to 2560px (4K desktop)
- Data-dense views (watchlists, screener results) shall use virtualized list rendering to support 1,000+ rows without performance degradation
- All monetary values shall display in the user's configured currency with appropriate locale-specific formatting
- Charts shall support pinch-to-zoom (mobile) and scroll-wheel zoom (web), with crosshair hover tooltips showing OHLCV data

4.2 Hardware Interfaces

- Mobile: The application shall support biometric authentication using FaceID and TouchID (iOS) and fingerprint/face unlock APIs (Android BiometricPrompt)
- Mobile: The application shall request only necessary device permissions (push notifications, biometric) and declare all permissions in app manifests
- No specialized hardware interfaces are required for the web application

4.3 Software Interfaces

Market Data API	RESTful + WebSocket. Provides real-time quotes, historical OHLCV, and options data. Authentication via API key in request header.
Financial News API	RESTful. Provides article feeds by ticker or topic. Rate-limited; response cached for 5 minutes.
SEC EDGAR API	RESTful (public). Retrieves filings metadata and document links. No authentication required.
Push Notifications	Firebase Cloud Messaging (FCM) for Android and APNs for iOS. JWT-based server authentication.
Email (SMTP)	AWS SES for transactional email (verification, alerts, receipts). SPF/DKIM/DMARC configured.
Payment	Stripe API v2. Webhooks for subscription lifecycle events. PCI-DSS compliant; card data never touches StockPulse servers.
Brokerage Sync	OAuth 2.0 read-only integration. Specific broker APIs TBD; abstracted behind an adapter layer.

4.4 Communications Interfaces

- All client-server communication shall use HTTPS (TLS 1.3+) over TCP port 443
- Real-time market data and alert delivery shall use WebSocket (WSS) connections, with automatic reconnection and exponential backoff
- Internal microservice communication shall use gRPC over mTLS within the private VPC
- Asynchronous processing (signal generation, notification dispatch) shall use a managed message queue (e.g., AWS SQS / RabbitMQ)

5. System Constraints and Compliance

5.1 Regulatory Compliance

- The system shall not provide personalized investment advice as defined under the Investment Advisers Act of 1940; all AI signals shall include appropriate disclaimers
- The system shall comply with FINRA Rule 2210 regarding the content of financial communications, ensuring accuracy and fairness in all data presented

- User data collection and processing shall comply with applicable privacy regulations including CCPA (California) and GDPR (EU/EEA users where applicable)
- The system shall provide a Privacy Policy and Terms of Service, both linked from the registration flow and accessible at all times from the application footer/menu

5.2 Data Retention

- User account data shall be retained for the lifetime of the account plus 30 days post-deletion request
- Portfolio transaction history shall be retained for 7 years to support user tax reporting needs
- Authentication and security event logs shall be retained for 90 days
- Market data cached for analytics shall be retained per data provider licensing terms (typically limited to the contracted period)

5.3 Localization

- Version 1.0 shall be released in English (US) only
- The codebase shall be architected to support future internationalization (i18n) using string resource files; no hardcoded UI strings in source code
- Decimal and currency formatting shall adapt to locale (e.g., 1,234.56 in en-US vs. 1.234,56 in de-DE) using system-level locale APIs

6. Appendices

6.1 Revision History

Version	Date	Author	Description
1.0.0	4/18/2026	Product Team	Initial draft — full requirements baseline

6.2 Requirement Count Summary

Category	Count	Section
User Account Management	9	3.1.1
Market Data & Watchlists	8	3.1.2
Portfolio Management	8	3.1.3
AI Stock Analysis Engine	7	3.1.4

Category	Count	Section
News & Sentiment	5	3.1.5
Alerts & Notifications	7	3.1.6
Paper Trading	5	3.1.7
Performance (NFR)	6	3.2.1
Security (NFR)	7	3.2.2
Reliability (NFR)	5	3.2.3
Usability (NFR)	5	3.2.4
Maintainability (NFR)	5	3.2.5
Total	77	All

6.3 Glossary of Financial Terms

- Alpha: Excess return of an investment relative to the return of a benchmark index
- Beta: Measure of a stock's volatility relative to the overall market (Beta=1 moves with market)
- Bollinger Bands: Volatility indicator consisting of a middle SMA band flanked by upper/lower bands at 2 standard deviations
- MACD: Trend-following momentum indicator showing the relationship between two exponential moving averages
- RSI: Momentum oscillator ranging 0–100; values above 70 suggest overbought, below 30 suggest oversold conditions
- Sharpe Ratio: Risk-adjusted return metric; higher values indicate better return per unit of risk
- VWAP: Volume-Weighted Average Price; a trading benchmark representing the average price weighted by volume

End of Document — SRS-STOCKPULSE-001 v1.0.0

CONFIDENTIAL — FOR INTERNAL USE ONLY