

# Assignment 3

Daniel Fabio Groth

```
rm(list = ls())  
library(jsonlite)  
library(tidyverse)  
library(ggplot2)  
library(scales)
```

## Assignment 3: Reading json data from a web page

On the website of the New York Times: <https://www.nytimes.com/interactive/2021/12/28/us/covid-deaths.html?referrer=masthead>

We find a figure showing the relationship between vaccination rates and the number of deaths from COVID-19 in the various states in the US.

### Task 1

To access the website you need to register with the NYT, this is free.

Once the web page is loaded in a browser, you can look at the html code by right-clicking on the mouse. Select View Page Source.

Find the JSON link with the **JSON** data from which the figure reads the data.

Use a package in R that reads JSON ( for instance, jsonlite or rjstat), and download the data from the link.

Then create a ggplot that replicates the figure above.

```
# Downloading the data from the webpage with the package jsonlite  
  
df <- fromJSON("https://static01.nyt.com/newsgraphics/2021/12/20/us-coronavirus-deaths-2021")  
  
# Small data wrangling abbreviating the names
```

```


df <- df %>%
  mutate(state_name = state.abb[match(name, state.name)])

# Creating the plot
plot <-df %>%
  ggplot(aes(x=fully_vaccinated_pct_of_pop, y=deaths_per_100k, label=state_name))+
  theme_bw()+
  # Setting color,size and alpha to the dots
  geom_point(color="palegreen4",
             size=2.5,
             alpha=.4)+
  #Setting text to the plotted dots
  geom_text_repel(size=3)+
  # Changing and removing titles
  labs(x="Share of total population fully vaccinated", y="",
       title="20 avg. monthly deaths per 100,000")+
  scale_x_continuous(labels = scales::percent_format(accuracy = 1))+
  # Writing text on plot
  annotate("text",
         x=0.59,
         y=17, label=
           "Lower vaccination rate,
           higher death rate")+
  # Adding arrow
  geom_segment(aes(x=0.56, y=15, xend=0.55, yend=16.5),
              arrow = arrow(length=unit(.3, 'cm')), lwd=1)+
  annotate("text",
         x=0.73,
         y=10, label=
           "Higher vaccination rate,
           lower death rate")+
  geom_segment(aes(x=0.7, y=8.5, xend=0.71, yend=7),
              arrow = arrow(length=unit(.3, 'cm')), lwd=1)

plot

```

20 avg. monthly deaths per 100,000



## Task 2

There is a clear negative correlation between the number of deaths per 100 000 (y-axis) and the proportion of the population vaccinated (x-axis).

Use R's `lm()` function. Set the variable on the y-axis and x-axis, and specify the data set.

`LM(<Y variable name> ~ <X variable>, data=<dataset name>)`

After “running” the code, how do you interpret the two values on the customized line?

Add the custom line to ggplot using `+ geom_smooth(method = lm)`.

```
# Using the lm function to make a linear model to look for causation of deaths

lm( deaths_per_100k ~ fully_vaccinated_pct_of_pop, df)
```

Call:

```
lm(formula = deaths_per_100k ~ fully_vaccinated_pct_of_pop, data = df)
```

Coefficients:

```
(Intercept)  fully_vaccinated_pct_of_pop
      31.15                -36.66
```

```
# Plotting the line
plot + geom_smooth(method = lm, se=FALSE,fullrange=TRUE)
```

