
## Lab Report #01

#### First:

The Maven project was created and the classes for the right functionality of the program was encoded.



The program works with a builder design pattern that creates the vacation package and have a list of cities that could be recognize when the user input information.

Then configurated the check configuration, setting this as a Sun Checks and create a Chekstyle document that returns an XML file. Add 3 modules and 1 header, like the following.

```
D: > ProyectosEclipse > daniel_guerrero > 
      ?xml version="1.0" encoding="UTF-8"?
      <!DOCTYPE module PUBLIC
       "-//Checkstyle//DTD Checkstyle Configuration 1.3//EN"
      "https://checkstyle.org/dtds/configuration_1_3.dtd">
      <module name="Checker">
          <module name="Header">
              operty name="header" value="// Copyright (C) 2020\n// All rights reserved"/>
          <module name="TreeWalker">
              <module name="LocalVariableName">
                  cproperty name="format" value="^[a-z](_?[a-zA-Z0-9]+)*$" />
              <module name="MissingJavadocMethod ">
                  roperty name="scope" value="private"/>
                  cproperty name="allowMissingPropertyJavadoc" value="true" />
              <module name="JavadocType">
                  roperty name="authorFormat" value="\S" />
```

#### **Second:**

Add a suppressing checkstyle test with the module SuppressionCommentFilter on Main.

```
//CHECKSTYLE: OFF
public static void main(String[] args) {
//CHECKSTYLE: ON
```


#### Third:

Add checkstyle with Maven adding some plugins on the pom.xml


```
2 xmlns:xsi="http://www.w3.org/2001/XMLSchema-instance"
 3 xsi:schemaLocation="http://maven.apache.org/POM/4.0.0 https://maven.apache.org/xsd/maven-4.0.0.xsd">
     <modelVersion>4.0.0</modelVersion>
     <groupId>com.espol.edu</groupId>
     <artifactId>daniel guerrero</artifactId>
     <version>0.0.1-SNAPSHOT</version>
 8⊖ <build>
 9⊝
      <plugins>
 10⊝
           <plugin>
 11
               <groupId>org.apache.maven.plugins
 12
               <artifactId>maven-site-plugin</artifactId>
               <version>3.7.1
 13
           </plugin>
15⊝
           <plugin>
 16
               <groupId>org.apache.maven.plugins
 17
               <artifactId>maven-project-info-reports-plugin</artifactId>
               <version>3.0.0</version>
 18
 19
            </plugin>
 20
       </plugins>
 21 </build>
 22⊖ <reporting>
 23⊖
      <plugins>
 24⊖
           <plugin>
25
           <artifactId>maven-checkstyle-plugin</artifactId>
 26⊖
              <configuration>
 27
                  <configLocation>daniel_checks.xml</configLocation>
              </configuration>
 28
 29
          </plugin>
 30
        </plugins>
     </reporting>
 31
 32
_33 </project>
```


Then run the project as "Maven build..." and sett value site on Goals input.

Check for the html documents created on the target folder/ site folder.




Open index.html and search for the checkstyle results.






## Fourth:

Add 6 more modules for add rules to be checked in the above code and build again to get the new results. Module MethodName and WhitespaceAfter are obligatory.



#### Fifth:

Debug the program as the checkstyle report and run for last time the maven build to confirm the code its clean.





The following document contains the results of Checkstyle @ 9.3 with daniel\_checks.xml ruleset.

Summary			
Files src="images/icon_info_sml.gif" Info 4 0	src="images/icon_warning_sml.gif" Warnings 0		src="images/icon_error_sml.gif" Errors 0
Files			
File src="images/icon_info_sml.gif" I	src="images/icon_warning_sml.gif" W		src="images/icon_error_sml.gif" E
Rules			
Category	Rule	Violations	Severity
Category  Details	Rule	Violations	Severity

Copyright © 2023.All rights reserved.

# **Challenge:**

Download and configurate eslint for react projects.

```
EXPLORER
                                             eslintrc.json X
FRONTEND
                               回の哲却
                                              .eslintrc.json > ...
> node_modules
                                                         "env": {
> 🚒 public
                                                             "browser": true,
∨ 륣 src
                                                             "es2021": true

✓ iii assets

  > 🖷 img
                                                         "extends": [
  > ii wallpaper
                                                             "eslint:recommended",
                                                             "plugin:react/recommended",
 > 6 Components
                                                             "plugin:prettier/recommended",
 > 📦 hooks
                                                             "prettier"
 > services
 > 📁 UI
                                                         "overrides": [
   App.css
   App.jsx
                                                          "parserOptions": {
   index.css
                                                             "ecmaFeatures": {
                                                                  "jsx":true
   JS index.js
   main.jsx
                                                              "ecmaVersion": "latest",
  .eslintrc.json
                                                             "sourceType": "module"
  .gitignore
  .prettierrc
                                                          "plugins": [
  index.html
  package-lock.json
                                                         "rules": {
  package.json
                                                             "react/react-in-jsx-scope": "off",
  vite.config.js
                                                             "react/prop-types": "off"
```

See the eslint problems and fix it.

```
pageNumber: {
  position: "absolute",
  fontSize: 12,
  bottom: 30,
  left: 0,
    right: 0,
    textAlign: "center",
  color: "grey",
},
  tableRow: {
    margin: "auto", View Problem (Alt+F8) Quick Fix... (Ctrl+.)
  flexDirection: "row"
},
  tableCol: {
    width: "20%",
    borderStyle: "solid",
```

```
textAlign: "center",
  color: "grey",
                       Insert `,` eslint(prettier/prettier)
tableRow: {
 margin: "auto",
                       View Problem (Alt+F8) Quick Fix... (Ctrl+.)
 flexDirection: 'row'
tableCol: {
 width: "20%",
             tableRow: {
              margin: "auto",
               flexDirection: 'row',
table: {
  display: "table
width: "auto",
Delete `.` eslint(prettier/prettier)
  borderStyle: "5 View Problem (Alt+F8) Quick Fix... (Ctrl+.)
   borderWidth: 1,
  borderRightWidth: 0,
   borderBottomWidth: 0
                table: {
                  display: 'table',
                  width: 'auto',
                  borderStyle: 'solid',
                  borderWidth: 1,
                  borderRightWidth: 0,
                  borderBottomWidth: 0,
```

Cleaning code following the prettier rules form eslint.