

say_hospital_bd

Data Dictionary

Server: root
Author: Administrator
Date: 2026-05-23 22:30:43
Version: 1.0



Table of Contents

1. Introduction	1
2. Server: root (MySQL)	2
2.1. Database: say_hospital_bd	2
2.1.1. Tables	2
2.1.1.1. Table: tbb_defunciones	2
2.1.1.2. Table: tbb_departamentos	2
2.1.1.3. Table: tbb_diagnosticos	3
2.1.1.4. Table: tbb_dietas	3
2.1.1.5. Table: tbb_documentos_oficiales	4
2.1.1.6. Table: tbb_expedientes_medicos	4
2.1.1.7. Table: tbb_medios_de_contacto	5
2.1.1.8. Table: tbb_nacimientos	5
2.1.1.9. Table: tbb_notas_medicas	5
2.1.1.10. Table: tbb_pacientes	6
2.1.1.11. Table: tbb_personal	7
2.1.1.12. Table: tbb_personal_medico	8
2.1.1.13. Table: tbb_personas	9
2.1.1.14. Table: tbb_personas_fisicas	9
2.1.1.15. Table: tbb_personas_morales	10
2.1.1.16. Table: tbb_proveedores	10
2.1.1.17. Table: tbb_quejas_sugerencias	11
2.1.1.18. Table: tbb_recetas_medicas	11
2.1.1.19. Table: tbb_transacciones_financieras	12
2.1.1.20. Table: tbb_transfusiones_sanguineas	12
2.1.1.21. Table: tbb_traslados	12
2.1.1.22. Table: tbb_tratamientos	12
2.1.1.23. Table: tbb_valoraciones	13
2.1.1.24. Table: tbc_areas	13
2.1.1.25. Table: tbc_cirugias	14
2.1.1.26. Table: tbc_equipamiento	14
2.1.1.27. Table: tbc_espacios	14
2.1.1.28. Table: tbc_medicamentos	15
2.1.1.29. Table: tbc_organos	15
2.1.1.30. Table: tbc_patologias	15
2.1.1.31. Table: tbc_servicios	15
2.1.1.32. Table: tbc_servicios_medicos	16
2.1.1.33. Table: tbc_signos_vitales	16
2.1.1.34. Table: tbd_accesos	16
2.1.1.35. Table: tbd_aprobaciones	16
2.1.1.36. Table: tbd_campanias	17
2.1.1.37. Table: tbd_citas_medicas	17
2.1.1.38. Table: tbd_horarios	18

2.1.1.39. Table: tbd_horarios_generales	19
2.1.1.40. Table: tbd_inventario Equipamientos	19
2.1.1.41. Table: tbd_inventario Medicamentos	19
2.1.1.42. Table: tbd_lotes Medicamentos	19
2.1.1.43. Table: tbd_padecimientos	20
2.1.1.44. Table: tbd_valoraciones	20
2.1.1.45. Table: tbi_bitacora	20
2.1.2. Views	22
2.1.2.1. View: vw_rols_usuarios_2	22
2.1.2.2. View: vw_rols_usuarios	22
2.1.3. Functions	23
2.1.3.1. Function: bandera_probabilidad	23
2.1.3.2. Function: fn_antiguedad_personal	23
2.1.3.3. Function: fn_apellido	23
2.1.3.4. Function: fn_calcular_edad	23
2.1.3.5. Function: fn_curp_simple	23
2.1.3.6. Function: fn_fecha_nacimiento	24
2.1.3.7. Function: fn_genera_bandera	24
2.1.3.8. Function: fn_genera_bandera_porcentaje	24
2.1.3.9. Function: fn_genera_fecha_nacimiento	24
2.1.3.10. Function: fn_grupo_sanguineo	25
2.1.3.11. Function: fn_nombre	25
2.1.3.12. Function: fn_numero_aleatorio_rangos	25
2.1.3.13. Function: fn_pais	25
2.1.3.14. Function: fn_random_string	25
2.1.3.15. Function: fn_rfc_simple	26
2.1.3.16. Function: fn_titulo_cortesia	26
2.1.3.17. Function: insertar_n_personal	26
2.1.3.18. Function: insertar_otros_500_horarios_con_generales	26
2.1.3.19. Function: sp_actualizar_grupos_sanguineos	26
2.1.3.20. Function: sp_contratar_personal	27
2.1.3.21. Function: sp_fix_personas	27
2.1.3.22. Function: sp_generar_usuarios_persona_fisica	27
2.1.3.23. Function: sp_limpieza_masiva	27
2.1.3.24. Function: sp_poblar_completo	28
2.1.3.25. Function: sp_poblar_pacientes	28
2.1.3.26. Function: sp_pruebas_naturaleza	28
2.1.3.27. Function: sp_redistribuir_grupos_reales	29
2.1.3.28. Function: tipo_sangre_aleatorio	29

1. Introduction

A data dictionary is a collection of metadata such as object name, data type, size, classification, and relationships with other data assets. It is used by data administrators, analysts, and engineers to understand and trust data assets. It helps in the creation of authentic, transparent, and consistent data throughout the organization.

In this data dictionary, following servers are chosen for documentation:
root (MySQL)

For each server, definitions of tables (entities/collections), views, functions are listed in order. Detailed properties of data elements (data type, size, nullability, optionality, indexes, foreign keys, constraints) are organized in tabular format.

Server: root (MySQL) > Database: say_hospital_bd

2. Server: root (MySQL)

Version: 8.0.36

1 database is listed below.

2.1. Database: say_hospital_bd

Database objects to be listed: 45 tables, 2 views, 28 functions

2.1.1. Tables

2.1.1.1. Table: tbb_defunciones

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

2.1.1.2. Table: tbb_departamentos

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	nombre	varchar(80)	✓	
3	descripcion	text		
4	area_id	int		Index: idx_area
5	responsable_personal_id	int		Index: idx_responsable
6	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
7	fecha_actualizacion	datetime		
8	estatus	bit(1)	✓	Default: b'1'

Indexes

Server: root (MySQL) > Database: say_hospital_bd

Name	Type	Method	Fields
idx_area	NORMAL	BTREE	area_id
idx_responsable	NORMAL	BTREE	responsable_personal_id

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
fk_departamento_area_id	area_id	say_hospital_bd.tbc_areas	ID	RESTRICT	RESTRICT
fk_departamento_responsable	responsable_personal_id	say_hospital_bd.tbb_personal	ID	RESTRICT	RESTRICT
kf_departamento_personal_id	responsable_personal_id	say_hospital_bd.tbb_personal	ID	RESTRICT	RESTRICT

2.1.1.3. Table: tbb_diagnostics

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

2.1.1.4. Table: tbb_dietas

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	id_cita_medica	int		Index: fk_dieta_cita
3	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
4	estatus	bit(1)	✓	Default: b'1'

Server: root (MySQL) > Database: say_hospital_bd

5	tipo_dieta	enum	✓	
6	descripcion	text	✓	
7	fecha_inicio	date	✓	
8	fecha_fin	date	✓	

Indexes

Name	Type	Method	Fields
fk_dieta_cita	NORMAL	BTREE	id_cita_medica

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
fk_dieta_cita	id_cita_medica	say_hospital_bd.tbd_citas_medicas	ID	RESTRICT	RESTRICT

2.1.1.5. Table: tbb_documentos_oficiales

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

2.1.1.6. Table: tbb_expedientes_medicos

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

Server: root (MySQL) > Database: say_hospital_bd

2.1.1.7. Table: tbb_medios_de_contacto

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	Correo	varchar(150)		
3	Telefono_Casa	varchar(20)		
4	Movil	varchar(20)		
5	Fecha_Registro	date	✓	Default: (curdate())
6	Fecha_Actualizacion	datetime		Default: CURRENT_TIMESTAMP
7	Estatus	bit(1)	✓	Default: b'1'
8	Persona_ID	int		Index: idx_medios_persona

Indexes

Name	Type	Method	Fields
idx_medios_persona	NORMAL	BTREE	Persona_ID

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
fk_medios_persona	Persona_ID	say_hospital_bd.tbb_personas	ID	SET NULL	CASCADE

2.1.1.8. Table: tbb_nacimientos

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

2.1.1.9. Table: tbb_notas_medicas

Fields

Server: root (MySQL) > Database: say_hospital_bd

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

2.1.1.10. Table: tbb_pacientes

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	status_medico	varchar(150)		
3	status_vida	enum	✓	Default: 'Desconocido' Index: idx_pacientes_status_vida
4	fecha_ultima_citamedica	datetime		
5	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
6	fecha_actualizacion	datetime		
7	estatus	bit(1)	✓	Default: b'1'
8	persona_id	int	✓	Index: fk_paciente_persona

Indexes

Name	Type	Method	Fields
fk_paciente_persona	NORMAL	BTREE	persona_id
idx_pacientes_status_vida	NORMAL	BTREE	status_vida

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
fk_paciente_persona	persona_id	say_hospital_bd.tbb_personas_fisicas	ID	RESTRICT	RESTRICT

Server: root (MySQL) > Database: say_hospital_bd

2.1.1.11. Table: tbb_personal

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	persona_fisica_id	int	✓	Index: fk_personal_persona_idx
3	departamento_id	int		Index: idx_departamento
4	numero_empleado	varchar(20)	✓	Index: uk_num_empleado
5	puesto	varchar(80)	✓	
6	tipo_contrato	enum	✓	
7	fecha_ingreso	date	✓	
8	fecha_baja	date		
9	salario	decimal(10,2)		
10	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
11	fecha_actualizacion	datetime		
12	estatus	bit(1)	✓	Default: b'1'

Indexes

Name	Type	Method	Fields
uk_num_empleado	UNIQUE	BTREE	numero_empleado
idx_departamento	NORMAL	BTREE	departamento_id
fk_personal_persona_idx	NORMAL	BTREE	persona_fisica_id

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
fk_personal_departamento	departamento_id	say_hospital_bd.tbb_departamentos	ID	RESTRICT	RESTRICT
fk_personal_persona_fisica	persona_fisica_id	say_hospital_bd.tbb_personas_fisicas	ID	RESTRICT	RESTRICT

Triggers

Name	Time	Insert	Update	Delete
trg_no_empleado_duplicado	BEFORE	✓		

Server: root (MySQL) > Database: say_hospital_bd

trg_salario_valido	BEFORE	✓		
trg_baja_personal	BEFORE		✓	

2.1.1.12. Table: tbb_personal_medico

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	personal_id	int	✓	Index: fk_personal_medico_idx
3	cedula_profesional	varchar(30)	✓	Index: uk_cedula
4	especialidad	varchar(100)	✓	
5	turno	enum		
6	area_id	int		Index: fk_medico_area
7	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
8	fecha_actualizacion	datetime		
9	estatus	bit(1)	✓	Default: b'1'

Indexes

Name	Type	Method	Fields
uk_cedula	UNIQUE	BTREE	cedula_profesional
fk_medico_area	NORMAL	BTREE	area_id
fk_personal_medico_idx	NORMAL	BTREE	personal_id

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
fk_medico_area	area_id	say_hospital_bd.tbc_areas	ID	RESTRICT	RESTRICT
fk_personal_medico	personal_id	say_hospital_bd.tbb_personal	ID	RESTRICT	RESTRICT

Server: root (MySQL) > Database: say_hospital_bd

2.1.1.13. Table: tbb_personas

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	tipo	enum	✓	Default: 'Fisica'
3	rfc	varchar(14)		Index: rfc_UNIQUE
4	pais_origen	varchar(50)		
5	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
6	fecha_actualizacion	datetime		
7	estatus	bit(1)	✓	Default: b'1'

Indexes

Name	Type	Method	Fields
rfc_UNIQUE	UNIQUE	BTREE	rfc

2.1.1.14. Table: tbb_personas_fisicas

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int	✓	
2	titulo_cortesia	varchar(40)		
3	nombre	varchar(60)	✓	
4	primer_apellido	varchar(45)	✓	
5	segundo_apellido	varchar(60)		
6	genero	enum	✓	Default: 'N/B'
7	fecha_nacimiento	date	✓	
8	curp	varchar(18)		
9	grupo_sanguineo	enum		
10	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
11	fecha_actualizacion	datetime		
12	estatus	bit(1)	✓	Default: b'1'

Server: root (MySQL) > Database: say_hospital_bd

13	edad	int		
14	tipo_edad	varchar(50)		

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
fk_persona_1	ID	say_hospital_bd.tbb_personas	ID	RESTRICT	RESTRICT

Triggers

Name	Time	Insert	Update	Delete
trg_no_curp_duplicado	BEFORE	✓		
trg_validar_edad_pf	BEFORE	✓		

2.1.1.15. Table: tbb_personas_morales

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

2.1.1.16. Table: tbb_proveedores

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

Server: root (MySQL) > Database: say_hospital_bd

2.1.1.17. Table: tbb_quejas_sugerencias

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

2.1.1.18. Table: tbb_recetas_medicas

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'
4	id_cita_medica	int	✓	Index: fk_receta_cita
5	fecha_emision	date	✓	
6	medicamento	varchar(150)	✓	
7	dosis	varchar(100)	✓	
8	frecuencia	varchar(100)	✓	
9	duracion	varchar(50)	✓	
10	indicaciones	text	✓	

Indexes

Name	Type	Method	Fields
fk_receta_cita	NORMAL	BTREE	id_cita_medica

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
fk_receta_cita	id_cita_medica	say_hospital_bd.tbd_citas_medicas	ID	RESTRICT	RESTRICT

Server: root (MySQL) > Database: say_hospital_bd

2.1.1.19. Table: tbb_transacciones_financieras

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

2.1.1.20. Table: tbb_transfusiones_sanguineas

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

2.1.1.21. Table: tbb_traslados

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

2.1.1.22. Table: tbb_tratamientos

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

Server: root (MySQL) > Database: say_hospital_bd

2.1.1.23. Table: tbb_valoraciones

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

2.1.1.24. Table: tbc_areas

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	Nombre	varchar(80)	✓	
3	Descripcion	text		
4	Ubicacion_ID	int		
5	Personal_ID_Responsable	int		
6	Area_Superior_ID	int		Index: fk_area_superior
7	Estatus_Operacion	enum		
8	Total_Empleados	int		
9	Fecha_Registro	datetime		Default: CURRENT_TIMESTAMP
10	Fecha_Actualizacion	datetime		Default: CURRENT_TIMESTAMP
11	Estatus	bit(1)		Default: b'1'

Indexes

Name	Type	Method	Fields
fk_area_superior	NORMAL	BTREE	Area_Superior_ID

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
fk_area_superior	Area_Superior_ID	say_hospital_bd.tbc_areas	ID	SET NULL	CASCADE

Triggers

Server: root (MySQL) > Database: say_hospital_bd

Name	Time	Insert	Update	Delete
tr_ai_areas	AFTER	✓		

2.1.1.25. Table: tbc_cirugias

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

2.1.1.26. Table: tbc_equipamiento

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

2.1.1.27. Table: tbc_espacios

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

Server: root (MySQL) > Database: say_hospital_bd

2.1.1.28. Table: tbc_medicamentos

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

2.1.1.29. Table: tbc_organos

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

2.1.1.30. Table: tbc_patologias

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

2.1.1.31. Table: tbc_servicios

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

Server: root (MySQL) > Database: say_hospital_bd

2.1.1.32. Table: tbc_servicios_medicos

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

2.1.1.33. Table: tbc_signos_vitales

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

2.1.1.34. Table: tbd_accesos

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	Persona_ID	int	✓	
3	Fecha_Registro	datetime		Default: CURRENT_TIMESTAMP
4	Espacio_ID	int		
5	Tipo	enum		
6	Estatus	bit(1)		Default: b'1'
7	Personal_ID_autoriza	int		

2.1.1.35. Table: tbd_aprobaciones

Fields

Server: root (MySQL) > Database: say_hospital_bd

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	Personal_ID	int	✓	
3	Servicio_ID	int	✓	
4	Estatus_Aprobacion	enum		
5	Fecha_Registro	datetime		Default: CURRENT_TIMESTAMP
6	Fecha_Actualizacion	datetime		Default: CURRENT_TIMESTAMP
7	Estatus	bit(1)		Default: b'1'

2.1.1.36. Table: tbd_campanias

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	Nombre	varchar(150)	✓	
3	Descripcion	text	✓	
4	Departamento_ID	int	✓	
5	Personal_ID_responsable	int	✓	
6	Fecha_Registro	datetime	✓	Default: CURRENT_TIMESTAMP
7	Fecha_Fin	datetime		
8	Estatus_Realizacion	enum		Default: 'Programada'
9	Estatus	bit(1)		Default: b'1'
10	Tipo	enum	✓	Default: 'General'
11	Observaciones	text		

2.1.1.37. Table: tbd_citas_medicas

Fields

Server: root (MySQL) > Database: say_hospital_bd

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'
4	fecha	date	✓	
5	hora	time	✓	
6	motivo	varchar(255)	✓	
7	tipo_cita	enum	✓	

2.1.1.38. Table: tbd_horarios

Fields

Pos	Name	Type	Not Null	Others
1	id 	int Auto Increment	✓	
2	nombre	varchar(100)	✓	
3	descripcion	text		
4	tipo	enum	✓	
5	personal	bit(1)		Default: b'0'
6	departamento	bit(1)		Default: b'0'
7	area	bit(1)		Default: b'0'
8	espacio	bit(1)		Default: b'0'
9	servicio	bit(1)		Default: b'0'
10	referencia_id	int		
11	estado	bit(1)		Default: b'1'
12	fecha_creacion	datetime		Default: CURRENT_TIMESTAMP
13	fecha_actualizacion	datetime		Default: CURRENT_TIMESTAMP

Server: root (MySQL) > Database: say_hospital_bd

2.1.1.39. Table: tbd_horarios_generales

Fields

Pos	Name	Type	Not Null	Others
1	id 	int	✓	
2	dias	varchar(50)		
3	hora_inicio	time		
4	hora_fin	time		

Foreign Keys

Name	Fields	Referenced Table	Referenced Fields	On Delete	On Update
fk_horario_generales_horarios	id	say_hospital_bd.tbd_horarios	id	RESTRICT	RESTRICT

2.1.1.40. Table: tbd_inventario Equipamientos

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

2.1.1.41. Table: tbd_inventario Medicamentos

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

2.1.1.42. Table: tbd_lotes Medicamentos

Fields

Server: root (MySQL) > Database: say_hospital_bd

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

2.1.1.43. Table: tbd_padecimientos

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	estatus	bit(1)	✓	Default: b'1'

2.1.1.44. Table: tbd_valoraciones

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	fecha_registro	datetime	✓	Default: CURRENT_TIMESTAMP
3	status	bit(1)	✓	Default: b'1'

2.1.1.45. Table: tbi_bitacora

Fields

Pos	Name	Type	Not Null	Others
1	ID 	int Auto Increment	✓	
2	Nombre_Tabla	varchar(80)	✓	
3	Usuario	varchar(80)	✓	

Server: root (MySQL) > Database: say_hospital_bd

4	Operacion	enum	✓	
5	Descripcion	text	✓	
6	Fecha_Hora	datetime	✓	Default: CURRENT_TIMESTAMP

Server: root (MySQL) > Database: say_hospital_bd

2.1.2. Views

2.1.2.1. View: vw_rols_usuarios_2

Fields

Name	Type	Null
usuario	char(32)	✓
host	char(255)	✓
roles_asignados	text	✓

2.1.2.2. View: vw_rols_usuarios

Fields

Name	Type	Null
usuario	char(32)	✓
host	char(255)	✓
roles_asignados	text	✓

Server: root (MySQL) > Database: say_hospital_bd

2.1.3. Functions

2.1.3.1. Function: bandera_probabilidad

Function Type: Function

Parameters

Mode	Name	Data Type
IN	p_porcentaje	INT

2.1.3.2. Function: fn_antiguedad_personal

Function Type: Function

Parameters

Mode	Name	Data Type
IN	p_id	INT

2.1.3.3. Function: fn_apellido

Function Type: Function

Parameters

Mode	Name	Data Type
(No parameters)		

2.1.3.4. Function: fn_calcular_edad

Function Type: Function

Parameters

Mode	Name	Data Type
IN	fecha_nac	DATE

2.1.3.5. Function: fn_curp_simple

Function Type: Function

Parameters

Mode	Name	Data Type
------	------	-----------

Server: root (MySQL) > Database: say_hospital_bd

IN	p_nombre	VARCHAR
IN	p_ap1	VARCHAR
IN	p_ap2	VARCHAR
IN	p_genero	VARCHAR
IN	p_fecha	DATE

2.1.3.6. Function: fn_fecha_nacimiento

Function Type: Function

Parameters

Mode	Name	Data Type
IN	p_edad	INT

2.1.3.7. Function: fn_genera_bandera

Function Type: Function

Parameters

Mode	Name	Data Type
(No parameters)		

2.1.3.8. Function: fn_genera_bandera_porcentaje

Function Type: Function

Parameters

Mode	Name	Data Type
IN	v_porcentaje	int

2.1.3.9. Function: fn_genera_fecha_nacimiento

Function Type: Function

Parameters

Mode	Name	Data Type
(No parameters)		

Server: root (MySQL) > Database: say_hospital_bd

2.1.3.10. Function: fn_grupo_sanguineo

Function Type: Function

Parameters

Mode	Name	Data Type
(No parameters)		

2.1.3.11. Function: fn_nombre

Function Type: Function

Parameters

Mode	Name	Data Type
IN	p_genero	VARCHAR

2.1.3.12. Function: fn_numero_aleatorio_rangos

Function Type: Function

Parameters

Mode	Name	Data Type
IN	v_limite_inferior	int
IN	v_limite_superior	int

2.1.3.13. Function: fn_pais

Function Type: Function

Parameters

Mode	Name	Data Type
(No parameters)		

2.1.3.14. Function: fn_random_string

Function Type: Function

Parameters

Mode	Name	Data Type
IN	len	INT

Server: root (MySQL) > Database: say_hospital_bd

2.1.3.15. Function: fn_rfc_simple

Function Type: Function

Parameters

Mode	Name	Data Type
IN	p_nombre	VARCHAR
IN	p_ap1	VARCHAR
IN	p_ap2	VARCHAR
IN	p_fecha	DATE

2.1.3.16. Function: fn_titulo_cortesia

Function Type: Function

Parameters

Mode	Name	Data Type
IN	p_tipo_edad	VARCHAR
IN	p_genero	VARCHAR

2.1.3.17. Function: insertar_n_personal

Function Type: Procedure

Parameters

Mode	Name	Data Type
IN	cantidad	INT

2.1.3.18. Function: insertar_otros_500_horarios_con_generales

Function Type: Procedure

Parameters

Mode	Name	Data Type
(No parameters)		

2.1.3.19. Function: sp_actualizar_grupos_sanguineos

Function Type: Procedure

Server: root (MySQL) > Database: say_hospital_bd

Parameters

Mode	Name	Data Type
(No parameters)		

2.1.3.20. Function: sp_contratar_personal

Function Type: Procedure

Parameters

Mode	Name	Data Type
IN	p_persona_id	INT
IN	p_departamento_id	INT
IN	p_numero_empleado	VARCHAR
IN	p_puesto	VARCHAR
IN	p_tipo_contrato	VARCHAR
IN	p_fecha_ingreso	DATE
IN	p_salario	DECIMAL

2.1.3.21. Function: sp_fix_personas

Function Type: Procedure

Parameters

Mode	Name	Data Type
(No parameters)		

2.1.3.22. Function: sp_generar_usuarios_persona_fisica

Function Type: Procedure

Parameters

Mode	Name	Data Type
(No parameters)		

2.1.3.23. Function: sp_limpieza_masiva

Function Type: Procedure

Server: root (MySQL) > Database: say_hospital_bd

Parameters

Mode	Name	Data Type
(No parameters)		

2.1.3.24. Function: sp_poblar_completo

Function Type: Procedure

Parameters

Mode	Name	Data Type
IN	vcantidad	INT

2.1.3.25. Function: sp_poblar_pacientes

Function Type: Procedure

Parameters

Mode	Name	Data Type
IN	vcantidad_raw	VARCHAR
IN	vgnero	VARCHAR
IN	vedad_minima_raw	VARCHAR
IN	vedad_maxima_raw	VARCHAR
IN	vstatus_vida	VARCHAR
IN	vstatus_medico_in	VARCHAR
IN	vtipo_edad	VARCHAR

2.1.3.26. Function: sp_pruebas_naturaleza

Function Type: Procedure

Parameters

Mode	Name	Data Type
IN	vcantidad_raw	VARCHAR
IN	vgnero	VARCHAR
IN	vedad_minima_raw	VARCHAR
IN	vedad_maxima_raw	VARCHAR

Server: root (MySQL) > Database: say_hospital_bd

IN	vstatus_vida	VARCHAR
IN	vtipo_edad	VARCHAR

2.1.3.27. Function: sp_redistribuir_grupos_reales

Function Type: Procedure

Parameters

Mode	Name	Data Type
(No parameters)		

2.1.3.28. Function: tipo_sangre_aleatorio

Function Type: Function

Parameters

Mode	Name	Data Type
(No parameters)		