

Hands-on Lab: Working with Multiple Tables

Estimated time needed: 30 minutes

In this lab, you will through some SQL practice problems that will provide hands-on experience with SQL queries that access multiple tables. You will be:

- · Accessing Multiple Tables with Sub-Queries
- · Accessing Multiple Tables with Implicit Joins

How does an Implicit version of CROSS JOIN (also known as Cartesian Join) statement syntax look?

```
SELECT column_name(s)
FROM table1, table2;
```

How does an Implicit version of INNER JOIN statement syntax look?

```
SELECT column_name(s)
FROM table1, table2
WHERE table1.column_name = table2.column_name;
```

Software Used in this Lab

In this lab, you will use <u>IBM Db2 Database</u>. Db2 is a Relational Database Management System (RDBMS) from IBM, designed to store, analyze and retrieve the data efficiently.

To complete this lab you will utilize a Db2 database service on IBM Cloud. If you did not already complete this lab task earlier in this module, you will not yet have access to Db2 on IBM Cloud, and you will need to follow the lab below first:

• Hands-on Lab: Sign up for IBM Cloud, Create Db2 service instance and Get started with the Db2 console

Database Used in this Lab

Design Team

30003

The database used in this lab is an internal database. You will be working on a sample HR database. This HR database schema consists of 5 tables called **EMPLOYEES**, **JOB_HISTORY**, **JOBS**, **DEPARTMENTS** and **LOCATIONS**. Each table has a few rows of sample data. The following diagram shows the tables for the HR database:

SAMPLE HR DATABASE TABLES

EMP_ID	F_NAME	L_NAME	SSN	B_DATE	SE	ADDRESS		JOB_ID	SALAF	RY MANAG	ER_ID	DEP_ID	
E1001	John	Thomas	123456	1976-01	-09 M	5631 Rice,	OakPark,IL	100	10000	30001		2	
E1002	Alice	James	123457	1972-07	-31 F	980 Berry	ln, Elgin,IL	200	80000	30002		5	
E1003	Steve W		123458	1980-08	-10 M	291 Springs, Gary,IL		300	50000	30002		5	
IOB_HIST EMPL_ID	START_DATE		JOBS_ID DEF			JOBS JOB_IDENT JO		JOB_TITLE		MIN_SALARY M		X_SALAR	
EMPL_ID	START_DATE		IOBS_ID	DEPT_IC	0	JOB_IDENT	DB_IDENT JOB_TIT			MIN_SALARY N		X_SALARY	
E1001	2000-01-30		100	2		100	00 Sr. Arch			60000	100	100000	
E1002	2010-08-16		200	5		200	Sr.Softv	Sr.SoftwareDeveloper		60000 8		00	
E1003	2016-08-10 3		300	5		300	Jr.Softv	Jr.SoftwareDeveloper		40000		00	
DEPARTN	IENTS					LOCAT	IONS						
DEPT_ID_D	EP DEP_NA	DEP_NAME		MANAGER_ID LOC		LOCT_IE	LOCT_ID		DEP_ID_LOC				
2	2.0	Architect Group		30001		10001		2					

L0002

L0003

1 de 4 09/12/22, 21:36

NOTE: This lab requires you to have all 5 of these tables of the HR database populated with sample data on Db2. If you didn't complete the earlier lab in this module, you won't have the tables above populated with sample data on Db2, so you will need to go through the lab below first:

• Hands-on Lab: Create tables using SQL scripts and Load data into tables

Objectives

After completing this lab you will be able to:

- · Write SQL queries that access more than one table
- · Compose queries that access multiple tables using a nested statement in the WHERE clause
- · Build queries with multiple tables in the FROM clause
- Write Implicit Join queries with join criteria specified in the WHERE clause
- Specify aliases for table names and qualify column names with table aliases

NOTE: Make sure that you are using the CSV file and datasets from the same instruction file.

Instructions

When you approach the exercises in this lab, follow the instructions to run the queries on Db2:

- Go to the Resource List of IBM Cloud by logging in where you can find the Db2 service instance that you created in a previous lab under Services section. Click on the Db2-xx service. Next, open the Db2 Console by clicking on Open Console button. Click on the 3-bar menu icon in the top left corner and go to the Run SQL page. The Run SQL tool enables you to run SQL statements.
 - If needed, follow Hands-on Lab: Sign up for IBM Cloud, Create Db2 service instance and Get started with the Db2 console

Exercise 1: Accessing Multiple Tables with Sub-Queries

1. Problem:

Retrieve only the EMPLOYEES records that correspond to jobs in the JOBS table.

- ► Solution
- ► Output
- 2. Problem:

Retrieve only the list of employees whose JOB_TITLE is Jr. Designer.

- ▶ Solution
- ► Output
- 3. Problem:

Retrieve JOB information and who earn more than \$70,000.

- ► Solution
- ► Output
- 4. Problem:

 $2 ext{ de } 4$ 09/12/22, 21:36

Retrieve JOB information and whose birth year is after 1976.

- ► Solution
- ► Output
- 5. Problem:

Retrieve JOB information for female employees whose birth year is after 1976.

- ► Solution
- ► Output

Exercise 2: Accessing Multiple Tables with Implicit Joins

1. Problem:

Perform an implicit cartesian/cross join between EMPLOYEES and JOBS tables.

- ► Solution
- ► Output
- 2. Problem:

Retrieve only the EMPLOYEES records that correspond to jobs in the JOBS table.

- ► Solution
- ► Output
- 3. Problem:

Redo the previous query, using shorter aliases for table names.

- ► Solution
- ► Output
- 4. Problem:

Redo the previous query, but retrieve only the Employee ID, Employee Name and Job Title.

- ► Solution
- ► Output
- 5. Problem:

Redo the previous query, but specify the fully qualified column names with aliases in the SELECT clause.

- ▶ Solution
- ► Output

3 de 4 09/12/22, 21:36

Solution Script

If you would like to run all the solution queries of the SQL problems of this lab with a script, download the script below. Upload the script to the Db2 console and run. Follow Hands-on Lab: Create tables using SQL scripts and Load data into tables on how to upload a script to Db2 console and run it.

• MultipleTables_Solution_Script.sql

Congratulations! You have completed this lab, and you are ready for the next topic.

Author(s)

- Rav Ahuja
- Sandip Saha Joy

Changelog

Date	Version	Changed by	Change Description
2022-01-20	2.2	Malika	Updated Exercise 1 problem statement 3,4 and 5
2020-12-25	2.1	Steve Ryan	ID Reviewed
2020-12-10	2.0	Sandip Saha Joy	Created revised version from DB0201EN
2020	1.0	Rav Ahuja	Created initial version

© IBM Corporation 2020. All rights reserved.

 $4 ext{ de } 4$