


LITHUANIA


2016 TOTAL POPULATION: 2 908 000

2016 TOTAL DEATHS: 41 000












RISK OF PREMATURE DEATH DUE TO NCDs (%)



PROPORTIONAL MORTALITY




2 300 LIVES CAN BE SAVED BY 2025 BY IMPLEMENTING ALL OF THE WHO "BEST BUYS"


NATIONAL TARGET SET			DATA YEAR	MALES	FEMALES	TOTAL	
MORTALITY							
	Premature mortality from NCDs	✓	Total NCD deaths	2016	17 300	19 500	36 700
			Risk of premature death between 30-70 years (%)	2016	31	12	21
	Suicide mortality	-	Suicide mortality rate (per 100 000 population)	2016	-	-	32
RISK FACTORS							
	Harmful use of alcohol	✓	Total alcohol per capita consumption, adults aged 15+ (litres of pure alcohol)	2016	25	7	15
	Physical inactivity	X	Physical inactivity, adults aged 18+ (%)	2016	25	33	29
	Salt/Sodium intake	X	Mean population salt intake, adults aged 20+ (g/day)	2010	11	10	10
	Tobacco use	✓	Current tobacco smoking, adults aged 15+ (%)	2016	37	17	26
	Raised blood pressure	X	Raised blood pressure, adults aged 18+ (%)	2015	39	31	35
	Diabetes	X	Raised blood glucose, adults aged 18+ (%)	2014	10	10	10
	Obesity	✓	Obesity, adults aged 18+ (%)	2016	25	31	28
			Obesity, adolescents aged 10-19 (%)	2016	7	4	6
	Ambient air pollution	-	Exceedance of WHO guidelines level for annual PM2.5 concentration (by a multiple of)	2016	-	-	1
	Household air pollution	-	Population with primary reliance on polluting fuels and technologies (%)	2016	-	-	<5

SELECTED ADULT RISK FACTOR TRENDS


CURRENT TOBACCO SMOKING



OBESITY



RAISED BLOOD PRESSURE



NATIONAL SYSTEMS RESPONSE

	Drug therapy to prevent heart attacks and strokes	X	Proportion of population at high risk for CVD or with existing CVD (%)	-	...
			Proportion of high risk persons receiving any drug therapy and counselling to prevent heart attacks and strokes (%)	-	...
			Proportion of primary health care centres reported as offering CVD risk stratification	2017	More than 50%
			Reported having CVD guidelines that are utilized in at least 50% of health facilities	2017	Yes
	Essential NCD medicines and basic technologies to treat major NCDs	X	Number of essential NCD medicines reported as "generally available"	2017	10 out of 10
			Number of essential NCD technologies reported as "generally available"	2017	6 out of 6

... = no data available

World Health Organization - Noncommunicable Diseases (NCD) Country Profiles, 2018.