TOGO

RISK OF PREMATURE DEATH DUE TO NCDS (%)*

Probability (%) of premature death

Past trends | Projected linear trends | Global targets
Males
Females

PROPORTIONAL MORTALITY*

▶ **16%** Cardiovascular diseases
▷ **12%** Other NCDs
▶ **5%** Cancers
▷ **52%** Communicable, maternal, perinatal and nutritional conditions
▶ **3%** Chronic respiratory diseases
▷ **11%** Injuries
▶ **2%** Diabetes

NCDs are estimated to account for **38%** of all deaths.

---

7 500 LIVES CAN BE SAVED BY 2025 BY IMPLEMENTING ALL OF THE WHO "BEST BUYS"

|	NATIONAL TARGET SET		DATA YEAR	MALES	FEMALES	TOTAL
MORTALITY*						
Premature mortality from NCDs	✓	Total NCD deaths	2016	11 700	12 600	24 300
		Risk of premature death between 30-70 years (%)	2016	24	23	24
Suicide mortality	-	Suicide mortality rate (per 100 000 population)	2016	-	-	10
RISK FACTORS						
Harmful use of alcohol	✓	Total alcohol per capita consumption, adults aged 15+ (litres of pure alcohol)	2016	5	1	3
Physical inactivity	✓	Physical inactivity, adults aged 18+ (%)	2016	8	10	9
Salt/Sodium intake	X	Mean population salt intake, adults aged 20+ (g/day)	2010	7	7	7
Tobacco use	✓	Current tobacco smoking, adults aged 15+ (%)	2016	13	1	7
Raised blood pressure	✓	Raised blood pressure, adults aged 18+ (%)	2015	22	22	22
Diabetes	✓	Raised blood glucose, adults aged 18+ (%)	2014	5	5	5
Obesity	✓	Obesity, adults aged 18+ (%)	2016	3	11	7
		Obesity, adolescents aged 10-19 (%)	2016	1	2	2
Ambient air pollution	-	Exceedance of WHO guidelines level for annual PM2.5 concentration (by a multiple of)	2016	-	-	3
Household air pollution	-	Population with primary reliance on polluting fuels and technologies (%)	2016	-	-	93

SELECTED ADULT RISK FACTOR TRENDS

CURRENT TOBACCO SMOKING

% of the population

OBESITY

% of the population

RAISED BLOOD PRESSURE

% of the population

Past trends | Projected linear trends | Global targets
Males
Females

NATIONAL SYSTEMS RESPONSE

Drug therapy to prevent heart attacks and strokes	✓	Proportion of population at high risk for CVD or with existing CVD (%)	-	...
		Proportion of high risk persons receiving any drug therapy and counselling to prevent heart attacks and strokes (%)	-	...
		Proportion of primary health care centres reported as offering CVD risk stratification	2017	Less than 25%
		Reported having CVD guidelines that are utilized in at least 50% of health facilities	2017	No
Essential NCD medicines and basic technologies to treat major NCDs	✓	Number of essential NCD medicines reported as "generally available"	2017	7 out of 10
		Number of essential NCD technologies reported as "generally available"	2017	3 out of 6

... = no data available
* The mortality estimates for this country have a high degree of uncertainty because they are not based on any national NCD mortality data (see Explanatory Notes)