
## **SOUTH SUDAN**

**2016 TOTAL POPULATION:** 12 231 000 **2016 TOTAL DEATHS:** 121 000



## 10% 8% Cardiovascular Other NCDs diseases 63% Communicable, Cancers NCDs are maternal, perinatal and nutritional estimated to account for 27% conditions Chronic of all deaths. respiratory 9% diseases Injuries Diabetes

8 000 LIVES CAN BE SAVED BY 2025 BY IMPLEMENTING ALL OF THE WHO "BEST BUYS"											
		NATIONAL TARGET SET		DATA YEAR	MALES	FEMALES	TOTAL				
MOR	TALITY*  Premature mortality	X	Total NCD deaths	2016	16 600	16 500	33 100				
	from NCDs	A	Risk of premature death between 30-70 years (%)	2016	20	20	20				
E	Suicide mortality	-	Suicide mortality rate (per 100 000 population)	2016	-	-	4				
RISK FACTORS											
	Harmful use of alcohol	X	Total alcohol per capita consumption, adults aged 15+ (litres of pure alcohol)	2016							
K	Physical inactivity	X	Physical inactivity, adults aged 18+ (%)	2016							
	Salt/Sodium intake	X	Mean population salt intake, adults aged 20+ (g/day)	2010							
$\odot$	Tobacco use	X	Current tobacco smoking, adults aged 15+ (%)	2016							
	Raised blood pressure	X	Raised blood pressure, adults aged 18+ (%)	2015							
i.	Diabetes	X	Raised blood glucose, adults aged 18+ (%)	2014							
_i	Obesity	X	Obesity, adults aged 18+ (%)	2016	***	***					
	obesity	T.	Obesity, adolescents aged 10-19 (%)	2016	***	***	***				
<b>%</b>	Ambient air pollution	-	Exceedance of WHO guidelines level for annual PM2.5 concentration (by a multiple of)	2016	-	-	4				
4	Household air pollution	-	Population with primary reliance on polluting fuels and technologies (%)	2016	-	-	>95				
SELECTED ADULT RISK FACTOR TRENDS											
	CURRENT TOBACC	O SMOKING	OBESITY	RAISED BLOOD PRESSURE			RE				
NO DATA AVAILABLE		BLE	NO DATA AVAILABLE	NO DATA AVAILABLE							

NATIONAL SYSTEMS RESPONSE								
<b>(%)</b>	Drug therapy to prevent heart attacks and strokes	x	Proportion of population at high risk for CVD or with existing CVD $(\%)$	-				
			Proportion of high risk persons receiving any drug therapy and counselling to prevent heart attacks and strokes (%)	-				
			Proportion of primary health care centres reported as offering CVD risk stratification	2017	None			
			Reported having CVD guidelines that are utilized in at least 50% of health facilities	2017	No			
ā	Essential NCD medicines and basic technologies to treat major NCDs	x	Number of essential NCD medicines reported as "generally available"	2017	0 out of 10			
			Number of essential NCD technologies reported as "generally available"	2017	3 out of 6			