


Qualisys PAF package: CGM upper body marker set

	Name	Ref. ¹	Location	Static (23)	Dyn. (23)
	L_FHD		Located approximately over the left temple	X	X
	L_BHD		Back of the head, roughly in a horizontal plane of the front head markers	X	X
	R_FHD		Approximately over the right temple	X	X
	R_BHD		Back of the head, roughly in a horizontal plane of the front head markers	X	X
	CV7	CV7	Cervical Vertebrae	X	X
	SJN	SJN	Sternum - Jugular Notch	X	X
	SXS	SXS	Sternum - Xiphisternal joint	X	X
	TV10	TV10	Thoracic Vertebrae	X	X
	R_SIA	SIA	Scapula - Inferior Angle	X	X
	L_SAE	SAE	Scapula - Acromial Edge	X	X
	L_HUM			X	X
	L_HLE	HLE	Humerus - Lateral Epicondyle	X	X
	L_FAR			X	X
	L_RSP	RSP	Radius - Styloid Process	X	X
	L_USP	UPS	Ulna - Styloid Process	X	X
	L_HM2	HM2	Hand - Basis of Forefinger	X	X
	R_SAE	SAE	Scapula - Acromial Edge	X	X
	R_HUM			X	X
	R_HLE	HLE	Humerus - Lateral Epicondyle	X	X
	R_FAR			X	X
	R_RSP	RSP	Radius - Styloid Process	X	X
	R_USP	USP	Ulna - Styloid Process	X	X
	R_HM2	HM2	Hand - Basis of Forefinger	X	X

¹ Sint Jan, S. Van (2007). Color Atlas of Skeletal Landmark Definitions. Guidelines for Reproducible Manual and Virtual Palpations. Edinburgh: Churchill Livingstone.

Qualisys PAF package: CGM lower body marker set

The image displays two 3D skeletal models of a human lower body, one for the right side and one for the left side. The top model shows the right side with green dots, and the bottom model shows the left side with blue dots. Markers are placed on the pelvis, thigh, knee, shank, and foot. The markers are labeled as follows: R_IAS, L_IAS, R_THI, L_THI, R_FLE, L_FLE, R_TIB, L_TIB, R_FAL, L_FAL, R_FM5, L_FM5, L_IPS, R_IPS, L_FCC, and R_FCC.

Name	Ref. ¹	Location	Static (18)	Dyn. (18)
L_IAS	IAS	Anterior superior iliac spine	X	X
L_IPS	IPS	Posterior superior iliac spine	X	X
R_IPS	IPS	Posterior superior iliac spine	X	X
R_IAS	IAS	Anterior superior iliac spine	X	X
L_THI		Lower lateral 1/3 surface of the thigh, the height is not critical	X	X
L_FLE	FLE	Lateral epicondyle	X	X
L_TIB		Lower lateral 1/3 surface of the shank, the height is not critical	X	X
L_FAL	FAL	Lateral prominence of the lateral malleolus	X	X
L_FCC	FCC	Aspect of the Achilles tendon insertion on the calcaneus	X	X
L_FM2	FM2	Dorsal aspect of the second metatarsal head	X	X
L_FM5	FM5	Dorsal margin of the fifth metatarsal head	X	X
R_THI		Lower lateral 1/3 surface of the thigh, the height is not critical	X	X
R_FLE	FLE	Lateral epicondyle	X	X
R_TIB		Lower lateral 1/3 surface of the shank, the height is not critical	X	X
R_FAL	FAL	Lateral prominence of the lateral malleolus	X	X
R_FCC	FCC	Aspect of the Achilles tendon insertion on the calcaneus	X	X
R_FM2	FM2	Dorsal aspect of the second metatarsal head	X	X
R_FM5	FM5	Dorsal margin of the fifth metatarsal head	X	X

¹ Sint Jan, S. Van (2007). Color Atlas of Skeletal Landmark Definitions. Guidelines for Reproducible Manual and Virtual Palpations. Edinburgh: Churchill Livingstone.

Qualisys PAF package: CGM lower body marker set (including Oxford foot model ²)

	Name	Ref. ¹	Location	Static (20)	Dyn. (16)
	L_FCC2		Proximal end of posterior aspect of calcaneus	X	X
	L_FCC	FCC	Distal end of posterior aspect of calcaneus	X	X
	L_LCAL		Lateral calcaneus (placed on lateral aspect of the calcaneus, at the same distance to the most posterior point of calcaneus as L_MCAL) ²	X	X
	L_FMT	FMT	Tuberosity of the fifth metatarsal bone	X	X
	L_FM5	FM5	Base of fifth metatarsal (along the line through the distal heads of the first and fifth metatarsal heads) ²	X	X
	L_FM2	FM2	Dorsal margin of the second metatarsal head	X	X
	L_PM6	PM6	Proximal medial phalanx of the big toe	X	X
	L_FM1	FM1	Base of first metatarsal (along the line through the distal heads of the first and fifth metatarsal heads) ²	X	
	L_P1MT		Base of the first metatarsal bone	X	X
	L_MCAL		Medial calcaneus (placed on Sustentaculum tali, at the same distance to the most posterior point of calcaneus as L_LCAL) ²	X	
	R_FCC2		Proximal end of posterior aspect of calcaneus	X	X
	R_FCC	FCC	Distal end of posterior aspect of calcaneus	X	X
	R_LCAL		Lateral calcaneus (placed on lateral aspect of calcaneus, at the same distance to the most posterior point of calcaneus as R_MCAL) ²	X	X
	R_FMT	FMT	Tuberosity of the fifth metatarsal bone	X	X
	R_FM5	FM5	Base of fifth metatarsal (along the line through the distal heads of the first and fifth metatarsal heads) ²	X	X
	R_FM2	FM2	Dorsal margin of the second metatarsal head	X	X
	R_PM6	PM6	Proximal medial phalanx of the big toe	X	X
	R_FM1	FM1	Base of first metatarsal (along the line through the distal heads of the first and fifth metatarsal heads) ²	X	
	R_P1MT		Base of the first metatarsal bone	X	X
R_MCAL		Medial calcaneus (placed on Sustentaculum tali, at the same distance to the most posterior point of calcaneus as R_LCAL) ²	X		

¹ Sint Jan, S. Van (2007). Color Atlas of Skeletal Landmark Definitions. Guidelines for Reproducible Manual and Virtual Palpations. Edinburgh: Churchill Livingstone.

² Stebbins J, Harrington M, Thompson N, Zavatsky A, Theologis T. (2006) Repeatability of a model for measuring multi-segment foot kinematics in children. Gait Posture. 2006 Jun;23(4):401-10.

Qualisys PAF package: CGM lower body marker set (including Rizzoli foot model²)

	Name	Ref. ¹	Location	Static (24)	Dyn. (24)
	L_FCC2		Proximal end of posterior aspect of calcaneus	X	X
	L_FCC	FCC	Most distal point of the attachment area of the Achilles tendon on the calcaneus	X	X
	L_FPT	FPT	Lateral apex of the peroneal tubercle	X	X
	L_FMT	FMT	Base of the fifth metatarsal, dorso-lateral aspect of the fifth metatarso-cuboid joint	X	X
	L_FM5	FM5	Head of the fifth metatarsal, dorso-lateral aspect of the fifth metatarso-phalangeal joint	X	X
	L_FM2	FM2	Base of the second metatarsal, dorso-medial aspect of the second metatarso-cuneiform joint	X	X
	L_PM6	PM6	Most distal and dorsal point of the head of the proximal phalanx of the hallux	X	X
	L_FM1	FM1	Head of the first metatarsal, dorso-medial aspect of the first metatarso-phalangeal joint	X	X
	L_P1MT		Base of the first metatarsal, dorso-medial aspect of the first metatarso-cuneiform joint	X	X
	L_P2MT		Base of the second metatarsal, dorso-medial aspect of the second metatarso-cuneiform joint	X	X
	L_FNT	FNT	Most medial apex of the tuberosity of the navicular	X	X
	L_FST	FST	Most medial apex of the sustentaculum tali	X	X
	R_FCC2		Proximal end of posterior aspect of calcaneus	X	X
	R_FCC	FCC	Most distal point of the attachment area of the Achilles tendon on the calcaneus	X	X
	R_FPT		Lateral apex of the peroneal tubercle	X	X
	R_FMT	FMT	Base of the fifth metatarsal, dorso-lateral aspect of the fifth metatarso-cuboid joint	X	X
	R_FM5	FM5	Head of the fifth metatarsal, dorso-lateral aspect of the fifth metatarso-phalangeal joint	X	X
	R_FM2	FM2	Base of the second metatarsal, dorso-medial aspect of the second metatarso-cuneiform joint	X	X
	R_PM6	PM6	Most distal and dorsal point of the head of the proximal phalanx of the hallux	X	X
	R_FM1	FM1	Head of the first metatarsal, dorso-medial aspect of the first metatarso-phalangeal joint	X	X
	R_P1MT		Base of the first metatarsal, dorso-medial aspect of the first metatarso-cuneiform joint	X	X
	R_P2MT		Base of the second metatarsal, dorso-medial aspect of the second metatarso-cuneiform joint	X	X
	R_FNT	FNT	Most medial apex of the tuberosity of the navicular	X	X
	R_FST	FST	Most medial apex of the sustentaculum tali	X	X

¹ Sint Jan, S. Van (2007). Color Atlas of Skeletal Landmark Definitions. Guidelines for Reproducible Manual and Virtual Palpations. Edinburgh: Churchill Livingstone.

² Nicola Portinaro, Alberto Leardini, Artemisia Panou, Valerio Monzani and Paolo Caravaggi. Modifying the Rizzoli foot model to improve the diagnosis of pes-planus: application to kinematics of feet in teenagers. Journal of Foot and Ankle Research 2014, 7:57.