







Qualisys PAF package: Istituti Ortopedici Rizzoli (IOR) lower body marker set ¹

	Name	Ref. ²	Location	Static (26)	Dyn. (20)
	L_IAS	IAS	Anterior superior iliac spine	X	X
	L_IPS	IPS	Posterior superior iliac spine	X	X
	R_IPS	IPS	Posterior superior iliac spine	X	X
	R_IAS	IAS	Anterior superior iliac spine	X	X
	L_FTC	FTC	Lateral side of greater trochanter, 1/3 from proximal end	X	X
	L_FLE	FLE	Femur lateral epicondyle	X	X
	L_FME	FME	Femur medial epicondyle	X	
	L_FAX	FAX	Proximal tip of the head of the fibula	X	X
	L_TTC	TTC	Most anterior border of the tibial tuberosity	X	X
	L_FAL	FAL	Lateral prominence of the lateral malleolus	X	X
	L_TAM	TAM	Medial prominence of the medial malleolus	X	
	L_FCC	FCC	Aspect of the Achilles tendon insertion on the calcaneus	X	X
	L_FM1	FM1	Dorsal margin of the first metatarsal head	X	X
	L_FM2	FM2	Dorsal margin of the second metatarsal head	X	
	L_FM5	FM5	Dorsal margin of the fifth metatarsal head	X	X
	R_FTC	FTC	Lateral side of greater trochanter, 1/3 from proximal end	X	X
	R_FLE	FLE	Femur lateral epicondyle	X	X
	R_FME	FME	Femur medial epicondyle	X	
	R_FAX	FAX	Proximal tip of the head of the fibula	X	X
	R_TTC	TTC	Most anterior border of the tibial tuberosity	X	X
	R_FAL	FAL	Lateral prominence of the lateral malleolus	X	X
	R_TAM	TAM	Medial prominence of the medial malleolus	X	
	R_FCC	FCC	Aspect of the Achilles tendon insertion on the calcaneus	X	X
	R_FM1	FM1	Dorsal margin of the first metatarsal head	X	X
	R_FM2	FM2	Dorsal margin of the second metatarsal head	X	
R_FM5	FM5	Dorsal margin of the fifth metatarsal head	X	X	

¹ Leardini, A., Sawacha, Z., Paolini, G., Ingrosso, S., Nativio, R., & Benedetti, M.G. (2007). A new anatomically based protocol for gait analysis in children. *Gait & Posture*, 26, 560-571. doi: 10.1016/j.gaitpost.2006.12.018
http://www.c-motion.com/v3dwiki/index.php?title=Tutorial:_Building_the_IOR_Gait_Model

² Sint Jan, S. Van (2007). *Color Atlas of Skeletal Landmark Definitions. Guidelines for Reproducible Manual and Virtual Palpations*. Edinburgh: Churchill Livingstone.

Qualisys PAF package: Istituti Ortopedici Rizzoli (IOR) lower body marker set ¹ (including Oxford foot model ³)

	Name		Ref. ²	Location	Static (20)	Dyn. (16)
	L_FCC2			Proximal end of posterior aspect of calcaneus	X	X
	L_FCC		FCC	Distal end of posterior aspect of calcaneus	X	X
	L_LCAL			Lateral calcaneus (placed on lateral aspect of the calcaneus, at the same distance to the most posterior point of calcaneus as L_MCAL) ³	X	X
	L_FMT		FMT	Tuberosity of the fifth metatarsal bone	X	X
	L_FM5		FM5	Base of fifth metatarsal (along the line through the distal heads of the first and fifth metatarsal heads) ³	X	X
	L_FM2		FM2	Dorsal margin of the second metatarsal head	X	X
	L_PM6		PM6	Proximal medial phalanx of the big toe	X	X
	L_FM1		FM1	Base of first metatarsal (along the line through the distal heads of the first and fifth metatarsal heads) ³	X	
	L_P1MT			Base of the first metatarsal bone	X	X
	L_MCAL			Medial calcaneus (placed on Sustentaculum tali, at the same distance to the most posterior point of calcaneus as L_LCAL) ³	X	
	R_FCC2			Proximal end of posterior aspect of calcaneus	X	X
	R_FCC		FCC	Distal end of posterior aspect of calcaneus	X	X
	R_LCAL			Lateral calcaneus (placed on the lateral aspect of calcaneus, at the same distance to the most posterior point of calcaneus as R_MCAL) ³	X	X
	R_FMT		FMT	Tuberosity of the fifth metatarsal bone	X	X
	R_FM5		FM5	Base of fifth metatarsal (along the line through the distal heads of the first and fifth metatarsal heads) ³	X	X
	R_FM2		FM2	Dorsal margin of the second metatarsal head	X	X
	R_PM6		PM6	Proximal medial phalanx of the big toe	X	X
	R_FM1		FM1	Base of first metatarsal (along the line through the distal heads of the first and fifth metatarsal heads) ³	X	
	R_P1MT			Base of the first metatarsal bone	X	X
	R_MCAL			Medial calcaneus (placed on Sustentaculum tali, at the same distance to the most posterior point of calcaneus as R_LCAL) ³	X	

¹ Leardini, A., Sawacha, Z., Paolini, G., Ingrosso, S., Nativio, R., & Benedetti, M.G. (2007). A new anatomically based protocol for gait analysis in children. *Gait & Posture*, 26, 560-571. doi: 10.1016/j.gaitpost.2006.12.018
http://www.c-motion.com/v3dwiki/index.php?title=Tutorial:_Building_the_IOR_Gait_Model

² Sint Jan, S. Van (2007). Color Atlas of Skeletal Landmark Definitions. Guidelines for Reproducible Manual and Virtual Palpations. Edinburgh: Churchill Livingstone.

³ Stebbins J, Harrington M, Thompson N, Zavatsky A, Theologis T. (2006) Repeatability of a model for measuring multi-segment foot kinematics in children. *Gait Posture*. 2006 Jun;23(4):401-10.

--

¹ Leardini, A., Sawacha, Z., Paolini, G., Ingrosso, S., Nativio, R., & Benedetti, M.G. (2007). A new anatomically based protocol for gait analysis in children. *Gait & Posture*, 26, 560-571. doi: 10.1016/j.gaitpost.2006.12.018
http://www.c-motion.com/v3dwiki/index.php?title=Tutorial:_Building_the_IOR_Gait_Model

² Sint Jan, S. Van (2007). *Color Atlas of Skeletal Landmark Definitions. Guidelines for Reproducible Manual and Virtual Palpations*. Edinburgh: Churchill Livingstone.

³ Nicola Portinaro, Alberto Leardini, Artemisia Panou, Valerio Monzani and Paolo Caravaggi. Modifying the Rizzoli foot model to improve the diagnosis of pes-planus: application to kinematics of feet in teenagers. *Journal of Foot and Ankle Research* 2014, 7:57.