. degrang com class restrings
$$Q[(x,y,z) = \lambda \nabla g(x,y,z) = \mu \nabla h(x,y,z)$$

$$(0,0L) = \lambda(2x,\lambda y_1 - 2y) + \mu(LL,L)$$

$$\lambda \lambda_{2} + \mu = 0$$

$$\lambda \lambda_{2} + \mu = 0$$

$$\lambda \lambda_{2} + \mu = 0$$

$$\lambda \lambda_{3} + \mu = 0$$

$$\mu = -2\lambda \lambda_{3}$$

$$\mu = -2\lambda \lambda_{3}$$

$$\lambda \lambda_{3} + \mu = -2\lambda \lambda_{3}$$

$$\lambda \lambda_{4} + \mu = -2\lambda \lambda_{3}$$

$$\lambda \lambda_{4} + \mu = -2\lambda \lambda_{3}$$

$$\lambda \lambda_{5} + \mu = -2\lambda \lambda_{3}$$

$$\lambda \lambda_{5} + \mu = -2\lambda \lambda_{3}$$

$$\lambda \lambda_{5} + \mu = -2\lambda \lambda_{5}$$

$$\lambda \lambda_{5} + \mu = -2\lambda \lambda_{5}$$

$$\lambda \lambda_{5} + \mu = -2\lambda \lambda_{5}$$

$$\lambda \lambda_{5} + \mu = -2\lambda \lambda_{5} + \lambda_{5$$

Aula 156 - 14.8/18

Daniel Comorin Vilela de Salis - 123.145