

Nama : Daniel Susilo

NIM : G.231.23.0150

Kelas : Sore A2

Matkul: Pemrograman Framework

```
Command Prompt - php artis x + v
C:\xampp\htdocs>composer create-project --prefer-dist laravel/laravel sample-app
Creating a "laravel/laravel" project at "./sample-app"
Installing laravel/laravel (v12.0.7)
- Installing laravel/laravel (v12.0.7): Extracting archive
Created project in C:\xampp\htdocs\sample-app
> @php -r "file_exists('.env') || copy('.env.example', '.env');"
Loading composer repositories with package information
Updating dependencies
Lock file operations: 110 installs, 0 updates, 0 removals
- Locking brick/math (0.12.3)
- Locking carbonphp/carbon-doctrine-types (3.2.0)
- Locking dflydev/dot-access-data (v3.0.3)
- Locking doctrine/inflector (2.0.10)
- Locking doctrine/lexer (3.0.1)
- Locking dragonmantank/cron-expression (v3.4.0)
- Locking egulias/email-validator (4.0.4)
- Locking fakerphp/faker (v1.24.1)
- Locking filp/whoops (2.18.0)
- Locking fruitcake/php-cors (v1.3.0)
- Locking graham-campbell/result-type (v1.1.3)
- Locking guzzlehttp/guzzle (7.9.3)
- Locking guzzlehttp/promises (2.2.0)
- Locking guzzlehttp/psr7 (2.7.1)
- Locking guzzlehttp/uri-template (v1.0.4)
- Locking hamcrest/hamcrest-php (v2.1.1)
- Locking laravel/framework (v12.12.0)
- Locking laravel/pail (v1.2.2)
- Locking laravel/pint (v1.22.0)
- Locking laravel/prompts (v0.3.5)
- Locking laravel/sail (v1.42.0)
```

```
Command Prompt - php artis x + v
> @php -r "file_exists('database/database.sqlite') || touch('database/database.sqlite');"
> @php artisan migrate --graceful --ansi

INFO Preparing database.

Creating migration table ..... 19.58ms DONE

INFO Running migrations.

0001_01_01_000000_create_users_table ..... 37.97ms DONE
0001_01_01_000001_create_cache_table ..... 10.80ms DONE
0001_01_01_000002_create_jobs_table ..... 31.69ms DONE

C:\xampp\htdocs>cd sample-app
C:\xampp\htdocs\sample-app>code .
C:\xampp\htdocs\sample-app>php artisan serve

INFO Server running on [http://127.0.0.1:8000].


Press Ctrl+C to stop the server

INFO Environment modified. Restarting server...
INFO Server running on [http://127.0.0.1:8000].
```


```
File Edit Selection View Go Run Terminal Help sample-app
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
* PS C:\xampp\htdocs\sample-app> php artisan serve
INFO Server running on [http://127.0.0.1:8000].
Press Ctrl+C to stop the server
INFO Environment modified. Restarting server...
INFO Server running on [http://127.0.0.1:8000].
Press Ctrl+C to stop the server
INFO Environment modified. Restarting server...
INFO Server running on [http://127.0.0.1:8000].
Press Ctrl+C to stop the server
* PS C:\xampp\htdocs\sample-app> php artisan serve
INFO Server running on [http://127.0.0.1:8000].
Press Ctrl+C to stop the server
2025-05-04 14:51:59 / ..... ~ 17s
2025-05-04 14:51:59 ..... ~ 16s
2025-05-04 14:51:59 ..... ~ 25s
2025-05-04 14:53:24 ..... ~ 8s
2025-05-04 14:56:01 ..... ~ 5s
2025-05-04 14:56:07 ..... ~ 0.37ms
INFO Environment modified. Restarting server...
INFO Server running on [http://127.0.0.1:8000].
Press Ctrl+C to stop the server
2025-05-04 14:57:25 / ..... ~ 1s
2025-05-04 14:57:25 /favicon.ico ..... ~ 1s
```

```
File Edit Selection View Go Run Terminal Help sample-app
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
2025-05-04 15:00:51 ..... ~ 3s
* PS C:\xampp\htdocs\sample-app> php artisan make:model Product -m
INFO Model [C:\xampp\htdocs\sample-app\app\Models\Product.php] created successfully.
INFO Migration [C:\xampp\htdocs\sample-app\database\Migrations\2025_05_04_080323_create_products_table.php] created successfully.
* PS C:\xampp\htdocs\sample-app> php artisan migrate
WARN The SQLite database configured for this application does not exist: laravel.
Would you like to create it? (yes/no) [yes]
> yes
INFO Preparing database.
Creating migration table ..... 84.15ms DONE
INFO Running migrations.
0001_01_01_000000_create_users_table ..... 85.68ms DONE
0001_01_01_000001_create_cache_table ..... 25.91ms DONE
0001_01_01_000002_create_jobs_table ..... 63.41ms DONE
2025_05_04_080323_create_products_table ..... 19.16ms DONE
* PS C:\xampp\htdocs\sample-app> php artisan make:controller ProductController --model=Product --resource
INFO Controller [C:\xampp\htdocs\sample-app\app\Http\Controllers\ProductController.php] created successfully.
* PS C:\xampp\htdocs\sample-app> php artisan route:list
GET|HEAD / ..... product.index > ProductController@index
GET|HEAD product ..... product.store > ProductController@store
POST product/create ..... product.create > ProductController@create
GET|HEAD product/{product} ..... product.show > ProductController@show
PUT|PATCH product/{product} ..... product.update > ProductController@update
DELETE product/{product} ..... product.destroy > ProductController@destroy
GET|HEAD product/{product}/edit ..... product.edit > ProductController@edit
GET|HEAD storage/{path} ..... storage.local
up
```


```
File Edit Selection View Go Run Terminal Help sample-app
PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS
* .env
12 # APP_MAINTENANCE_STORE=database
13
14 PHP_CLI_SERVER_WORKERS=4
15
16 BCRYPT_ROUNDS=12
17
18 LOG_CHANNEL=stack
19 LOG_STACK=single
20 LOG_DEPRECATIONS_CHANNEL=null
21 LOG_LEVEL=debug
22
23 DB_CONNECTION=sqlite
24 DB_HOST=127.0.0.1
25 DB_PORT=3306
26 DB_DATABASE=laravel
27 DB_USERNAME=root
28 DB_PASSWORD=
29
30 SESSION_DRIVER=database
31 SESSION_LIFETIME=120
32 SESSION_ENCRYPT=false
33 SESSION_PATH=/
34 SESSION_DOMAIN=null
35
36 BROADCAST_CONNECTION=log
37 FILESYSTEM_DISK=local
38 QUEUE_CONNECTION=database
39
40 CACHE_STORE=database
41 # CACHE_PREFIX=
42
43 MEMCACHED_HOST=127.0.0.1
44
45 REDIS_CLIENT=phpredis
46 REDIS_HOST=127.0.0.1
47 REDIS_PASSWORD=null
48 REDIS_PORT=6379
```



```
1 <?php
2
3 namespace App\Models;
4
5 use Illuminate\Database\Eloquent\Model;
6
7 class Product extends Model
8 {
9     protected $fillable = [
10         'code',
11         'name',
12         'price',
13         'stock',
14     ];
15 }
16
```



```
1 <?php
2
3 use Illuminate\Database\Migrations\Migration;
4 use Illuminate\Database\Schema\Blueprint;
5 use Illuminate\Support\Facades\Schema;
6
7 return new class extends Migration
8 {
9     /**
10      * Run the migrations.
11      */
12     public function up(): void
13     {
14         Schema::create('products', function (Blueprint $table) {
15             $table->id();
16             $table->string('code')->unique();
17             $table->string('name');
18             $table->decimal('price', total: 20, places: 2);
19             $table->integer('stock');
20             $table->timestamps();
21         });
22     }
23
24     /**
25      * Reverse the migrations.
26      */
27     public function down(): void
28     {
29         Schema::dropIfExists('products');
30     }
31 };
32
```



```
1 <?php
2
3 namespace App\Http\Controllers;
4
5 use App\Models\Product;
6 use Illuminate\Http\Request;
7
8 class ProductController extends Controller
9 {
10     /**
11      * Display a listing of the resource.
12      */
13     public function index(): View
14     {
15         $products = Product::latest()->paginate(perPage: 10);
16         return view('products.index', data: compact('products'));
17     }
18
19     /**
20      * Show the form for creating a new resource.
21      */
22     public function create(): View
23     {
24         return view('products.create');
25     }
26
27     /**
28      * Store a newly created resource in storage.
29      */
30     public function store(Request $request): RedirectResponse
31     {
32         $request->validate(rules: [
33             'name' => 'required',
34             'code' => 'required|unique:products',
35         ]);
36     }
37 }
38
```

This screenshot shows the VS Code editor with the `ProductController.php` file open. The file contains the following code:

```
app > Http > Controllers > ProductController.php > PHP > ProductController > destroy0
8 class ProductController extends Controller
9 {
10     public function store(Request $request): RedirectResponse
11     {
12         $request->validate([
13             'code' => 'required|unique:products',
14             'price' => 'required',
15             'stock' => 'required',
16         ]);
17
18         Product::create([
19             'name' => $request->name,
20             'code' => $request->code,
21             'price' => $request->price,
22             'stock' => $request->stock,
23         ]);
24
25         return redirect()->route('product.index')
26             ->with(key: 'success', value: 'Product created successfully.');
```

This screenshot shows the VS Code editor with the `ProductController.php` file open. The file contains the following code:

```
app > Http > Controllers > ProductController.php > PHP > ProductController > destroy0
8 class ProductController extends Controller
9 {
10     /**
11      * Update the specified resource in storage.
12      */
13     public function update(Request $request, Product $product): RedirectResponse
14     {
15         $request->validate([
16             'name' => 'required',
17             'price' => 'required',
18             'stock' => 'required',
19         ]);
20
21         $product->update([
22             'name' => $request->name,
23             'price' => $request->price,
24             'stock' => $request->stock,
25         ]);
26
27         return redirect()->route('product.index')
28             ->with(key: 'success', value: 'Product updated successfully.');
```

This screenshot shows the VS Code editor with the `edit.blade.php` file open. The file contains the following code:

```
resources > views > products > edit.blade.php
1 <@doctype html>
2 <html lang="en">
3 <head>
4 <meta charset="UTF-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1.0">
6 <meta http-equiv="X-UA-Compatible" content="ie=edge">
7 <meta name="csrf-token" content="{{ csrf_token() }}">
8 <title>EDIT Product - Tutorial CRUD Laravel 12 @ qadrlabs.com</title>
9 <script src="https://unpkg.com/@tailwindcss/browser@4"></script>
10 </head>
11 <body>
12 <div class="container mx-auto mt-10 mb-10 px-10">
13 <div class="grid grid-cols-8 gap-4 p-5">
14 <div class="col-span-4 mt-2">
15 <h1 class="text-3xl font-bold">
16 EDIT PRODUCT
17 </h1>
18 </div>
19 <div class="col-span-4">
20 </div>
21 </div>
22 <div class="bg-white p-5 rounded shadow-sm">
23 <form action="{{ route('product.update', parameters: $product) }}" method="POST">
24 @csrf
25 @method('PUT')
26 <div class="mb-5">
27 <label for="name">Name</label>
28 <input type="text" class="
29 form-control
30 block
31 w-full
32 px-3
33 py-1.5
34 text-base
35 font-normal
36 text-gray-700
37 bg-white bg-clip-padding
```

```
File Edit Selection View Go Run Terminal Help sample-app
EXPLORER
  .env
  Product.php app\Models
  2025_05_04_080323_cr...
  ProductController.php...
  edit.blade.php resourc...
  show.blade.php resourc...
  create.blade.php resourc...
  index.blade.php resourc...
  web.php routes
SAMPLE-APP
  database
  seeders
  .gitignore
  database.sqlite
  public
  resources
  css
  js
  views
  products
    create.blade.php
    edit.blade.php
    index.blade.php
    show.blade.php
    welcome.blade.php
  routes
    console.php
    web.php
  storage
  tests
  OUTLINE
  TIMELINE


resources > views > products > show.blade.php
1 <DOCTYPE html>
2 <html lang="en">
3 <head>
4 <meta charset="UTF-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1.0">
6 <meta http-equiv="X-UA-Compatible" content="ie=edge">
7 <meta name="csrf-token" content="{{ csrf_token() }}">
8 <title>Product Detail {{ $product->name }} - Tutorial CRUD Laravel 12 @
9 qadrlabs.com</title>
10 <script src="https://unpkg.com/@tailwindcss/browser@4"></script>
11 </head>
12 <body>
13 <div class="container mx-auto mt-10 mb-10 px-10">
14 <div class="grid grid-cols-8 gap-4 mb-4 p-5">
15 <div class="col-span-4 mt-2">
16 <h1 class="text-3xl font-bold">
17 Product Detail {{ $product->name }}
18 </h1>
19 </div>
20 </div>
21 <div class="bg-white p-5 rounded shadow-sm">
22 <div class="relative overflow-x-auto">
23 <table class="w-full text-sm text-left rtl:text-right text-gray-500 dark:text-gray-400">
24 <tbody>
25 <tr class="bg-white border-b dark:bg-gray-800 dark:border-gray-700 border-gray-
26 200">
27 <th scope="row" class="px-6 py-4 font-medium text-gray-900 whitespace
28 nowrap dark:text-white">
29 Product Name
30 </th>
31 <td class="px-6 py-4">
32 {{ $product->name }}
33 </td>
34 </tr>
35 <tr class="bg-white border-b dark:bg-gray-800 dark:border-gray-700 border-gray-
36 200">
37 <th scope="row" class="px-6 py-4 font-medium text-gray-900 whitespace
```

```
File Edit Selection View Go Run Terminal Help sample-app
EXPLORER
  .env
  Product.php app\Models
  2025_05_04_080323_cr...
  ProductController.php...
  edit.blade.php resourc...
  show.blade.php resourc...
  create.blade.php resourc...
  index.blade.php resourc...
  web.php routes
SAMPLE-APP
  database
  seeders
  .gitignore
  database.sqlite
  public
  resources
  css
  js
  views
  products
    create.blade.php
    edit.blade.php
    index.blade.php
    show.blade.php
    welcome.blade.php
  routes
    console.php
    web.php
  storage
  tests
  OUTLINE
  TIMELINE

resources > views > products > create.blade.php
1 <DOCTYPE html>
2 <html lang="en">
3 <head>
4 <meta charset="UTF-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1.0">
6 <meta http-equiv="X-UA-Compatible" content="ie=edge">
7 <meta name="csrf-token" content="{{ csrf_token() }}">
8 <title>Create New Product - Tutorial CRUD Laravel 12 @ qadrlabs.com</title>
9 <script src="https://unpkg.com/@tailwindcss/browser@4"></script>
10 </head>
11 <body>
12 <div class="container mx-auto mt-10 mb-10 px-10">
13 <div class="grid grid-cols-8 gap-4 p-5">
14 <div class="col-span-4 mt-2">
15 <h1 class="text-3xl font-bold">
16 CREATE NEW PRODUCT
17 </h1>
18 </div>
19 </div>
20 <div class="col-span-4">
21 </div>
22 </div>
23 <div class="bg-white p-5 rounded shadow-sm">
24 <form action="{{ route(name: 'product.store') }}" method="POST">
25 @csrf
26 <div class="mb-5">
27 <label for="name">Name</label>
28 <input type="text" class="
29 form-control
30 block
31 w-full
32 px-3
33 py-1.5
34 text-base
```

```
File Edit Selection View Go Run Terminal Help sample-app
EXPLORER
  .env
  Product.php app\Models
  2025_05_04_080323_cr...
  ProductController.php...
  edit.blade.php resourc...
  show.blade.php resourc...
  create.blade.php resourc...
  index.blade.php resourc...
  web.php routes
SAMPLE-APP
  database
  seeders
  .gitignore
  database.sqlite
  public
  resources
  css
  js
  views
  products
    create.blade.php
    edit.blade.php
    index.blade.php
    show.blade.php
    welcome.blade.php
  routes
    console.php
    web.php
  storage
  tests
  OUTLINE
  TIMELINE

resources > views > products > index.blade.php
1 <DOCTYPE html>
2 <html lang="en">
3 <head>
4 <meta charset="UTF-8">
5 <meta name="viewport" content="width=device-width, initial-scale=1.0">
6 <meta http-equiv="X-UA-Compatible" content="ie=edge">
7 <meta name="csrf-token" content="{{ csrf_token() }}">
8 <title>Product List - Tutorial CRUD Laravel 12 @ qadrlabs.com</title>
9 <script src="https://unpkg.com/@tailwindcss/browser@4"></script>
10 </head>
11 <body>
12 <div class="container mx-auto mt-10 mb-10 px-10">
13 <div class="grid grid-cols-8 gap-4 mb-4 p-5">
14 <div class="col-span-4 mt-2">
15 <h1 class="text-3xl font-bold">
16 DAFTAR PRODUCT
17 </h1>
18 </div>
19 <div class="col-span-4">
20 <div class="flex justify-end">
21 <a href="{{ route(name: 'product.create') }}"
22 class="inline-block px-6 py-2.5 bg-blue-600 text-white font-medium text-xs
23 leading-tight uppercase rounded-full shadow-md hover:bg-blue-700 hover:shadow-lg
24 focus:bg-blue-700 focus:shadow-lg focus:outline-none focus:ring-0 active:bg-blue-800
25 active:shadow-lg transition duration-150 ease-in-out">
26 id="add-product-btn">Add Product</a>
27 </div>
28 </div>
29 </div>
30 <div class="bg-white p-5 rounded shadow-sm">
31 <!-- Notifikasi menggunakan flash session data -->
32 @if (session(key: 'success'))
33 <div class="p-3 rounded bg-green-500 text-green-100 mb-4">
34 {{ session(key: 'success') }}
35 </div>
36 @endif
37 <div class="relative overflow-x-auto">
```



CREATE NEW PRODUCT


Name

Code

Price

Stock

SAVE BACK



DAFTAR PRODUCT

[ADD PRODUCT](#)

Product created successfully.

NO	PRODUCT NAME	CODE	STOCK	PRICE	ACTION
1	Iphone 16 Pro Max	IP256	14	28900000	VIEW EDIT DELETE
2	Laptop ASUS ROG strix	LP001	8	16500000	VIEW EDIT DELETE



EDIT PRODUCT

Name
Iphone 16 Pro Max

Code
IP256

Price
28900000

Stock
10

[SAVE CHANGES](#) [BACK](#)

DAFTAR PRODUCT

[ADD PRODUCT](#)

Product updated successfully

NO	PRODUCT NAME	CODE	STOCK	PRICE	ACTION
1	Iphone 16 Pro Max	IP256	10	28900000	VIEW EDIT DELETE
2	Laptop ASUS ROG strix	LP001	8	16500000	VIEW EDIT DELETE

Product Detail Iphone 16 Pro Max

Product Name	Iphone 16 Pro Max
Product Code	IP256
Stock	10
Price	28900000

[BACK](#) [EDIT PRODUCT](#)

LaravelKursus: PEMROGRAMAN FRAMEProduct List - Tutorial CRUD LarTutorial CRUD Laravel 12.pdf

localhost:8000/product

localhost:8000 says
Apakah Anda Yakin ?

OKCancel

DAFTAR PRODUCT

ADD PRODUCT

Product updated successfully

NO	PRODUCT NAME	CODE	STOCK	PRICE	ACTION
1	Iphone 16 Pro Max	IP256	10	28900000	<div>VIEWEDITDELETE</div>
2	Laptop ASUS ROG strix	LP001	8	16500000	<div>VIEWEDITDELETE</div>

LEI - SOU
Skor pertandingan...

Search

18:12
04/05/2025

LaravelKursus: PEMROGRAMAN FRAMEProduct List - Tutorial CRUD LarTutorial CRUD Laravel 12.pdf

localhost:8000/product

NO	PRODUCT NAME	CODE	STOCK	PRICE	ACTION
1	Product 10	PR-10	6	347857	<div>VIEWEDITDELETE</div>
2	Product 9	PR-09	23	390602	<div>VIEWEDITDELETE</div>
3	Product 8	PR-908	36	148562	<div>VIEWEDITDELETE</div>
4	Product 99	PR-99	2	581093	<div>VIEWEDITDELETE</div>
5	Product 18	PR-18	27	295636	<div>VIEWEDITDELETE</div>
6	Product 17	PR-17	12	290713	<div>VIEWEDITDELETE</div>
7	Product 16	PR-16	18	462917	<div>VIEWEDITDELETE</div>
8	Product 15	PR-15	42	573513	<div>VIEWEDITDELETE</div>
9	Product 14	PR-14	78	69601	<div>VIEWEDITDELETE</div>
10	Product 13	PR-13	23	843632	<div>VIEWEDITDELETE</div>

30°C
Berawan

Search

18:21
04/05/2025