

Tickets For Sale

[Basketball Game - \\$20](#)

[Classical Concert - \\$100](#)

[Rock Concert - \\$100](#)

[Football Game - \\$40](#)

Sign Up

Email

Password

Submit

Sign In

Email

Password

Submit

Tickets For Sale

[Basketball Game - \\$20](#)

[Classical Concert - \\$100](#)

[Rock Concert - \\$100](#)

[Football Game - \\$40](#)

Rock Concert

Price - \$40

Status - Available

Purchase

Purchasing Rock Concert

You have 30 seconds left to order

Pay

Create a Ticket

Title

Price

Submit

Create a Ticket

Title

Price

Submit

Route	File in Pages Dir	Goal
/auth/signin	/auth/signin.js	Show sign in form
/auth/signup	/auth/signup.js	Show sign up form
/auth/signout	/auth/signout.js	Sign out
/	/index.js	Show list of all tickets
/tickets/new	/tickets/new.js	Form to create a new ticket
/tickets/:ticketId	/tickets/[ticketId].js	Details about a specific ticket
/orders/:orderId	/orders/[orderId].js	Show info about an order + payment button

**App
Component**

```
graph TD; A[App Component] --> B[LandingPage Component]; A --- C[getInitialProps]; B --- D[getInitialProps]
```

getInitialProps

**LandingPage
Component**

getInitialProps

User navigates to /

Next decides to show LandingPage component

Next calls the App's getInitialProps function

We manually invoke the LandingPage's getInitialProps function

Next renders the App component with data from getInitialProps + LandingPage Component

**App
Component**

getInitialProps

**LandingPage
Component**

getInitialProps